Cell

Cumulative Index

Volumes 1–12
1974–1977

OCT 8 11 10 AM '80

ICAL
73
4
2
RARY

Cell

Cumulative Index Volumes 1–12 1974–1977

Compiled by
Susan Gensel
Kimberly Douglas
Deborah Gibson
Marie Moschitta

Edited by
William C. Topp

at Cold Spring Harbor Laboratory Library for The MIT Press September, 1978

Amy Satran

at the Cell Editorial Offices, The MIT Press



Digitized by the Internet Archive
in 2023 with funding from
Kahle/Austin Foundation

https://archive.org/details/cell_1974-1977_1-12_index

Cell Cumulative Index, Vol. 1–12, Copyright © 1979 by MIT

Subject Index

A-type particle
see Intracisternal A particle

Ad2
see Adenovirus type 2

AKR mice
Cellular changes in the thymuses of preleukemic AKR mice: correlation with changes in the expression of murine leukemia viruses. *12*, 341.

Abelson virus
Abelson virus-transformed lymphocytes: null cells that modulate H-2. *12*, 683.

Synthesis, surface deposition and secretion of immunoglobulins by Abelson virus-transformed lymphosarcoma cell lines. *6*, 149.

Abrin
Abrin and hurin: two new lymphocyte mitogens. *4*, 263.

Acetohydroxy acid synthase
Cyclic AMP can replace the *relA*-dependent requirement for derepression of acetohydroxy acid synthase in E. coli K12. *12*, 1121.

Acetylcholine
Appearance and disappearance of acetylcholine receptor during differentiation of chick skeletal muscle in vitro. *7*, 543.

Kinetics of biosynthesis of the acetylcholine receptor and its subsequent incorporation into the plasma membrane of cultured chick skeletal muscle. *10*, 365.

Acetylcholinesterase
Creatine kinase, myokinase and acetylcholinesterase activities in muscle-forming primary cultures of mouse teratocarcinoma cells. *6*, 61.

Achyla
Relationship between nuclear and polysomal RNA populations of Achyla: a simple eucaryotic system. *10*, 623.

Actin
Characterization of the mRNAs for α–, β– and γ–actin. *12*, 767.

Diffusible and bound actin in nuclei of Xenopus laevis oocytes. *12*, 883.

Effects of cytochalasin B on fibroblasts, lymphoid cells and platelets revealed by human anti-actin antibodies. *6*, 507.

Identification and characterization of multiple forms of actin. *9*, 793.

Phagokinetic tracks of 3T3 cells: parallels between the orientation of track segments and of cellular structures which contain actin or tubulin. *12*, 333.

The presence of actin in nuclei: a critical appraisal. *12*, 601.

Tissue-specific forms of actin in the developing chick. *8*, 521.

A unified theory of the control of actin and myosin in nonmuscle movements. *2*, 123.

F actin
Depolymerization of F actin by deoxyribonuclease I. *7*, 531.

Actin-containing cable
Actin-containing cables within anchorage-dependent rat embryo cells are dissociated by plasmin and trypsin. *6*, 495.

α–Actinin
α–Actinin: immunofluorescent localization of a muscle structural protein in nonmuscle cells. *6*, 289.

Actinomycin D
"Superinduction" of tyrosine aminotransferase by actinomycin D: a reevaluation. *5*, 29.

Adenine phosphoribosyltransferase
Mutants of cultured Chinese hamster cells deficient in adenine phosphoribosyltransferase. *2*, 43.

Mutations affecting adenine phosphoribosyltransferase activity in Chinese hamster cells. *2*, 37.

Adenosine deaminase
Characterization of a cell culture model for the study of adenosine deaminase and purine nucleoside phosphorylase-deficient immunologic disease. *9*, 205.

Adenosine-mediated toxicity
Role of S–adenosylhomocysteine in adenosine-mediated toxicity in cultured mouse T lymphoma cells. *12*, 931.

Adenosine triphosphate
Control of nucleolar RNA synthesis by the intracellular pool sizes of ATP and GTP. *7*, 447.

S-adenosylhomocysteine
Role of S–adenosylhomocysteine in adenosine-mediated toxicity in cultured mouse T lymphoma cells. *12*, 931.

Adenovirus (see also Adenovirus types 2, 7 and 12)
Adenovirus recombination: physical mapping of crossover events. *4*, 113.

An altered subunit configuration associated with the actively transcribed DNA of integrated adenovirus genes. *12*, 783.

Characterization of single-stranded viral DNA sequences present during replication of adenovirus types 2 and 5. *9*, 559.

Further mapping of late adenovirus genes by cell-free translation of RNA selected by hybridization to specific DNA fragments. *12*, 37.

The gene and messenger RNA for adenovirus polypeptide IX. *12*, 741.

The group C adenovirus tumor antigens: identification in infected and transformed cells and a peptide map analysis. *11*, 871.

Identification of a protein linked to the ends of adenovirus DNA. *11*, 283.

In vitro traits of adenovirus-transformed cell lines and their relevance to tumorigenicity in nude mice. *10*, 669.

The location of the genes coding for hexon and fiber proteins in adenovirus DNA. *5*, 93.

Nuclear transcripts larger than the cytoplasmic mRNAs are specified by segments of the adenovirus genome coding for early functions. *8*, 205.

The relationship between group C adenovirus tumor antigen and the adenovirus single-strand DNA-binding protein. *7*, 575.

Sizing and mapping of early adenovirus mRNAs by gel electrophoresis of S1 endonuclease-digested hybrids. *12*, 721.

The topography and transcription of the adenovirus genome. *10*, 153.

Two adenovirus mRNAs have a common 5′ terminal leader sequence encoded at least 10 kb upstream from their main coding regions. *12*, 9.

Two complementary strand-specific termination sites for adenovirus DNA replication. *9*, 259.

Visualization and mapping of late nuclear adenovirus RNA. *10*, 225.

Adenovirus type 2 (see also Adenovirus)
An amazing sequence arrangement at the 5′ ends of adenovirus 2 messenger RNA. *12*, 1.

The definition of a large viral transcription unit late in Ad2 infection of HeLa cells: mapping by effects of ultraviolet irradiation. *10*, 617.

The definition of a large viral transcription unit late in Ad2 infection of HeLa cells: mapping of nascent RNA molecules labeled in isolated nuclei. *10*, 611.

Genes for VA-RNA in adenovirus 2. *6*, 223.

The initiation sites for RNA transcription in Ad2 DNA. *12*, 733.

Location and identification of the genes for adenovirus type 2 early polypeptides. *7*, 141.

Location of sequences on the adenovirus genome coding for the 5.5S RNA. *6*, 1.

Low molecular weight viral RNAs transcribed by RNA polymerase III during adenovirus 2 infection. *7*, 557.

A map of cytoplasmic RNA transcripts from lytic adenovirus type 2, determined by electron microscopy of RNA:DNA hybrids. *11*, 819.

A new species of virus-coded low molecular weight RNA from cells infected with adenovirus type 2. *7*, 585.

A novel method to map transcripts: evidence for homology between an adenovirus mRNA and discrete multiple regions of the viral genome. *12*, 23.

The structure of replicating adenovirus 2 DNA molecules. *12*, 1007.

Ultraviolet mapping of the adenovirus 2 early promoters. *12*, 45.

Adenovirus type 7 (see also Adenovirus)
Viral DNA sequences from incomplete particles of human adenovirus type 7. *12*, 243.

Adenovirus type 12 (see also Adenovirus)
Integrated viral sequences in adenovirus type 12-transformed hamster cells. *10*, 101.

A unique pattern of integrated viral genes in hamster cells transformed by highly oncogenic human adenovirus 12. *7*, 419.

Adenylate cyclase
Changes in adenylate cyclase, cyclic AMP and protein kinase levels in chick myoblasts, and their relationship to differentiation. *2*, 103.

Adipose conversion
An established preadipose cell line and its differentiation in culture. II. Factors affecting the adipose conversion. *5*, 19.

Spontaneous heritable changes leading to increased adipose conversion in 3T3 cells. *7*, 105.

Aedes
hnRNA size and processing as related to different DNA content in two dipterans: Drosophila and Aedes. *5*, 281.

Agglutinability
Lack of correlation between agglutinability, the surface distribution of con A and post-confluence inhibition of cell division in ten cell lines. *7*, 213.

Agmenellum quadruplicatum
The blue-green alga Agmenellum quadruplicatum contains covalently closed DNA circles. *9*, 551.

Albumin
Microinjection of thymidine kinase and bovine serum albumin into mammalian cells by fusion with red blood cells. *5*, 371.

Subcellular compartmentation of albumin and globin made in oocytes under the direction of injected messenger RNA. *11*, 683.

Algae, blue-green
The blue-green alga Agmenellum quadruplicatum contains covalently closed DNA circles. *9*, 551.

The program of protein synthesis during heterocyst differentiation in nitrogen-fixing blue-green algae. *3*, 159.

Alkaline phosphatase
Characterization of two different alkaline phosphatases in mouse teratoma: partial purification, electrophoretic and histochemical studies. *9*, 37.

Allele
Heterozygous familial hypercholesterolemia: failure of normal allele to compensate for mutant allele at a regulated genetic locus. *9*, 195.

α-Amanitin resistance
α-Amanitin resistance: a dominant mutation in CHO cells. *4*, 167.

DNA-dependent RNA polymerase activity of Chinese hamster kidney cells sensitive to high concentrations of α-amanitin. *3*, 227.

The RNA polymerase II of an α-amanitin-resistant Chinese hamster ovary cell line. *8*, 65.

Regulation of RNA polymerase II activity in α-aminitin-resistant CHO hybrid cells. *10*, 53.

Amebae
cAMP-induced changes in cAMP-binding sites on D. discoideum amebae. *10*, 329.

Amino acid starvation
Amino acid starvation affects the initiation frequency of nucleolar RNA polymerase. *7*, 439.

Studies on amino acid control of cellular function. *1*, 91.

δ-Aminolevulinic acid
Genetic control of chlorophyll biosynthesis in Chlamydomonas: analysis of a mutant affecting synthesis of δ-aminolevulinic acid. *6*, 75.

Anchorage independence
Transfer of anchorage independence by isolated metaphase chromosomes in hamster cells. *12*, 675.

Androgen
Androgen-dependent fibrinolytic activity in a murine mammary carcinoma (Shionogi SC-115 cells) in vitro. *7*, 223.

Characterization of a hormone receptor defect in the androgen-insensitivity mutant. *3*, 59.

Cloned mouse mammary cell lines requiring androgens for growth in culture. *8*, 79.

Development of methods for the quantitative in vitro analysis of androgen-dependent and autonomous Shionogi carcinoma 115 cells. *10*, 35.

Effects of androgens on the complexity of poly(A) RNA from rat prostate. *12*, 401.

Regulation of the proliferation rate of cultured, androgen-responsive cells does not involve changes in cyclic AMP levels. *3*, 361.

Androgen receptor
Characterization of a hormone receptor defect in the androgen-insensitivity mutant. *3*, 59.

Cytosol androgen receptor from kidney of normal and testicular feminized (*Tfm*) mice. *2*, 205.

Anlagen
Regression of mouse mammary gland anlagen in recombinants of *Tfm* and wild-type tissues: testosterone acts via the mesenchyme. *10*, 401.

Anticodon
A functional requirement for modification of the wobble nucleotide in the anticodon of a T4 suppressor tRNA. *9*, 449.

Antigen, cell surface
Analysis of cell surfaces by xenogeneic myeloma-hybrid antibodies: differentiation antigens of rat lymphocytes. *12*, 663.

Antigen expression of mouse spleen x thymocyte heterokaryons. *6*, 521.

Cell surface antigens of clonal teratocarcinoma cells at various stages of differentiation. *6*, 455.

Antigen, H-Y
Testis-determining H-Y antigen in XO males of the mole-vole (Ellobius lutescens). *10*, 729.

Antigen, hepatitis B
The antigenic complexity of hepatitis B virus. *1*, 157.

Viral hepatitis, the B antigen and liver cancer. *1*, 65.

Antigen, nuclear
Immunocytochemical detection of a murine leukemia virus-related nuclear antigen in mouse oocytes and early embryos. *12*, 697.

Antigen, T
see T antigen

Antigen, theta
Thy 1 (theta) antigen on the surface of morphologically distinct brain cell types. *4*, 95.

Antigen, thy 1
Thy 1 (theta) antigen on the surface of morphologically distinct brain cell types. *4*, 95.

Aplysia
see Mollusc, Aplysia californica

***argF* gene**
Evolutionary drift of the *argF* and *argI* genes coding for isoenzyme forms of ornithine transcarbamylase in E. coli K12. *10*, 275.

***argI* gene**
Evolutionary drift of the *argF* and *argI* genes coding for isoenzyme forms of ornithine transcarbamylase in E. coli K12. *10*, 275.

Asparagyl-tRNA synthetase
Selection of temperature-sensitive CHL asparagyl-tRNA synthetase mutants using the toxic lysine analog, S-2-aminoethyl-L-cysteine. *9*, 655.

Aspergillus nidulans
Nucleosome structure in Aspergillus nidulans. *8*, 357.

Auxotrophic thymocyte
Accumulation of cystine auxotrophic thymocytes accompanying type C viral leukemogenesis in the mouse. *7*, 41.

Avian myeloblastosis virus
Avian myeloblastosis virus RNA is terminally redundant: implications for the mechanisms of retrovirus replication. *12*, 57.

Avian sarcoma virus (ASV)
Accumulation of water during transformation of cells by an avian sarcoma virus. *3*, 307.

Chicken macrochromosomes contain an endogenous provirus and microchromosomes contain sequences related to the transforming gene of ASV. *10*, 649.

A joint product of the genes *gag* and *pol* of avian sarcoma virus: a possible precursor of reverse transcriptase. *12*, 993.

Properties of mammalian cells transformed by temperature-sensitive mutants of avian sarcoma virus. *11*, 513.
The size and genetic composition of virus-specific RNAs in the cytoplasm of cells producing avian sarcoma-leukosis viruses. *12*, 983.

Azetidine carboxylic acid resistance
Biochemical characterization of azetidine carboxylic acid-resistant Chinese hamster cells. *8*, 71.

B lymphocyte
Clonal growth and maturation to immunoglobulin secretion in vitro of every growth-inducible B lymphocyte. *10*, 27.

Continuous culturing of murine splenic B lymphocytes: synthesis and surface deposition of IgM and putative IgD molecules. *8*, 397.

B-tropic
Effect of Fv-1 gene product on synthesis of N-tropic and B-tropic murine leukemia viral RNA. *7*, 33.

Phenotypic mixing between N- and B-tropic murine leukemia viruses: infectious particles with dual sensitivity to Fv-1 restriction. *7*, 373.

B-type virus
Distribution of murine type B and type C viral nucleic acid sequences in template active and template inactive chromatin. *4*, 321.

BALB/c mouse cell
Isolation from BALB/c mouse cells of a structural polypeptide of a third endogenous type C virus. *3*, 347.

BALB/3T3 cell (see also Cell, 3T3)
Increased collagen synthesis in Kirsten sarcoma virus-transformed BALB/3T3 cells grown in the presence of dibutyryl cyclic AMP. *3*, 291.

Loss of Fv-1 restriction in BALB/3T3 cells following infection with a single N-tropic murine leukemia virus particle. *10*, 479.

Temperature-sensitive mutants of BALB/3T3 cells: description of a mutant affected in cellular and polyoma virus DNA synthesis. *7*, 289.

BHK
see Baby hamster kidney cell

Baby hamster kidney cell
The adhesion of BHK and PyBHK cells to the substratum. *3*, 31.

Effect of cyclic nucleotides on the induction of ornithine decarboxylase in BHK cells by serum and insulin. *2*, 229.

Elevated dihydrofolate reductase messenger RNA levels in methotrexate-resistant BHK cells. *7*, 391.

Bacillus subtilis
Cloned Bacillus subtilis DNA containing a gene that is activated early during sporulation. *11*, 751.

The program of protein synthesis during sporulation in Bacillus subtilis. *8*, 103.

The virus-specific subunits of a modified B. subtilis RNA polymerase are determinants of DNA binding and RNA chain initiation. *8*, 595.

Bacterial plasmid
Bacterial plasmids. *3*, 189.

Synthesis of hybrid bacterial plasmids containing highly repeated satellite DNA. *10*, 509.

Bacteriophage lambda
Construction of hybrid viruses containing SV40 and λ phage DNA segments and their propagation in cultured monkey cells. *9*, 695.

Effects of dimethylsulfoxide on the E. coli *gal* operon and on bacteriophage lambda in vivo. *3*, 39.

The integration and excision of bacteriophage lambda. *1*, 69.

Isolation of bacteriophage λ containing yeast ribosomal RNA genes: screening by in situ RNA hybridization to plaques. *8*, 227.

Propagation of a segment of bacteriophage λ DNA in monkey cells after covalent linkage to a defective simian virus 40 genome. *7*, 349.

Recognition sequences of repressor and polymerase in the operators of bacteriophage lambda. *5*, 109.

Synthesis of ribosomal RNA in E. coli: analysis using deletion mutants of a λ transducing phage carrying ribosomal RNA genes. *7*, 179.

Bacteriophage Mu-1
The integration and excision of the bacteriophage Mu-1. *7*, 155.

Bacteriophage, RNA
Past and future of RNA phages. *6*, 571.

Bacteriophage T4
Correlation between structural transformation and cleavage of the major head protein of T4 bacteriophage. *7*, 191.

Balbiani ring
Quantitation of turnover and export to the cytoplasm of hnRNA transcribed in the Balbiani rings. *7*, 507.

Blastocyst
The culture of cells derived from mouse blastocysts. *5*, 343.

Blastula, sea urchin
Similarity of hnRNA sequences in blastula and pluteus stage sea urchin embryos. *12*, 143.

Blood coagulation factor XIII
Cross-linking of a major fibroblast surface-associated glycoprotein (fibronectin) catalyzed by blood coagulation factor XIII. *9*, 29.

Blue-green algae
see Algae, blue-green

Bombyx mori
The blocked and methylated 5′ terminal sequence of a specific cellular messenger: the mRNA for silk fibroin of Bombyx mori. *7*, 339.

The length of the fibroin gene in the Bombyx mori genome. *4*, 207.

Bone marrow cell
Infection of bone marrow cells in vitro with FLV: effects on stem cell proliferation, differentiation and leukemogenic capacity. *12*, 355.

X-linked control of hemoglobin production in somatic hybrids of mouse erythroleukemic cells and mouse lymphoma or bone marrow cells. *12*, 263.

Bromodeoxyuridine
Deoxycytidine reverses the suppression of pigmentation caused by 5-BrdUrd without changing the amount of 5-BrdUrd in DNA. *12*, 923.

Differences in the incorporation of bromodeoxyuridine by human lymphoblastoid cell lines. *5*, 381.

Induction of a deoxycytidineless state in cultured mammalian cells by bromodeoxyuridine. *2*, 109.

Induction of prolactin synthesis in rat pituitary tumor cells by 5-bromodeoxyuridine. *11*, 431.

Buffalo rat liver cell
Proliferation of buffalo rat liver cells in serum-free medium does not depend upon multiplication-stimulating activity (MSA). *11*, 441.

Bursal lymphoma
Chicken leukosis virus genome sequences in DNA from normal chick cells and virus-induced bursal lymphomas. *4*, 311.

n-Butyrate
Effect of n-butyrate on DNA synthesis in chick fibroblasts and HeLa cells. *12*, 855.

Butyric acid
Butyric acid, a potent inducer of erythroid differentiation in cultured erythroleukemic cells. *5*, 319.

C-type virus
Accumulation of cystine auxotrophic thymocytes accompanying type C viral leukemogenesis in the mouse. *7*, 41.

Distribution of murine type B and type C viral nucleic acid sequences in template active and template inactive chromatin. *4*, 321.

Endogenous type C RNA virus of Odocoileus hemionus, a mammalian species of New World origin. *9*, 489.

Evidence for genetic recombination between endogenous and exogenous mouse RNA type C viruses. *2*, 87.

Evolutionary relationships between *gag* gene-coded proteins of murine and primate endogenous type C RNA viruses. *10*, 641.

Gene expression in chemically transformed mouse embryo cells: selective enhancement of the expression of C-type RNA tumor virus genes. *11*, 909.

The genome-associated, specific RNA binding proteins of avian and mammalian type C viruses. *10*, 91.

Isolation from BALB/c mouse cells of a structural polypeptide of a third endogenous type C virus. *3*, 347.

Mapping of poly(A) sequences in the electron microscope reveals unusual structure of type C oncornavirus RNA molecules. *7*, 595.

Mixed splenocyte cultures and graft versus host reactions selectively induce an "S-tropic" murine type C virus. *1*, 55.

A new genetic locus, *Bevi*, on human chromosome 6 which controls the replication of baboon type C virus in human cells. *12*, 251.

Phosphorylation of murine type C viral p12 proteins regulates their extent of binding to the homologous viral RNA. *10*, 489.

RD-114, baboon and woolly monkey viral RNAs compared in size and structure. *7*, 609.

Specific binding of the type C viral core protein p12 with purified viral RNA. *7*, 21.

Type C viruses of baboons: isolation from normal cell cultures. *2*, 55.

cAMP
see Cyclic adenosine 3′:5′ monophosphate

cGMP
see Cyclic guanosine 3′:5′ monophosphate

CHL
see Chinese hamster lung cell

CHO
see Chinese hamster ovary cell

Con A
see Concanavalin A

Caenorhabditis elegans
Myosin and paramyosin of Caenorhabditis elegans: biochemical and structural properties of wild-type and mutant proteins. *10*, 709.

Two homogeneous myosins in body-wall muscle of Caenorhabditis elegans. *10*, 721.

Calcium ionophore
see Ionophore, calcium

Capping, cell surface
Distribution of concanavalin A in fibroblasts: direct endocytosis versus surface capping. *11*, 707.

Capping, mRNA
The blocked and methylated 5′ terminal sequence of a specific cellular messenger: the mRNA for silk fibroin of Bombyx mori. *7*, 339.

Capping of eucaryotic mRNAs. *9*, 645.

Characterization of the 5′ termini of hnRNA in mouse L cells: implications for processing and cap formation. *9*, 121.

Detection in HeLa cell extracts of a 7-methylguanosine-specific enzyme activity that cleaves m^7GpppN^m. *6*, 21.

5′ terminal nucleotide sequences of the messenger RNAs of Dictyostelium discoideum. *8*, 233.

The 5′ terminal structure of the methylated mRNA synthesized in vitro by vesicular stomatitis virus. *5*, 51.

Histone mRNAs contain blocked and methylated 5′ terminal sequences but lack methylated nucleosides at internal positions. *10*, 113.

Kinetics of formation of 5′ terminal caps in RNA. *8*, 433.

Methyl labeling of HeLa cell hnRNA: a comparison with mRNA. *7*, 227.

Methylated and blocked 5′ termini in vesicular stomatitis virus in vivo mRNAs. *5*, 59.

Methylated blocked 5′ terminal sequences of sea urchin embryo messenger RNA classes containing and lacking poly(A). *9*, 589.

Methylated constituents of heterogeneous nuclear RNA: presence in blocked 5′ terminal structures. *6*, 13.

The methylated constituents of L cell messenger RNA: evidence for an unusual cluster at the 5′ terminus. *4*, 387.

Ribosome binding to reovirus mRNA in protein synthesis requires 5′ terminal 7-methylguanosine. *6*, 185.

Sequences containing methylated nucleotides at the 5′ termini of messenger RNAs: possible implications for processing. *3*, 197.

Capsid protein
Correlation between genetic loci and structural differences in the capsid proteins of polyoma virus plaque morphology mutants. *11*, 331.

Location of the sequences coding for capsid proteins VP1 and VP2 on polyoma virus DNA. *9*, 481.

Resolution of simian virus 40 proteins in whole cell extracts by two-dimensional electrophoresis: heterogeneity of the major capsid protein. *9*, 289.

Carcinoma, embryonal
Comparison of polysomal polyadenylated RNA from embryonal carcinoma and committed myogenic and erythropoietic cell lines. *12*, 509.

Carcinoma, mammary
Androgen-dependent fibrinolytic activity in a murine mammary carcinoma (Shionogi SC-115 cells) in vitro. *7*, 223.

Casein overlay assay
Increased protease levels in transformed cells: a casein overlay assay for the detection of plasminogen activator production. *2*, 95.

Caulobacter
Regulation of flagellin synthesis in the cell cycle of Caulobacter: dependence on DNA replication. *12*, 393.

Cell adhesion
Restoration of normal morphology: adhesion and cytoskeleton in transformed cells by addition of a transformation-sensitive surface protein. *11*, 115.

Cell communication
Communications between cells. *4*, 407.

Cell culture
Assembly of tubulin from cultured cells and comparison with the neurotubulin model. *12*, 573.

Cell culture—the state of the art. *2*, 120.

The culture of cells derived from mouse blastocysts. *5*, 343.

Decrease in adhesion of cells cultured in polyunsaturated fatty acids. *12*, 295.

Growth of cell culture. *3*, 381.

High frequency variation in mammary tumor virus expression in cell culture. *8*, 87.

Studies on the activity of the X chromosomes in female teratocarcinoma cells in culture. *9*, 57.

Transfer of purified herpes virus thymidine kinase gene to cultured mouse cells. *11*, 223.

Type C viruses of baboons: isolation from normal cell cultures. *2*, 55.

Cell cycle
Around the cell cycle. *3*, 382.

Catabolism of thymidine during the lymphocyte cell cycle. *12*, 365.

Continuous protein synthesis is required to maintain the probability of entry into S phase. *12*, 311.

Density and cell cycle dependence of cell surface proteins in hamster fibroblasts. *3*, 113.

Further evidence of transcriptional and translational control of histone messenger RNA during the HeLa S3 cycle. *4*, 59.

Mitochondrial DNA synthesis in cell cycle mutants of Saccharomyces cerevisiae. *5*, 423.

A model of cell cycle control: effects of thymidine on synchronous cell cultures. *5*, 37.

Mouse L cell mitochondrial DNA molecules are selected randomly for replication throughout the cell cycle. *11*, 719.

A novel temperature-sensitive mammalian cell line exhibiting defective prophase progession. *8*, 257.

Regulation of flagellin synthesis in the cell cycle of Caulobacter: dependence on DNA replication. *12*, 393.

Synthesis of histone messenger RNA of HeLa cells during the cell cycle. *12*, 167.

Temperature-sensitive cell cycle mutants: a Chinese hamster cell line with a reversible block in cytokinesis. *5*, 123.

The temporal structure of S phase. *5*, 195.

Cell-free system
Assembly of SV40 chromatin in a cell-free system from Xenopus eggs. *10*, 237.

Recombinant DNA formation in a cell-free system from Xenopus laevis eggs. *12*, 191.

Cell-free translation
Further mapping of late adenovirus genes by cell-free translation of RNA selected by hybridization to specific DNA fragments. *12*, 37.

Cell interactions
Induction of cell interactions. *6*, 113.

Cell line
Clone MPC 11 myeloma cells express two kappa genes: a gene for a complete light chain and a gene for a constant region polypeptide. *12*, 453.

Cloned mouse mammary cell lines requiring androgens for growth in culture. *8*, 79.

Comparison of polysomal polyadenylated RNA from embryonal carcinoma and committed myogenic and erythropoietic cell lines. *12*, 509.

Formation of a keratinizing epithelium in culture by a cloned cell line derived from a teratoma. *6*, 317.

A hemagglutination inhibition technique for detection of immunoglobulins in supernatants of human lymphoblastoid cell lines. *3*, 153.

In vitro traits of adenovirus-transformed cell lines and their relevance to tumorigenicity in nude mice. *10*, 669.

Two very different components of messenger RNA in an insect cell line. *4*, 131.

Cell, nonmuscle
α–Actinin: immunofluorescent localization of a muscle structural protein in nonmuscle cells. *6*, 289.

Cell, normal rat kidney
Virogenic nontransformed cells isolated following infection of normal rat kidney cells with B77 strain Rous sarcoma virus. *3*, 71.

Cell proliferation
Effect of cell proliferation on levels and diversity of poly(A)-containing mRNA. *7*, 255.

Infection of bone marrow cells in vitro with FLV: effects on stem cell proliferation, differentiation and leukemogenic capacity. *12*, 355.

Cell shape
Microfilament bundles and cell shape are related to adhesiveness to substratum and are dissociable from growth control in cultured fibroblasts. *10*, 375.

Cell, Shionogi SC-115
Androgen-dependent fibrinolytic activity in a murine mammary carcinoma (Shionogi SC-115 cells) in vitro. *7*, 223.

Cell surface
Analysis of cell surfaces by xenogeneic myeloma-hybrid antibodies: differentiation antigens of rat lymphocytes. *12*, 663.

Modifications of mammalian cell surfaces induced by sugars: scanning electron microscopy. *7*, 97.

The synthesis, turnover and artificial restoration of a major cell surface glycoprotein. *5*, 75.

Cell surface protein
Alteration in cell surface LETS protein during myogenesis. *10*, 393.

Cell surface protein decreases microvilli and ruffles on transformed mouse and chick cells. *9*, 241.

Cell surface proteins of NIL1 hamster fibroblasts labeled by a galactose oxidase, tritiated borohydride method. *3*, 121.

Density and cell cycle dependence of cell surface proteins in hamster fibroblasts. *3*, 113.

Effect of proteases on activation of resting chick embryo fibroblasts and on cell surface proteins. *6*, 137.

Mechanism of the decrease in the major cell surface protein of chick embryo fibroblasts after transformation. *11*, 957.

Role of surface alterations in cell transformation: the importance of proteases and surface proteins. *1*, 147.

Cell, T
see T cell

Cell, 3T3 (see also BALB/3T3 cell)
Shaking 3T3 cells: further studies on diffusion boundary effects. *3*, 207.

Spontaneous heritable changes leading to increased adipose conversion in 3T3 cells. *7*, 105.

Sublines of mouse 3T3 cells that accumulate lipid. *1*, 113.

Cellulose, deoxyribonucleic acid
see Deoxyribonucleic acid cellulose

Central nervous system
Tfm mutation and masculinization versus feminization of the mouse central nervous system. *3*, 235.

Centriole
Evidence for a functional role of RNA in centrioles. *10*, 337.

Chemotatic behavior
Genetics of chemotatic behavior in bacteria. *4*, 183.

Chicken embryo cell
Hydrolase and serum treatment of normal chick embryo cells: effects on hexose transport. *5*, 245.

Chicken embryo fibroblast
Decreased adherence to the substrate in Rous sarcoma virus-transformed chicken embryo fibroblasts. *10*, 45.

Effect of proteases on activation of resting chick embryo fibroblasts and on cell surface protein. *6*, 137.

Effects of protease treatment on growth, morphology, adhesion and cell surface proteins of secondary chick embryo fibroblasts. *7*, 407.

Mechanism of the decrease in the major cell surface protein of chick embryo fibroblasts after transformation. *11*, 957.

Regulation of sugar transport in chick embryo fibroblasts infected with a temperature-sensitive mutant of RSV. *6*, 513.

Chicken endogenous virus
Organization of shared and unshared sequences in the genomes of chicken endogenous and sarcoma viruses. *11*, 321.

Chicken sarcoma virus
Organization of shared and unshared sequences in the genomes of chicken endogenous and sarcoma viruses. *11*, 321.

Chinese hamster cell
Biochemical characterization of azetidine carboxylic acid-resistant Chinese hamster cells. *8*, 71.

Characterization of a Chinese hamster cell with a temperature-sensitive mutation in folate metabolism. *2*, 183.

Evidence for the formation of hybrid DNA during mitotic recombination in Chinese hamster cells. *8*, 573.

Isolation and biochemical characterization of folate-deficient mutants of Chinese hamster cells. *2*, 173.

Mammalian cells with defective mitochondrial functions: a Chinese hamster mutant cell line lacking succinate dehydrogenase activity. *10*, 697.

Mutant Chinese hamster cells with a thermosensitive hypoxanthine-guanine phosphoribosyltransferase. *5*, 115.

Mutants of cultured Chinese hamster cells deficient in adenine phosphoribosyltransferase. *2*, 43.

Mutations affecting adenine phosphoribosyltransferase activity in Chinese hamster cells. *2*, 37.

Transfer of anchorage independence by isolated metaphase chromosomes in hamster cells. *12*, 675.

A unique pattern of integrated viral genes in hamster cells transformed by highly oncogenic human adenovirus 12. *7*, 419.

Chinese hamster kidney cell
DNA-dependent RNA polymerase activity of Chinese hamster kidney cells sensitive to high concentrations of α-amanitin. *3*, 227.

Chinese hamster lung cell
Initiation points for DNA replication in nontransformed and simian virus 40-transformed Chinese hamster lung cells. *11*, 859.

Isolation of heat- and cold-sensitive mutants of Chinese hamster lung cells affected in their ability to express the transformed state. *5*, 131.

Selection of temperature-sensitive CHL asparagyl-tRNA synthetase mutants using the toxic lysine analog, S-2-aminoethyl-L-cysteine. *9*, 655.

Chinese hamster ovary cell
α-Amanitin resistance: a dominant mutation in CHO cells. *4*, 167.

CHO cell mutants for arginyl-, aspargyl-, glutaminyl-, histidyl- and methionyl-transfer RNA synthetases: identification and initial characterization. *11*, 157.

Clonal variation in colony morphology and growth of CHO cells cultured on agar. *10*, 305.

An electron microscope study of the effects of dibutyryl cyclic AMP on Chinese hamster ovary cells. *2*, 145.

Linkage of markers controlling consecutive biochemical steps in CHO cells as demonstrated by chromosome transfer. *12*, 235.

The molecular basis of emetine resistance in Chinese hamster ovary cells: alteration in the 40S ribosomal subunit. *10*, 61.

The RNA polymerase II of an α-amanitin-resistant Chinese hamster ovary cell line. *8*, 65.

Regulation of RNA polymerase II activity in α-amanitin-resistant CHO hybrid cells. *10*, 53.

Selection and characterization of eight phenotypically distinct lines of lectin-resistant Chinese hamster ovary cells. *6*, 121.

The selection of virus-resistant Chinese hamster ovary cells. *8*, 529.

Turnover of tubulin and the N site GTP in Chinese hamster ovary cells. *12*, 587.

Chlamydomonas reinhardii
Genetic control of chlorophyll biosynthesis in Chlamydomonas: analysis of a mutant affecting synthesis of δ-aminolevulinic acid. *6*, 75.

Induction of microtubule protein synthesis in Chlamydomonas reinhardii during flagellar regeneration. *9*, 15.

Chloramphenicol
Transfer of murine intracisternal A particle phenotype in chloramphenicol-resistant cytoplasts. *9*, 383.

Chlorophyll
Genetic control of chlorophyll biosynthesis in Chlamydomonas: analysis of a mutant affecting synthesis of δ-aminolevulinic acid. *6*, 75.

Chloroplast
The dimorphic chloroplasts of the C_4 plant Panicum maximum contain identical genomes. *11*, 729.

Zea mays chloroplast ribosomal RNA genes are part of a 22,000 base pair inverted repeat. *11*, 739.

Chondroblast
Transformation of chondroblasts by Rous sarcoma virus and synthesis of the sulfated proteoglycan matrix. *11*, 891.

Chorioallantoic membrane, chick
The chick chorioallantoic membrane as a model system for the study of tissue invasion by viral-transformed cells. *8*, 373.

Chorion
Development of hCG sensitivity in the testis of the immature rat. *2*, 75.

Full-length and discrete partial reverse transcripts of globin and chorion mRNAs. *4*, 367.

Chorionic somatomammotropin, gene, human
Nucleotide sequence of part of the gene for human chorionic somatomammotropin: purification of DNA complementary to predominant mRNA species. *12*, 157.

Chromatin
Cesium chloride gradients of chromatin after treatment with micrococcal nuclease. *8*, 59.

Chromatin structure as probed by nucleases and proteases: evidence for the central role of histones H3 and H4. *9*, 179.

Chromatin structure visualization by immunoelectron microscopy. *7*, 297.

A comparison of the structure of chicken erythrocyte and chicken liver chromatin. *9*, 627.

A comparison of the transcription of mouse cell chromatin by homologous RNA polymerase I and II. *3*, 15.

Cross-linking of DNA with trimethylpsoralen is a probe for chromatin structure. *11*, 631.

Differences and similarities in chromatin structure of Neurospora crassa and higher eucaryotes. *8*, 349.

Distribution of messenger RNA-coding sequences in fractionated chromatin. *12*, 953.

Distribution of murine type B and type C viral nucleic acid sequences in template active and template inactive chromatin. *4*, 321.

Electron microscopic and biochemical evidence that chromatin structure is a repeating unit. *4*, 281.

From chromatin to protein. *6*, 115.

Higher order coiling of DNA in chromatin. *12*, 83.

Histone neighbors in nuclei and extended chromatin. *12*, 417.

Identification of specific cross-linked histones after treatment of chromatin with formaldehyde. *5*, 45.

Influence of histone H1 on chromatin structure. *12*, 101.

A model for chromatin based upon two symmetrically paired half-nucleosomes. *9*, 409.

On the occurrence of nucleosome phasing in chromatin. *12*, 829.

The organization of histones and DNA in chromatin: evidence for an arginine-rich histone kernel. *8*, 333.

Selective release of chromosomal proteins during limited DNAase 1 digestion of avian erythrocyte chromatin. *12*, 409.

Small angle neutron scattering studies of chromatin subunits in solution. *10*, 139.

Studies on the mode of segregation of histone Nu bodies during replication in HeLa cells. *9*, 423.

Variation in chromatin structure in two cell types from the same tissue: a short DNA repeat length in cerebral cortex neurons. *10*, 633.

Chromatin-bound proteolytic activity
A chromatin-bound proteolytic activity with unique specificity for histone H2A. *9*, 785.

Chromatin replication
Electron microscopic analysis of chromatin replication in the cellular blastoderm Drosophila melanogaster embryo. *12*, 795.

Chromosomal integration
Chromosomal rearrangements which affect the chromosomal integration of the ribosomal genes in Drosophila melanogaster. *11*, 383.

Chromosomal protein
Distribution patterns of three subfractions of Drosophila nonhistone chromosomal proteins: possible correlations with gene activity. *11*, 971.

Role of nonhistone proteins in metaphase chromosome structure. *12*, 805.

Selective release of chromosomal proteins during limited DNAase 1 digestion of avian erythrocyte chromatin. *12*, 409.

Chromosomal rearrangement
Chromosomal rearrangements which affect the chromosomal integration of the ribosomal genes in Drosophila melanogaster. *11*, 383.

Chromosome, human
Human chromosome 19 carries a poliovirus receptor gene. *1*, 167.

Localization of the human α–globin structural gene to chromosome 16 in somatic cell hybrids by molecular hybridization assay. *12*, 205.

A new genetic locus, *Bevi*, on human chromosome 6 which controls the replication of baboon type C virus in human cells. *12*, 251.

Chromosome, metaphase
Localization of 5–methylcytosine in human metaphase chromosomes by immunoelectron microscopy. *9*, 503.

Role of nonhistone proteins in metaphase chromosome structure. *12*, 805.

The structure of histone-depleted metaphase chromosomes. *12*, 817.

Transfer of anchorage independence by isolated metaphase chromosomes in hamster cells. *12*, 675.

Chromosome, mouse
Identification of mouse chromosomes required for murine leukemia virus replication. *11*, 949.

Chromosome, polytene
Transcription in polytene chromosomes. *4*, 1.

Chromosome puff
RNA synthesis in puff 2-48BC after experimental induction in Drosophila hydei. *8*, 299.

Chromosome replication
Cooperative alignment of Nu bodies during chromosome replication in the presence of cycloheximide. *9*, 419.

Temporal order in yeast chromosome replication. *5*, 263.

Chromosome transfer
Linkage of markers controlling consecutive biochemical steps in CHO cells as demonstrated by chromosome transfer. *12*, 235.

Chromosome X
The effect of X chromosome heterozygosity on the structure of the ribosomal genes in Drosophila melanogaster. *11*, 389.

Preferential expression of the maternally derived X chromosome in the mouse yolk sac. *12*, 873.

Studies on the activity of the X chromosomes in female teratocarcinoma cells in culture. *9*, 57.

Cleavage, DNA
Pancreatic DNAase cleavage sites in nuclei. *10*, 537.

Cleavage, polypeptide
Correlation between structural transformation and cleavage of the major head protein of T4 bacteriophage. *7*, 191.

Murine leukemia virus mutants with temperature-sensitive defects in precursor polypeptide cleavage. *6*, 543.

Clonal growth
Clonal growth and maturation to immunoglobulin secretion in vitro of every growth-inducible B lymphocyte. *10*, 27.

Clonal variation
Clonal variation in colony morphology and growth of CHO cells cultured on agar. *10*, 305.

Cloning
Cloned Bacillus subtilis DNA containing a gene that is activated early during sporulation. *11*, 751.

Cloning and characterization of a complex satellite DNA from Drosophila melanogaster. *11*, 371.

Identification and location of the histone H2A and H3 genes by sequence analysis of sea urchin (S. purpuratus) DNA cloned in E. coli. *9*, 495.

The sequence arrangement of Drosophila melanogaster 5S DNA cloned in recombinant plasmids. *11*, 585.

Sequence arrangement of tRNA genes on a fragment of Drosophila melanogaster DNA cloned in E coli. *11*, 763.

Codon, initiation
GUG and UUG are initiation codons in vivo. *1*, 73.

Codon, nonsense
Yeast super-suppressors are altered tRNAs capable of translating a nonsense codon in vitro. *6*, 269.

Yeast suppressors of UAA and UAG nonsense codons work efficiently in vitro via tRNA. *7*, 381.

Colcemid
Inhibition of transport systems in cultured rat hepatoma cells by colcemid and ethanol. *2*, 71.

Colicin E1 hybrid plasmid
A colony bank containing synthetic Col E1 hybrid plasmids representative of the entire E. coli genome. *9*, 91.

Expression of spacer tRNA genes in ribosomal RNA transcription units carried by hybrid Col E1 plasmids in E. coli. *11*, 779.

Collagen
Collagen synthesis as a marker for cell type in mouse 3T3 lines. *11*, 169.

Increased collagen synthesis in Kirsten sarcoma virus-transformed BALB/3T3 cells grown in the presence of dibutyryl cyclic AMP. *3*, 291.

Procollagen and collagen produced by a teratocarcinoma-derived cell line, TSD4: evidence for a new molecular form of collagen. *10*, 287.

Collagen, anticollagen serum
Differential cytotoxic activity of anticollagen serum on rat osteoblasts and fibroblasts in tissue culture. *5*, 83.

Colony morphology
Clonal variation in colony morphology and growth of CHO cells cultured on agar. *10*, 305.

Compartmentation, subcellular
Subcellular compartmentation of albumin and globin made in oocytes under the direction of injected messenger RNA. *11*, 683.

Concanavalin A
Distribution of concanavalin A in fibroblasts: direct endocytosis versus surface capping. *11*, 707.

Lack of correlation between agglutinability, the surface distribution of con A and post-confluence inhibition of cell division in ten cell lines. *7*, 213.

Macrophage plasminogen activator: induction by concanavalin A and phorbol myristate acetate. *11*, 695.

Cowpea mosaic virus
Cowpea mosaic virus RNAs have neither $m^7GpppN...$ nor mono-, di- or triphosphates at their 5′ ends. *11*, 73.

Creatine kinase
Creatine kinase, myokinase and acetylcholinesterase activities in muscle-forming primary cultures of mouse teratocarcinoma cells. *6*, 61.

Crossing over
Adenovirus recombination: physical mapping of crossover events. *4*, 113.

Crown gall
Stable incorporation of plasmid DNA into higher plant cells: the molecular basis of crown gall tumorigenesis. *11*, 263.

Crypthecodinium cohnii
Characterization of the DNA from the dinoflagellate Crypthecodinium cohnii and implications for nuclear organization. *6*, 161.

Cyclic AMP
see Cyclic adenosine 3′:5′ monophosphate

Cyclic adenosine 3′:5′ monophosphate
cAMP-induced changes in cAMP-binding sites on D. discoideum amebae. *10*, 329.

Changes in adenylate cyclase, cyclic AMP and protein kinase levels in chick myoblasts, and their relationship to differentiation. *2*, 103.

Cyclic AMP can replace the *relA*-dependent requirement for derepression of acetohydroxy acid synthase in E. coli K12. *12*, 1121.

Cyclic AMP-induced cytolysis in S49 cells: selection of an unresponsive "deathless" mutant. *11*, 149.

Developmentally regulated cyclic AMP-dependent protein kinases in Dictyostelium discoideum. *11*, 173.

A direct, stimulating effect of cyclic GMP on purified phosphoribosyl pyrophosphate synthetase and its antagonism by cyclic AMP. *2*, 241.

Dual control for transcription of the galactose operon by cyclic AMP and its receptor protein at two interspersed promoters. *12*, 847.

An electron microscope study of the effects of dibutyryl cyclic AMP on Chinese hamster ovary cells. *2*, 145.

Evidence for the existence of two types of cAMP binding sites in aggregating cells of Dictyostelium discoideum. *6*, 129.

Growth control in chick embryo fibroblasts; no evidence for a specific role for cyclic purine nucleotides. *2*, 235.

Metabolism of cyclic adenosine 3′:5′ monophosphate in somatic cell hybrids. *3*, 135.

Mutations causing charge alterations in regulatory subunits of the cAMP-dependent protein kinase of cultured S49 lymphoma cells. *10*, 381.

Regulation of the proliferation rate of cultured, androgen-responsive cells does not involve changes in cyclic AMP levels. *3*, 361.

Studies on the levels of cyclic AMP in cells transformed by wild-type and temperature-sensitive Kirsten sarcoma virus. *1*, 59.

Cyclic guanosine 3′:5′ monophosphate
A direct, stimulating effect of cyclic GMP on purified phosphoribosyl pyrophosphate synthetase and its antagonism by cyclic AMP. *2*, 241.

Growth control in chick embryo fibroblasts; no evidence for a specific role for cyclic purine nucleotides. *2*, 235.

A possible involvement of *cya* gene in the synthesis of cyclic guanosine 3′:5′ monophosphate in E. coli. *12*, 521.

Cyclic nucleotide
The effect of cyclic nucleotides on purine biosynthesis and the induction of PRPP synthetase during lymphocyte activation. *3*, 375.

Effect of cyclic nucleotides on the induction of ornithine decarboxylase in BHK cells by serum and insulin. *2*, 229.

Macrophage plasminogen activator: modulation of enzyme production by anti-inflammatory steroids, mitotic inhibitors and cyclic nucleotides. *8*, 271.

Cycloheximide
Cooperative alignment of Nu bodies during chromosome replication in the presence of cycloheximide. *9*, 419.

Effects of cycloheximide on the "autocatalytic" nature of the maturation promoting factor (MPF) in oocytes of Xenopus laevis. *4*, 269.

Effects of cycloheximide on virus DNA replication in an inducible line of polyoma-transformed rat cells. *5*, 311.

Cystine auxotrophic thymocyte
Accumulation of cystine auxotrophic thymocytes accompanying type C viral leukemogenesis in the mouse. *7*, 41.

Cytochalasin B
Effects of cytochalasin B on fibroblasts, lymphoid cells and platelets revealed by human anti-actin antibodies. *6*, 507.

The effects of topoinhibition and cytochalasin B on metabolic cooperation. *6*, 253.

Cytokinesis
Temperature-sensitive cell cycle mutants: a Chinese hamster cell line with a reversible block in cytokinesis. *5*, 123.

Cytolysis
Cyclic AMP-induced cytolysis in S49 cells: selection of an unresponsive "deathless" mutant. *11*, 149.

Cytopathogenicity, attenuated
Analysis of a VSV mutant with attenuated cytopathogenicity: mutation in viral function, P, for inhibition of protein synthesis. *11*, 273.

Cytoskeleton
A cytoskeletal structure with associated polyribosomes obtained from HeLa cells. *10*, 67.

Cytosol androgen receptor from kidney of normal and testicular feminized (*Tfm*) mice. *2*, 205.

Restoration of normal morphology, adhesion and cytoskeleton in transformed cells by addition of a transformation-sensitive surface protein. *11*, 115.

D loop
Mapping of mitochondrial DNA of individual sheep and goats: rapid evolution in the D loop region. *11*, 571.

DI-RNA
see Ribonucleic acid, defective interfering

DNA
see Deoxyribonucleic acid

DNAase
see Deoxyribonucleic acid, nuclease

DRB (5,6-dichloro-1-β-D-ribofuranosylbenzimidazole)
The inhibition by DRB (5,6-dichloro-1-β-D-ribofuranosylbenzimidazole) of hnRNA and mRNA production in HeLa cells. *9*, 473.

Demyelinating disease
In vivo and in vitro models of demyelinating diseases: tropism of the JHM strain of murine hepatitis virus for cells of glial origin. *12*, 553.

Deoxycytidine
Deoxycytidine reverses the suppression of pigmentation caused by 5-BrdUrd without changing the amount of 5-BrdUrd in DNA. *12*, 923.

Deoxycytidineless state
Induction of a deoxycytidineless state in cultured mammalian cells by bromodeoxyuridine. *2*, 109.

Deoxynucleoside resistance
Alterations leading to increased ribonucleotide reductase in cells selected for resistance to deoxynucleosides. *3*, 367.

Deoxyribonuclease
Selective degradation of integrated murine leukemia proviral DNA by deoxyribonucleases. *11*, 933.

Deoxyribonuclease I
Depolymerization of F actin by deoxyribonuclease I. *7*, 531.

Deoxyribonucleic acid
An altered subunit configuration associated with the actively transcribed DNA of integrated adenovirus genes. *12*, 783.

The arrangement of simian virus 40 sequences in the DNA of transformed cells. *9*, 269.

Biochemical transformation of mouse cells by fragments of herpes simplex virus DNA. *11*, 233.

The blue-green alga Agmenellum quadruplicatum contains covalently closed DNA circles. *9*, 551.

Characterization of the DNA from the dinoflagellate Crypthecodinium cohnii and implications for nuclear organization. *6*, 161.

Chicken leukosis virus genome sequences in DNA from normal chick cells and virus-induced bursal lymphomas. *4*, 311.

Cloned Bacillus subtilis DNA containing a gene that is activated early during sporulation. *11*, 751.

Cloning and characterization of a complex satellite DNA from Drosophila melanogaster. *11*, 371.

Construction of hybrid viruses containing SV40 and λ phage DNA segments and their propagation in cultured monkey cells. *9*, 695.

Coupled transcription-translation of DNA injected into Xenopus oocytes. *12*, 175.

Covalent attachment of RNA to nascent DNA in mammalian cells. *6*, 551.

DNA of ciliated protozoa: DNA sequence diminution during macronuclear development of Oxytrichia. *7*, 67.

DNA sequence organization in the mollusc Aplysia californica. *6*, 29.

Demonstration that a mouse immunoglobulin light chain messenger RNA hybridizes exclusively with unique DNA. *6*, 5.

Deoxycytidine reverses the suppression of pigmentation caused by 5-BrdUrd without changing the amount of 5-BrdUrd in DNA. *12*, 923.

Evidence for the formation of hybrid DNA during mitotic recombination in Chinese hamster cells. *8*, 573.

Further mapping of late adenovirus genes by cell-free translation of RNA selected by hybridization to specific DNA fragments. *12*, 37.

The general affinity of *lac* repressor for E. coli DNA: implications for gene regulation in procaryotes and eucaryotes. *4*, 107.

hnRNA size and processing as related to different DNA content in two dipterans: Drosophila and Aedes. *5*, 281.

Higher order coiling of DNA in chromatin. *12*, 83.

Identification and location of the histone H2A and H3 genes by sequence analysis of sea urchin (S. purpuratus) DNA cloned in E. coli. *9*, 495.

Identification of a protein linked to the ends of adenovirus DNA. *11*, 283.

The initiation sites for RNA transcription in Ad2 DNA. *12*, 733.

Interaction of regulator proteins with recognition sequences of DNA. *2*, 1.

Interspersion of repetitive and nonrepetitive DNA sequences in the Drosophila melanogaster genome. *4*, 141.

The isolation and characterization of a second oocyte 5S DNA from Xenopus laevis. *12*, 1045.

Isolation and some properties of DNA coding for $tRNA_1^{met}$ from Xenopus laevis. *8*, 183.

The location of the genes coding for hexon and fiber proteins in adenovirus DNA. *5*, 93.

Location of the sequences coding for capsid proteins VP1 and VP2 on polyoma virus DNA. *9*, 481.

Mouse mammary tumor virus DNA in infected rat cells: characterization of unintegrated forms. *10*, 19.

Naturally occurring cross-links in yeast chromosomal DNA. *8*, 425.

The number of superhelical turns in native virion SV40 DNA and minicol DNA determined by the band counting method. *8*, 215.

Occurrence of reiterated sequences in an untranslated region of simian virus 40 DNA determined by nucleotide sequence analysis. *10*, 497.

The organization of histones and DNA in chromatin: evidence for an arginine-rich histone kernel. *8*, 333.

Polypyrimidine segments in Drosophila melanogaster DNA: I. Detection of a cryptic satellite containing polypyrimidine/polypurine DNA. *5*, 173.

Polypyrimidine segments in Drosophila melanogaster DNA: II. Chromosome location and nucleotide sequence. *5*, 183.

Preferential association of newly synthesized histones with replicating SV40 DNA. *12*, 947.

The primary structure of rabbit β-globin mRNA as determined from cloned DNA. *10*, 571.

Recombinant DNA formation in a cell-free system from Xenopus laevis eggs. *12*, 191.

Regular arrangement of restriction sites in Drosophila DNA. *5*, 413.

Selective degradation of integrated murine leukemia proviral DNA by deoxyribonucleases. *11*, 933.

Sequence arrangement of tRNA genes on a fragment of Drosophila melanogaster DNA cloned in E. coli. *11*, 763.

Sequence organization of eucaryotic DNA: defining the unit of gene expression. *1*, 107.

Specific folding and contraction of DNA by histones H3 and H4. *11*, 609.

A study of foldback DNA. *8*, 33.

Variation in chromatin structure in two cell types from the same tissue: a short DNA repeat length in cerebral cortex neurons. *10*, 633.

A very large repeating unit of mouse DNA containing the 18S, 28S and 5.8S rRNA genes. *11*, 795.

Deoxyribonucleic acid cellulose
Nucleic acid hybridization using DNA covalently coupled to cellulose. *5*, 301.

Deoxyribonucleic acid, cross-linking
Cross-linking of DNA with trimethylpsoralen is a probe for chromatin structure. *11*, 631.

Deoxyribonucleic acid, Drosophila
Characterization of six cloned DNAs from Drosophila melanogaster, including one that contains the genes for rRNA. *5*, 149.

A system for mapping DNA sequences in the chromosomes of Drosophila melanogaster. *3*, 315.

Deoxyribonucleic acid, 5S
The sequence arrangement of Drosophila melanogaster 5S DNA cloned in recombinant plasmids. *11*, 585.

Deoxyribonucleic acid ligase
Temperature-sensitive lethal mutants in the structural gene for DNA ligase in the yeast Schizosaccharomyces pombe. *12*, 1109.

Deoxyribonucleic acid, mitochondrial
Characterization and mapping of mitochondrial ribosomal RNA and mitochondrial DNA in Drosophila melanogaster. *9*, 615.

An electron microscope study of the relative positions of the 4S and ribosomal RNA genes in HeLa cell mitochondrial DNA. *9*, 81.

Mapping of mitochondrial DNA of individual sheep and goats: rapid evolution in the D loop region. *11*, 571.

The mitochondrial DNA of Drosophila melanogaster exists in two distinct and stable superhelical forms. *12*, 471.

Mitochondrial DNA synthesis in cell cycle mutants of Saccharomyces cerevisiae. *5*, 423.

Mouse L cell mitochondrial DNA molecules are selected randomly for replication throughout the cell cycle. *11*, 719.

The structures and fidelity of replication of mouse mitochondrial DNA-pSC101 Eco RI recombinant plasmids grown in E. coli K12. *7*, 517.

Studies of mouse mitochondrial DNA in Escherichia coli: structure and function of the eucaryotic-procaryotic chimeric plasmids. *6*, 231.

Deoxyribonucleic acid, nuclease
Mapping DNAase I-susceptible sites in nucleosomes labeled at the 5′ ends. *9*, 347.

Pancreatic DNAase cleavage sites in nuclei. *10*, 537.

Selective release of chromosomal proteins during limited DNAase 1 digestion of avian erythrocyte chromatin. *12*, 409.

Deoxyribonucleic acid nucleotidyl transferase
Two active forms of RD-114 virus DNA polymerase in infected cells. *6*, 45.

Vertebrate DNA polymerases. *5*, 101.

Deoxyribonucleic acid, plasmid
Stable incorporation of plasmid DNA into higher plant cells: the molecular basis of crown gall tumorigenesis. *11*, 263.

Deoxyribonucleic acid polymerase
see Deoxyribonucleic acid nucleotidyl transferase

Deoxyribonucleic acid replication
Asymmetric Okazaki piece synthesis during replication of simian virus 40 DNA in vivo. *12*, 1029.

The early region of SV40 DNA may have more than one gene. *11*, 837.

Effects of cycloheximide on virus DNA replication in an inducible line of polyoma-transformed rat cells. *5*, 311.

In situ hybridization analysis of polyoma DNA replication in an inducible line of polyoma-transformed cells. *11*, 65.

Initiation points for DNA replication in nontransformed and simian virus 40-transformed Chinese hamster lung cells. *11*, 859.

Preliminary characterization of the temperature-sensitive defect in DNA replication in a mutant mouse L cell. *7*, 49.

Properties of membrane-associated folded chromosomes of E. coli related to initiation and termination of DNA replication. *4*, 337.

Quantitation of the viral DNA present in somatic cell hybrids between mouse and SV40-transformed human cells. *6*, 535.

Regulation of flagellin synthesis in the cell cycle of Caulobacter: dependence on DNA replication. *12*, 393.

Replicating circular DNA molecules in yeast. *4*, 249.

The structure of replicating adenovirus 2 DNA molecules. *12*, 1007.

Two complementary strand-specific termination sites for adenovirus DNA replication. *9*, 259.

Deoxyribonucleic acid:ribonucleic acid hybrid
see Ribonucleic acid:deoxyribonucleic acid hybrid

Deoxyribonucleic acid, ribosomal
Regulation in rDNA-deficient Drosophila melanogaster. *4*, 275.

Restriction analysis of the nontranscribed spacers of Xenopus laevis ribosomal DNA. *11*, 599.

Sequence arrangement of the rDNA of Drosophila melanogaster. *10*, 213.

Deoxyribonucleic acid, ribosomal 18S
A novel arrangement of the 18S and 28S sequences in a repeating unit of Drosophila melanogaster rDNA. *10*, 167.

R loop mapping of the 18S and 28S sequences in the long and short repeating units of Drosophila melanogaster rDNA. *10*, 177.

Deoxyribonucleic acid, ribosomal 28S
A novel arrangement of the 18S and 28S sequences in a repeating unit of Drosophila melanogaster rDNA. *10*, 167.

R loop mapping of the 18S and 28S sequences in the long and short repeating units of Drosophila melanogaster rDNA. *10*, 177.

The structural organization of ribosomal DNA in Drosophila melanogaster. *10*, 193.

Deoxyribonucleic acid, satellite
Polypyrimidine segments in Drosophila melanogaster DNA: I. Detection of a cryptic satellite containing polypyrimidine/polypurine DNA. *5*, 173.

Restriction endonuclease cleavage of satellite DNA in intact bovine nuclei. *9*, 355.

Synthesis of hybrid bacterial plasmids containing highly repeated satellite DNA. *10*, 509.

Deoxyribonucleic acid sequence
Nucleotide sequence of part of the gene for human chorionic somatomammotropin: purification of DNA complementary to predominant mRNA species. *12*, 157.

The nucleotide sequence of repetitive monkey DNA found in defective simian virus 40. *11*, 845.

Nucleotide sequences of HS-α satellite DNA from kangaroo rat Dipodomys ordii and characterization of similar sequences in other rodents. *12*, 1069.

Occurrence of reiterated sequences in an untranslated region of simian virus 40 DNA determined by nucleotide sequence analysis. *10*, 497.

Structural genes adjacent to interspersed repetitive DNA sequences. *4*, 217.

Structural organization of the genome of the cellular slime mold Dictyostelium discoideum: interspersion of repetitive and single-copy DNA sequences. *5*, 401.

Viral DNA sequences from incomplete particles of human adenovirus type 7. *12*, 243.

Deoxyribonucleic acid, simian virus 40
In situ hybridization of repetitive monkey genome sequences isolated from defective simian virus 40 DNA. *9*, 247.

The SV40 DNA template for transcription of late mRNA in viral nucleoprotein complexes. *11*, 495.

Transformation of cultured human vascular endothelium by SV40 DNA. *9*, 685.

Deoxyribonucleic acid, small circular
Small circular DNA in Drosophila melanogaster. *9*, 333.

Deoxyribonucleic acid synthesis
Effect of n-butyrate on DNA synthesis in chick fibroblasts and HeLa cells. *12*, 855.

In vitro polyoma DNA synthesis: asymmetry of short DNA chains. *12*, 1021.

In vitro polyoma DNA synthesis: self-annealing properties of short DNA chains. *5*, 205.

Initiator RNA of discontinuous DNA synthesis in human lymphocytes. *12*, 483.

Metabolic cooperation between *Tfm* and wild-type cells in mosaic mice after induction of DNA synthesis. *6*, 475.

Temperature-sensitive mutants of BALB/3T3 cells: description of a mutant affected in cellular and polyoma virus DNA synthesis. *7*, 289.

Deoxyuridine, 5-bromo-
see Bromodeoxyuridine

Depolymerization
Depolymerization of F actin by deoxyribonuclease I. *7*, 531.

Dexamethasone
Dexamethasone-mediated induction of mouse mammary tumor virus RNA: a system for studying glucocorticoid action. *6*, 299.

5,6-Dichloro-1-β-D-ribofuranosylbenzimidazole
see DRB (5, 6...)

Dictyostelium discoideum
cAMP-induced changes in cAMP-binding sites on D. discoideum amebae. *10*, 329.

Developmentally regulated cyclic AMP-dependent protein kinases in Dictyostelium discoideum. *11*, 173.

Dictyostelium 17S, 25S and 5S rDNAs lie within a 38,000 base pair repeated unit. *9*, 431.

Evidence for the existence of two types of cAMP binding sites in aggregating cells of Dictyostelium discoideum. *6*, 129.

5′ terminal nucleotide sequences of the messenger RNAs of Dictyostelium discoideum. *8*, 233.

Glycoproteins of the plasma membrane of Dictyostelium discoideum during development. *8*, 391.

Mutant of Dictyostelium discoideum defective in cell contact regulation of enzyme expression. *4*, 347.

Mutations causing rapid development of Dictyostelium discoideum. *10*, 703.

Organization of the ribosomal RNA genes of Dictyostelium discoideum: mapping of the nontranscribed spacer regions. *9*, 605.

Structural organization of the genome of the cellular slime mold Dictyostelium discoideum: interspersion of repetitive and single-copy DNA sequences. *5*, 401.

Translational control of protein synthesis during the early stages of differentiation of the slime mold Dictyostelium discoideum. *12*, 301.

Differentiation, cellular
Analysis of cell surfaces by xenogeneic myeloma-hybrid antibodies: differentiation antigens of rat lymphocytes. *12*, 663.

Appearance and disappearance of acetylcholine receptor during differentiation of chick skeletal muscle in vitro. *7*, 543.

Changes in adenylate cyclase, cyclic AMP and protein kinase levels in chick myoblasts, and their relationship to differentiation. *2*, 103.

Chemical synthesis of a peptide fragment of thymopoietin II that induces selective T cell differentiation. *5*, 367.

Control of lysozyme induction in the differentiation of myeloid leukemic cells. *9*, 675.

Differentiating cells. *7*, 153.

An established preadipose cell line and its differentiation in culture. *3*, 127.

An established preadipose cell line and its differentiation in culture. II. Factors affecting the adipose conversion. *5*, 19.

Infection of bone marrow cells in vitro with FLV: effects on stem cell proliferation, differentiation and leukemogenic capacity. *12*, 355.

Relative activities of α–ecdysone and β–ecdysone for the differentiation in vitro of Drosophila melanogaster imaginal discs. *3*, 141.

Surface changes in differentiating Friend erythroleukemic cells in culture. *10*, 689.

Teratocarcinoma differentiation: plasminogen activator activity associated with embryoid body formation. *10*, 297.

Terminal differentiation in cultured Friend erythroleukemia cells. *12*, 901.

Terminal differentiation of cultured human epidermal cells. *11*, 405.

Translational control of protein synthesis during the early stages of differentiation of the slime mold Dictyostelium discoideum. *12*, 301.

Diffusion
Shaking 3T3 cells: further studies on diffusion boundary effects. *3*, 207.

Short-range diffusion gradients. *3*, 217.

Dihydrofolate reductase
Elevated dihydrofolate reductase messenger RNA levels in methotrexate-resistant BHK cells. *7*, 391.

Dimethylsulfoxide
Effects of dimethylsulfoxide on the E. coli *gal* operon and on bacteriophage lambda in vivo. *3*, 39.

Dinoflagellate
Characterization of the DNA from the dinoflagellate Crypthecodinium cohnii and implications for nuclear organization. *6*, 161.

Diphtheria toxin
Selection and characterization of cells resistant to diphtheria toxin and Pseudomonas exotoxin A: presumptive translational mutants. *11*, 447.

Dipodomys ordii
Nucleotide sequences of HS–α satellite DNA from kangaroo rat Dipodomys ordii and characterization of similar sequences in other rodents. *12*, 1069.

Dipteran
hnRNA size and processing as related to different DNA content in two dipterans: Drosophila and Aedes. *5*, 281.

Direct induction
Direct induction by estradiol of vitellogenin synthesis in organ cultures of male Xenopus laevis liver. *7*, 131.

Drosophila (see also Drosophila hydei and Drosophila melanogaster)
Analysis of Drosophila mRNA by in situ hybridization: sequences transcribed in normal and heat-shocked cultured cells. *4*, 395.

Development of Drosophila enzymes. *6*, 118.

Discrete sizes of replication intermediates in Drosophila cells. *12*, 183.

Distribution patterns of three subfractions of Drosophila nonhistone chromosomal proteins: possible correlations with gene activity. *11*, 971.

The effect of heat shock on RNA synthesis in Drosophila tissues. *8*, 43.

Effect of heat shock on the synthesis of low molecular weight RNAs in Drosophila: accumulation of a novel form of 5S RNA. *6*, 207.

hnRNA size and processing as related to different DNA content in two dipterans: Drosophila and Aedes. *5*, 281.

The metabolism of poly(A)$^+$ and poly(A)$^-$ hnRNA in cultured Drosophila cells studied with a rapid uridine pulse-chase. *11*, 105.

Regular arrangement of restriction sites in Drosophila DNA. *5*, 413.

Transcription at two heat shock loci in Drosophila. *12*, 441.

Drosophila hydei (see also Drosophila)
RNA synthesis in puff 2–48BC after experimental induction in Drosophila hydei. *8*, 299.

Drosophila melanogaster (see also Drosophila)
Characterization and mapping of mitochondrial ribosomal RNA and mitochondrial DNA in Drosophila melanogaster. *9*, 615.

Characterization of six cloned DNAs from Drosophila melanogaster, including one that contains the genes for rRNA. *5*, 149.

Chromosomal rearrangements which affect the chromosomal integration of the ribosomal genes in Drosophila melanogaster. *11*, 383.

Cloning and characterization of a complex satellite DNA from Drosophila melanogaster. *11*, 371.

Deletions of two heat-activated loci in Drosophila melanogaster and their effects on heat-induced protein synthesis. *12*, 643.

Differentiation in the salivary glands of Drosophila melanogaster: characterization of the glue proteins and their developmental appearance. *9*, 365.

Ecdysone-stimulated RNA synthesis in salivary glands of Drosophila melanogaster: assay by in situ hybridization. *12*, 219.

The effect of X chromosome heterozygosity on the structure of the ribosomal genes in Drosophila melanogaster. *11*, 389.

Electron microscopic analysis of chromatin replication in the cellular blastoderm Drosophila melanogaster embryo. *12*, 795.

The 5S genes of Drosophila melanogaster. *12*, 1057.

Interspersion of repetitive and nonrepetitive DNA sequences in the Drosophila melanogaster genome. *4*, 141.

Inverted repeat sequences in the Drosophila genome. *5*, 159.

Isolation, characterization and structure of the folded interphase genome of Drosophila melanogaster. *9*, 393.

The mitochondrial DNA of Drosophila melanogaster exists in two distinct and stable superhelical forms. *12*, 471.

A novel arrangement of the 18S and 28S sequences in a repeating unit of Drosophila melanogaster rDNA. *10*, 167.

Organization of the rosy locus in Drosophila melanogaster. *11*, 1.

Patterns of protein synthesis in imaginal discs of Drosophila melanogaster. *12*, 915.

Polypyrimidine segments in Drosophila melanogaster DNA: I. Detection of a cryptic satellite containing polypyrimidine/polypurine DNA. *5*, 173.

Polypyrimidine segments in Drosophila melanogaster DNA: II. Chromosome location and nucleotide sequence. *5*, 183.

R loop mapping of the 18S and 28S sequences in the long and short repeating units of Drosophila melanogaster rDNA. *10*, 177.

Regulation in rDNA-deficient Drosophila melanogaster. *4*, 275.

Relative activities of α–ecdysone and β–edcysone for the differentiation in vitro of Drosophila melanogaster imaginal discs. *3*, 141.

The sequence arrangement of Drosophila melanogaster 5S DNA cloned in recombinant plasmids. *11*, 585.

Sequence arrangement of the rDNA of Drosophila melanogaster. *10*, 213.

Sequence arrangement of tRNA genes on a fragment of Drosophila melanogaster DNA cloned in E. coli. *11*, 763.

Small circular DNA in Drosophila melanogaster. *9*, 333.

The structural organization of ribosomal DNA in Drosophila melanogaster. *10*, 193.

The system for mapping DNA sequences in the chromosomes of Drosophila melanogaster. *3*, 315.

Ultrastructural patterns of RNA synthesis during early embryogenesis of Drosophila melanogaster. *8*, 305.

α–Ecdysone
Relative activities of α–ecdysone and β–ecdysone for the differentiation in vitro of Drosophila melanogaster imaginal discs. *3*, 141.

β–Ecdysone
Relative activities of α–ecdysone and β–ecdysone for the differentiation in vitro of Drosophila melanogaster imaginal discs. *3*, 141.

Egg white protein
mRNA complexity and egg white protein mRNA content in mature and hormone-withdrawn oviduct. *11*, 923.

Ehrlich carcinoma cell
On the nature of 5′ termini in nuclear pre-mRNA of Ehrlich carcinoma cells. *9*, 323.

Electron microscopy
An analysis by electron microscopy of early simian virus 40 RNA from a ts*A* mutant. *11*, 523.

Chromatin structure visualization by immunoelectron microscopy. *7*, 297.

An electron microscope study of the effects of dibutyryl cyclic AMP on Chinese hamster ovary cells. *2*, 145.

An electron microscope study of the relative positions of the 4S and ribosomal RNA genes in HeLa cell mitochondrial DNA. *9*, 81.

Electron microscopic analysis of chromatin replication in the cellular blastoderm Drosophila melanogaster embryo. *12*, 795.

Electron microscopic and biochemical evidence that chromatin structure is a repeating unit. *4*, 281.

Electron microscopic studies of procollagen from cultured human fibroblasts. *1*, 185.

An electron microscopic study of mouse foldback DNA. *5*, 429.

Localization of 5–methylcytosine in human metaphase chromosomes by immunoelectron microscopy. *9*, 503.

A map of cytoplasmic RNA transcripts from lytic adenovirus type 2, determined by electron microscopy of RNA:DNA hybrids. *11*, 819.

Mapping of poly(A) sequences in the electron microscope reveals unusual structure of type C oncornavirus RNA molecules. *7*, 595.

Modifications of mammalian cell surfaces induced by sugars: scanning electron microscopy. *7*, 97.

The relative positions of sea urchin histone genes on the chimeric plasmids pSp2 and pSp17 as studied by electron microscopy. *9*, 163.

Electrophoresis, two-dimensional
High resolution two-dimensional electrophoresis of basic as well as acidic proteins. *12*, 1133.

Resolution of simian virus 40 proteins in whole cell extracts by two-dimensional electrophoresis: heterogeneity of the major capsid protein. *9*, 289.

Elongation factor Ts
Identification of genes for elongation factor Ts and ribosomal protein S2 in E. coli. *8*, 129.

Embryogenesis
Plasminogen activator in early embryogenesis: enzyme production by trophoblast and parietal endoderm. *9*, 231.

Teratocarcinomas as a model system for the study of embryogenesis and neoplasia. *5*, 229.

Ultrastructural patterns of RNA synthesis during early embryogenesis of Drosophila melanogaster. *8*, 305.

Embryoid body
Multiple differentiation of clonal teratocarcinoma stem cells following embryoid body formation in vitro. *6*, 467.

Teratocarcinoma differentiation: plasminogen activator activity associated with embryoid body formation. *10*, 297.

Embryonal carcinoma
see Carcinoma, embryonal

Emetine
The isolation and preliminary characterization of somatic cell mutants resistant to the protein synthesis inhibitor—emetine. *9*, 213.

The molecular basis of emetine resistance in Chinese hamster ovary cells: alteration in the 40S ribosomal subunit. *10*, 61.

Endocytic vesicle
Role of the coated endocytic vesicle in the uptake of receptor-bound low density lipoprotein in human fibroblasts. *10*, 351.

Endocytosis
Distribution of concanavalin A in fibroblasts: direct endocytosis versus surface capping. *11*, 707.

The isolation and preliminary characterization of somatic cell mutants resistant to the protein synthesis inhibitor—emetine. *9*, 213.

Endonuclease, S1
Sizing and mapping of early adenovirus mRNAs by gel electrophoresis of S1 endonuclease-digested hybrids. *12*, 721.

Endothelium, human vascular
Transformation of cultured human vascular endothelium by SV40 DNA. *9*, 685.

Enucleated cell
Properties of enucleated cells: II. Characteristic overlapping of transformed cells is reestablished by enucleates. *3*, 51.

Envelope, cornified
Differentiation of the epidermal keratinocyte in cell culture: formation of the cornified envelope. *9*, 511.

Epidermal cell
Terminal differentiation of cultured human epidermal cells. *11*, 405.

Epidermal keratinocyte, human
The cornlfied envelope of terminally differentiated human epidermal keratinocytes consists of cross-linked protein. *11*, 417.

Epithelial cell
D–valine as a selective agent for normal human and rodent epithelial cells in culture. *5*, 11.

Formation of a keratinizing epithelium in culture by a cloned cell line derived from a teratoma. *6*, 317.

Erythroblast
Quantitation of globin mRNA levels during erythroid development in the rabbit and discovery of a new β–related species in immature erythroblasts. *11*, 353.

Erythrocyte
A comparison of the structure of chicken erythrocyte and chicken liver chromatin. *9*, 627.

Erythrocyte:lymphocyte
Lymphocyte:erythrocyte (L.E.) rosettes as indicators of the heterogeneity of lymphocytes in a variety of mammalian species. *4*, 103.

Erythrocyte-specific protein
Synthesis of erythrocyte-specific proteins in cultured Friend leukemia cells. *5*, 331.

Erythroid cell
Globin RNA precursor molecules: biosynthesis and processing in erythroid cells. *11*, 641.

Mouse globin gene expression in erythroid and nonerythroid tissues. *7*, 267.

Erythroid differentiation
Butyric acid, a potent inducer of erythroid differentiation in cultured erythroleukemic cells. *5*, 319.

Commitment to erythroid differentiation by Friend erythroleukemia cells: a stochastic analysis. *9*, 221.

Induction of erythroid differentiation in vitro by purines and purine analogues. *8*, 263.

Quantitation of globin mRNA levels during erythroid development in the rabbit and discovery of a new β–related species in immature erythroblasts. *11*, 353.

Erythroleukemic cell
Accumulation of α– and β–globin messenger RNAs in mouse erythroleukemia cells. *12*, 463.

Butyric acid, a potent inducer of erythroid differentiation in cultured erythroleukemic cells. *5*, 319.

The Friend virus genome: evidence for the stable association of MuLV sequences and sequences involved in erythroleukemic transformation. *12*, 287.

Induction of globin mRNA accumulation by hemin in cultured erythroleukemic cells. *8*, 513.

X-linked control of hemoglobin production in somatic hybrids of mouse erythroleukemic cells and mouse lymphoma or bone marrow cells. *12*, 263.

Erythroleukemic Friend cell
Biosynthesis and stability of globin mRNA in cultured erythroleukemic Friend cells. *8*, 495.

Commitment to erythroid differentiation by Friend erythroleukemia cells: a stochastic analysis. *9*, 221.

Hemoglobin synthesis in cell hybrids formed between teratocarcinoma and Friend erythroleukemia cells. *12*, 653.

Induction by ouabain of hemoglobin synthesis in cultured Friend erythroleukemic cells. *9*, 375.

Infection of bone marrow cells in vitro with FLV: effects on stem cell proliferation, differentiation and leukemogenic capacity. *12*, 355.

A kinetic estimation of base sequence complexity of nuclear poly(A)-containing RNA in mouse Friend cells. *4*, 121.

Surface changes in differentiating Friend erythroleukemic cells in culture. *10*, 689.

Synthesis of erythrocyte-specific proteins in cultured Friend leukemia cells. *5*, 331.

Terminal differentiation in cultured Friend erythroleukemia cells. *12*, 901.

Escherichia coli
Altered metabolism of the guanosine tetraphosphate, ppGpp, in mutants of E. coli. *1*, 85.

Association of the folded chromosome with the cell envelope of E. coli: characterization of the proteins at the DNA-membrane attachment site. *8*, 245.

Capacity of ribosomal RNA promoters of E. coli to bind RNA polymerase. *10*, 121.

Effects of dimethylsulfoxide on the E. coli *gal* operon and on bacteriophage lambda in vivo. *3*, 39.

Evolutionary drift of the *argF* and *argI* genes coding for isoenzyme forms of ornithine transcarbamylase in E. coli K12. *10*, 275.

Expression of spacer tRNA genes in ribosomal RNA transcription units carried by hybrid Col E1 plasmids in E. coli. *11*, 779.

The general affinity of lac repressor for E. coli DNA: implications for gene regulation in procaryotes and eucaryotes. *4*, 107.

Histone genes of the sea urchin (S. purpuratus) cloned in E. coli: order, polarity and strandedness of the five histone-coding and spacer regions. *9*, 147.

Identification and location of the histone H2A and H3 genes by sequence analysis of sea urchin (S. purpuratus) DNA cloned in E. coli. *9*, 495.

Identification of genes for elongation factor Ts and ribosomal protein S2 in E. coli. *8*, 129.

In vitro processing of E. coli tRNA precursors. *8*, 581.

Mistranslation in E. coli. *10*, 131.

A mutant of Escherichia coli defective in removing 3′ terminal nucleotides from some transfer RNA precursor molecules. *5*, 389.

A novel nucleotide implicated in the response of E. coli to energy source downshift. *7*, 75.

A possible involvement of *cya* gene in the synthesis of cyclic guanosine 3′:5′–monophosphate in E. coli. *12*, 521.

Properties of membrane-associated folded chromosomes of E. coli related to initiation and termination of DNA replication. *4*, 337.

Protein expression in E. coli minicells by recombinant plasmids. *10*, 521.

Regulation of intracellular protein breakdown in stringent and relaxed strains of E. coli. *2*, 31.

Regulation of stable RNA synthesis and ppGpp levels in growing cells of Escherichia coli. *5*, 69.

Sequence arrangement of tRNA genes on a fragment of Drosophila melanogaster DNA cloned in E. coli. *11*, 763.

Spacer transfer RNAs in ribosomal RNA transcripts of E. coli: processing of 30S ribosomal RNA in vitro. *11*, 247.

Specific inhibition of ribosomal RNA synthesis in Escherichia coli by tetracycline. *3*, 145.

*spo*T, a new genetic locus involved in the stringent response in E. coli. *1*, 27.

Stringent control of protein synthesis in E. coli. *3*, 47.

Studies of mouse mitochondrial DNA in Escherichia coli: structure and function of the eucaryotic-procaryotic chimeric plasmids. *6*, 231.

Synthesis and assembly of the membrane proteins in E. coli. *11*, 551.

Synthesis of ribosomal RNA in E. coli: analysis using deletion mutants of a λ transducing phage carrying ribosomal RNA genes. *7*, 179.

Transfer RNA genes between 16S and 23S rRNA genes in rRNA transcription units of E. coli. *7*, 165.

Escherichia coli, genome
A colony bank containing synthetic Col E1 hybrid plasmids representative of the entire E. coli genome. *9*, 91.

Escherichia coli K12
Cyclic AMP can replace the *relA*-dependent requirement for derepression of acetohydroxy acid synthase in E. coli K12. *12*, 1121.

The structures and fidelity of replication of mouse mitochondrial DNA-pSC101 Eco RI recombinant plasmids grown in E. coli K12. *7*, 517.

Estradiol
Direct induction by estradiol of vitellogenin synthesis in organ cultures of male Xenopus laevis liver. *7*, 131.

Quantitation of elongating form A and B RNA polymerases in chick oviduct nuclei and effects of estradiol. *7*, 455.

Estradiol-receptor protein
The interaction of estradiol-receptor protein with the genome: an argument for the existence of undetected specific sites. *4*, 301.

Estrogen
Quantitation of vitellogenin messenger RNA in the liver of male Xenopus toads during primary and secondary stimulation by estrogen. *11*, 213.

Ethanol
Inhibition of transport systems in cultured rat hepatoma cells by colcemid and ethanol. *2*, 71.

Exotoxin A
see Pseudomonas exotoxin A

Fc receptor
The possible biological significance of Fc receptors on mammalian lymphocytes and tumor cells. *3*, 105.

Fv-1 gene
see Gene, Fv-1

Fatty acid
Decrease in adhesion of cells cultured in polyunsaturated fatty acids. *12*, 295.

Fiber
The location of the genes coding for hexon and fiber proteins in adenovirus DNA. *5*, 93.

Fibrin overlay method
Fibrin overlay methods for the detection of single transformed cells and colonies of transformed cells. *5*, 323.

Fibrinolytic activity
Androgen-dependent fibrinolytic activity in a murine mammary carcinoma (Shionogi SC-115 cells) in vitro. *7*, 223.

Fibrinolytic activity in a human fibrosarcoma cell line and evidence for the induction of plasminogen activator secretion during tumor formation. *6*, 245.

Fibroblast
Cell surface myosin in cultured fibroblasts. *8*, 383.

Differential cytotoxic activity of anticollagen serum on rat osteoblasts and fibroblasts in tissue culture. *5*, 83.

Induction of two transformation-sensitive membrane polypeptides in normal fibroblasts by a block in glycoprotein synthesis or glucose deprivation. *11*, 941.

Insulin receptors in normal and transformed fibroblasts: relationship to growth and transformation. *8*, 417.

Fibroblast, chick
Decreased adherence to the substrate in Rous sarcoma virus-transformed chicken embryo fibroblasts. *10*, 45.

Effect of n–butyrate on DNA synthesis in chick fibroblasts and HeLa cells. *12*, 855.

Effect of proteases on activation of resting chick embryo fibroblasts and on cell surface proteins. *6*, 137.

Effects of protease treatment on growth, morphology, adhesion and cell surface proteins of secondary chick embryo fibroblasts. *7*, 407.

Growth control in chick embryo fibroblasts; no evidence for a specific role for cyclic purine nucleotides. *2*, 235.

Fibroblast, growth
Changes in RNA in relation to growth of the fibroblast. I. Amounts of mRNA, rRNA and tRNA in resting and growing cells. *1*, 95.

Changes in RNA in relation to growth of the fibroblast. II. The lifetime of mRNA, rRNA and tRNA in resting and growing cells. *1*, 161.

Changes in RNA in relation to growth of the fibroblast. III. Post-transcriptional regulation of mRNA formation in resting and growing cells. *4*, 69.

Growth control in chick embryo fibroblasts; no evidence for a specific role for cyclic purine nucleotides. *2*, 235.

Microfilament bundles and cell shape are related to adhesiveness to substratum and are dissociable from growth control in cultured fibroblasts. *10*, 375.

Fibroblast, hamster
Cell surface proteins of NIL1 hamster fibroblasts labeled by a galactose oxidase, tritiated borohydride method. *3*, 121.

Density and cell cycle dependence of cell surface proteins in hamster fibroblasts. *3*, 113.

Fibroblast, human
Alteration in cellular RNAs during the in vitro lifespan of cultured human diploid fibroblasts. *6*, 179.

Analysis of a mutant strain of human fibroblasts with a defect in the internalization of receptor-bound low density lipoprotein. *9*, 663.

Differential genetic susceptibility of cultured human skin fibroblasts to transformation by Kirsten murine sarcoma virus. *10*, 313.

Electron microscopic studies of procollagen from cultured human fibroblasts. *1*, 185.

Isolation of ouabain-resistant human diploid fibroblasts. *3*, 221.

Oxipurinol and orotic aciduria: effect on the orotidine–5′–monophosphate decarboxylase activity of cultured human fibroblasts. *3*, 55.

A rapid rise in cell variants during the senescence of populations of human fibroblasts. *6*, 67.

Recognition and receptor-mediated uptake of a lysosomal enzyme, α–L–iduronidase, by cultured human fibroblasts. *12*, 619.

Regulation of the activity of the low density lipoprotein receptor in human fibroblasts. *6*, 307.

Role of the coated endocytic vesicle in the uptake of receptor-bound low density lipoprotein in human fibroblasts. *10*, 351.

Fibroblast, mouse
The messenger RNA sequences in growing and resting mouse fibroblasts. *6*, 197.

Fibroblast surface-associated glycoprotein
Cross-linking of a major fibroblast surface-associated glycoprotein (fibronectin) catalyzed by blood coagulation factor XIII. *9*, 29.

Fibroin
The length of the fibroin gene in the Bombyx mori genome. *4*, 207.

The nucleotide sequence of two silk gland alanine tRNAs: implications for fibroin synthesis and for initiator tRNA structure. *11*, 561.

Fibronectin
Cross-linking of a major fibroblast surface-associated glycoprotein (fibronectin) catalyzed by blood coagulation factor XIII. *9*, 29.

Fibrosarcoma human cell line
Fibrinolytic activity in a human fibrosarcoma cell line and evidence for the induction of plasminogen activator secretion during tumor formation. *6*, 245.

5–BrdU
see Bromodeoxyuridine

Flagellar regeneration
Induction of microtubule protein synthesis in Chlamydomonas reinhardii during flagellar regeneration. *9*, 15.

Flagellin
Regulation of flagellin synthesis in the cell cycle of Caulobacter: dependence on DNA replication. *12*, 393.

Folate
Characterization of a Chinese hamster cell with a temperature-sensitive mutation in folate metabolism. *2*, 183.

Isolation and biochemical characterization of folate-deficient mutants of Chinese hamster cells. *2*, 173.

Follicle wall
Follicular plasminogen and plasminogen activator and the effect of plasmin on ovarian follicle wall. *6*, 379.

Formaldehyde
Identification of specific cross-linked histones after treatment of chromatin with formaldehyde. *5*, 45.

Friend cell
see Erythroleukemic Friend cell

Friend erythroleukemic cell
see Erythroleukemic Friend cell

Friend leukemia virus (see also Murine leukemia virus)
The Friend virus genome: evidence for the stable association of MuLV sequences and sequences involved in erythroleukemic transformation. *12*, 287.

Host restriction of Friend leukemia virus; fate of input virion RNA. *2*, 271.

Infection of bone marrow cells in vitro with FLV: effects on stem cell proliferation, differentiation and leukemogenic capacity. *12*, 355.

gp71
see Viral envelope glycoprotein

m^7GpppN...
see Guanosine triphosphate nucleotide

GTP
see Guanosine 5′ triphosphate

Galactose oxidase, tritiated borohydride method
Cell surface proteins of NIL1 hamster fibroblasts labeled by a galactose oxidase, tritiated borohydride method. *3*, 121.

α–Galactosidase
Genetic determination of the α–galactosidase developmental program in mice. *6*, 371.

β–Galactosidase
Genetic determination of the β–galactosidase developmental program in mouse liver. *9*, 533.

Gastrulation
The programmed switch in lysine-rich histone synthesis at gastrulation. *9*, 171.

Gel electrophoresis
Sizing and mapping of early adenovirus mRNAs by gel electrophoresis of S1 endonuclease-digested hybrids. *12*, 721.

Gene
The gene and messenger RNA for adenovirus polypeptide IX. *12*, 741.

The genes and mRNA coding for the heavy chains of chick embryonic skeletal myosin. *12*, 491.

Identification of genes for elongation factor Ts and ribosomal protein S2 in E. coli. *8*, 129.

Gene, *ara*BAD
The *ara*C promoter: transcription, mapping and interaction with the *ara*BAD promoter. *11*, 545.

Gene, *ara*C
The *ara*C promoter: transcription, mapping and interaction with the *ara*BAD promoter. *11*, 545.

Absence of messenger RNA and gene DNA for β–globin chains in hereditary persistence of fetal hemoglobin. *7*, 323.

Gene, *cya*
A possible involvement of *cya* gene in the synthesis of cyclic guanosine 3′:5′–monophosphate in E. coli. *12*, 521.

Gene, DNA ligase
Temperature-sensitive lethal mutants in the structural gene for DNA ligase in the yeast Schizosaccharomyces pombe. *12*, 1109.

Gene, 18S ribosomal ribonucleic acid
A very large repeating unit of mouse DNA containing the 18S, 28S and 5.8S rRNA genes. *11*, 795.

Gene expression
Gene expression in chemically transformed mouse embryo cells: selective enhancement of the expression of C-type RNA tumor virus genes. *11*, 909.

Sequence organization of eucaryotic DNA: defining the unit of gene expression. *1*, 107.

Gene, Fv-1
Effect of Fv-1 gene product on synthesis of N-tropic and B-tropic murine leukemia viral RNA. *7*, 33.

Loss of Fv-1 restriction in BALB/3T3 cells following infection with a single N-tropic murine leukemia virus particle. *10*, 479.

Phenotypic mixing between N- and B-tropic murine leukemia viruses: infectious particles with dual sensitivity to Fv-1 restriction. *7*, 373.

Gene, fiber
The location of the genes coding for hexon and fiber proteins in adenovirus DNA. *5*, 93.

Gene, fibroin
The length of the fibroin gene in the Bombyx mori genome. *4*, 207.

Gene, 5S
The 5S genes of Drosophila melanogaster. *12*, 1057.

Sequences of 5S ribosomal RNA from Xenopus mulleri and the evolution of 5S gene-coding sequences. *8*, 485.

Gene, 5.8S ribosomal ribonucleic acid
A very large repeating unit of mouse DNA containing the 18S, 28S and 5.8S rRNA genes. *11*, 795.

Gene, *gag*
Evolutionary relationships between *gag* gene-coded proteins of murine and primate endogenous type C RNA viruses. *10*, 641.

Gene, β–globin
Amplification and characterization of a β–globin gene synthesized in vitro. *8*, 163.

A physical map of the DNA regions flanking the rabbit β–globin gene. *12*, 429.

Gene, γ–globin
A direct estimate of the number of human γ–globin genes. *8*, 13.

Gene, H-2
Abelson virus-transformed lymphocytes: null cells that modulate H-2. *12*, 683.

Abnormalities in the glycosylation of immunoglobulin heavy chain and an H-2 transplantation antigen in a mouse myeloma mutant. *10*, 679.

Gene, H2A
Identification and location of the histone H2A and H3 genes by sequence analysis of sea urchin (S. purpuratus) DNA cloned in E. coli. *9*, 495.

Gene, H3
Identification and location of the histone H2A and H3 genes by sequence analysis of sea urchin (S. purpuratus) DNA cloned in E. coli. *9*, 495.

Gene, hexon
The location of the genes coding for hexon and fiber proteins in adenovirus DNA. *5*, 93.

Gene, histone
Identification and location of the histone H2A and H3 genes by sequence analysis of sea urchin (S. purpuratus) DNA cloned in E. coli. *9*, 495.

Molecular analysis of the histone gene cluster of Psammechinus miliaris: I. Fractionation and identification of five individual histone mRNAs. *8*, 455.

Molecular analysis of the histone gene cluster of Psammechinus miliaris: II. The arrangement of the five histone-coding and spacer sequences. *8*, 471.

Molecular analysis of the histone gene cluster of Psammechinus miliaris: III. Polarity and asymmetry of the histone-coding sequences. *8*, 479.

The relative positions of sea urchin histone genes on the chimeric plasmids pSp2 and pSp17 as studied by electron microscopy. *9*, 163.

Gene, insert
The rabbit β–globin gene contains a large insert in the coding sequence. *12*, 1097.

Gene, κ
Clone MPC 11 myeloma cells express two kappa genes: a gene for a complete light chain and a gene for a constant region polypeptide. *12*, 453.

Gene numbers
The gene numbers game. *2*, 81.

Gene, ovalbumin
Partial purification of the ovalbumin gene. *7*, 331.

Gene, overlapping
Overlapping of the VP2-VP3 gene and the VP1 gene in the SV40 genome. *12*, 529.

Gene, *pol*
A joint product of the genes *gag* and *pol* of avian sarcoma virus: a possible precursor of reverse transcriptase. *12*, 993.

Gene, *relA*
Effect of the *relA* gene on the synthesis of individual proteins in vivo. *8*, 115.

Gene, ribosomal
Chromosomal rearrangements which affect the chromosomal integration of the ribosomal genes in Drosophila melanogaster. *11*, 383.

The effect of X chromosome heterozygosity on the structure of the ribosomal genes in Drosophila melanogaster. *11*, 389.

Heterogeneity of the ribosomal genes in mice and men. *11*, 363.

Organization of bacterial genes for ribosomal components: studies using novel approaches. *9*, 633.

Organization of the ribosomal RNA genes of Dictyostelium discoideum: mapping of the nontranscribed spacer regions. *9*, 605.

R loop mapping of the 18S and 28S sequences in the long and short repeating units of Drosophila melanogaster rDNA. *10*, 177.

Restriction analysis of the nontranscribed spacers of Xenopus laevis ribosomal DNA. *11*, 599.

A single integrated gene for ribosomal RNA in a eucaryote, Tetrahymena pyriformis. *12*, 121.

Synthesis of ribosomal RNA in E. coli: analysis using deletion mutants of a λ transducing phage carrying ribosomal RNA genes. *7*, 179.

Transfer RNA genes between 16S and 23S rRNA genes in rRNA transcription units of E. coli. *7*, 165.

A very large repeating unit of mouse DNA containing the 18S, 28S and 5.8S rRNA genes. *11*, 795.

Zea mays chloroplast ribosomal RNA genes are part of a 22,000 base pair inverted repeat. *11*, 739.

Gene, ribosomal ribonucleic acid
Zea mays chloroplast ribosomal RNA genes are part of a 22,000 base pair inverted repeat. *11*, 739.

Gene, sea urchin histone
The organization of sea urchin histone genes. *6*, 359.

Gene, sexual development
Major regulatory genes for mammalian sexual development. *7*, 315.

Gene, 16S ribosomal ribonucleic acid
Transfer RNA genes between 16S and 23S rRNA genes in rRNA transcription units of E. coli. *7*, 165.

Gene, spacer
see Spacer

Gene, structural
Structural genes adjacent to interspersed repetitive DNA sequences. *4*, 217.

Gene, ts*A* mutant
An analysis by electron microscopy of early simian virus 40 RNA from a ts*A* mutant. *11*, 523.

Gene, transfer ribonucleic acid
Sequence arrangement of tRNA genes on a fragment of Drosophila melanogaster DNA cloned in E. coli. *11*, 763.

Transfer RNA genes between 16S and 23S rRNA genes in rRNA transcription units of E. coli. *7*, 165.

Gene, 23S ribosomal ribonucleic acid
Transfer RNA genes between 16S and 23S rRNA genes in rRNA transcription units of E. coli. *7*, 165.

Gene, 28S ribosomal ribonucleic acid
A very large repeating unit of mouse DNA containing the 18S, 28S and 5.8S rRNA genes. *11*, 795.

Gene, VP1
The initiation region of the SV40 VP1 gene. *9*, 117.

Location of the sequences coding for capsid proteins VP1 and VP2 on polyoma virus DNA. *9*, 481.

Overlapping of the VP2-VP3 gene and the VP1 gene in the SV40 genome. *12*, 529.

Gene, VP2, VP3
Location of the sequences coding for capsid proteins VP1 and VP2 on polyoma virus DNA. *9*, 481.

Overlapping of the VP2-VP3 gene and the VP1 gene in the SV40 genome. *12*, 529.

Gene, viral, integrated
The arrangement of simian virus 40 sequences in the DNA of transformed cells. *9*, 269.

A unique pattern of integrated viral genes in hamster cells transformed by highly oncogenic human adenovirus 12. *7*, 419.

Gene sets, structural
Structural gene sets active in embryos and adult tissues of the sea urchin. *7*, 487.

Genetic control
Genetic control of chlorophyll biosynthesis in Chlamydomonas: analysis of a mutant affecting synthesis of δ–aminolevulinic acid. *6*, 75.

Genetic deletion
Deletions of two heat-activated loci on Drosophila melanogaster and their effects on heat-induced protein synthesis. *12*, 643.

δβ–Thalassemia is due to a gene deletion. *9*, 71.

Genetic locus
Correlation between genetic loci and structural differences in the capsid proteins of polyoma virus plaque morphology mutants. *11*, 331.

A new genetic locus, *Bevi*, on human chromosome 6 which controls the replication of baboon type C virus in human cells. *12*, 251.

*spo*T, a new genetic locus involved in the stringent response in E. coli. *1*, 27.

Genetic susceptibility
Differential genetic susceptibility of cultured human skin fibroblasts to transformation by Kirsten murine sarcoma virus. *10*, 313.

Genome, Escherichia coli
A colony bank containing synthetic Col E1 hybrid plasmids representative of the entire E. coli genome. *9*, 91.

Genome, monkey
In situ hybridization of repetitive monkey genome sequences isolated from defective simian virus 40 DNA. *9*, 247.

Glial cell
In vivo and in vitro models of demyelinating diseases: tropism of the JHM strain of murine hepatitis virus for cells of glial origin. *12*, 553.

Globin
Subcellular compartmentation of albumin and globin made in oocytes under the direction of injected messenger RNA. *11*, 683.

α–Globin
Localization of the human α–globin structural gene to chromosome 16 in somatic cell hybrids by molecular hybridization assay. *12*, 205.

Nucleotide sequence of the 3′ terminal region of rabbit α–globin messenger RNA: comparison with human α–globin messenger RNA. *11*, 807.

Nucleotide sequences at the 5′ termini of rabbit α– and β–globin mRNA. *9*, 747.

β–Globin
Absence of messenger RNA and gene DNA for β–globin chains in hereditary persistence of fetal hemoglobin. *7*, 323.

Amplification and characterization of a β–globin gene synthesized in vitro. *8*, 163.

Complete nucleotide sequence of the 5′ noncoding region of rabbit β–globin mRNA. *10*, 549.

Complete 3′ noncoding region sequences of rabbit and human β–globin messenger RNAs. *10*, 559.

Nucleotide sequences at the 5′ termini of rabbit α– and β–globin mRNA. *9*, 747.

The primary structure of rabbit β–globin mRNA as determined from cloned DNA. *10*, 571.

The rabbit β–globin gene contains a large insert in the coding sequence. *12*, 1097.

Globin, duck
Microinjection studies of duck globin messenger RNA translation in human and avian cells. *9*, 725.

Globin gene
Enzymatic in vitro synthesis of globin genes. *7*, 279.

Lineage-dependent transcription of globin genes. *3*, 243.

Mouse globin gene expression in erythroid and nonerythroid tissues. *7*, 267.

β–Globin gene
see Gene, β–globin

γ–Globin gene, human
see Gene, γ–globin

Globin messenger ribonucleic acid
see Ribonucleic acid, messenger, globin

Glucocorticoid
Dexamethasone-mediated induction of mouse mammary tumor virus RNA: a system for studying glucocorticoid action. *6*, 299.

Isolation of lymphoma cell variants resistant to killing by glucocorticoids. *2*, 213.

Glucocorticoid receptor gene
Diploid and haploid states of the glucocorticoid receptor gene of mouse lymphoid cell lines. *11*, 423.

Glucose
Growth of cultured mammalian cells on secondary glucose sources. *2*, 287.

Glucose deprivation
Induction of two transformation-sensitive membrane polypeptides in normal fibroblasts by a block in glycoprotein synthesis or glucose deprivation. *11*, 941.

Glue protein
Differentiation in the salivary glands of Drosophila melanogaster: characterization of the glue proteins and their developmental appearance. *9*, 365.

Glutamine-stimulated
Glutamine-stimulated modification and degradation of glutamine synthetase in hepatoma tissue culture cells. *8*, 95.

Glutamine synthetase
Glutamine-stimulated modification and degradation of glutamine synthetase in hepatoma tissue culture cells. *8*, 95.

Glycoprotein
Cross-linking of a major fibroblast surface-associated glycoprotein (fibronectin) catalyzed by blood coagulation factor XIII. *9*, 29.

Glycoproteins of the plasma membrane of Dictyostelium discoideum during development. *8*, 391.

How a single Sindbis virus mRNA directs the synthesis of one soluble protein and two integral membrane glycoproteins. *10*, 253.

Glycoprotein synthesis
Induction of two transformation-sensitive membrane polypeptides in normal fibroblasts by a block in glycoprotein synthesis or glucose deprivation. *11*, 941.

Proposal for a common oligosaccharide intermediate in the synthesis of membrane glycoproteins. *12*, 893.

The synthesis, turnover and artificial restoration of a major cell surface glycoprotein. *5*, 75.

Glycoprotein, viral envelope
see Viral envelope glycoprotein

Glycosaminoglycans
Release of low density lipoprotein from its cell surface receptor by sulfated glycosaminoglycans. *7*, 85.

Glycosylation
Abnormalities in the glycosylation of immunoglobulin heavy chain and an H-2 transplantation antigen in a mouse myeloma mutant. *10*, 679.

Immediate glycosylation of Sindbis virus membrane proteins. *10*, 659.

Gonadotropin
Development of hCG sensitivity in the testis of the immature rat. *2*, 75.

Growth control
Cellular tumorigenicity in nude mice: correlation with cell growth in semi-solid medium. *3*, 355.

Changes in RNA in relation to growth of the fibroblast: I. Amounts of mRNA, rRNA and tRNA in resting and growing cells. *1*, 95.

Changes in RNA in relation to growth of the fibroblast: II. The lifetime of mRNA, rRNA and tRNA in resting and growing cells. *1*, 161.

Changes in RNA in relation to growth of the fibroblast. III. Post-transcriptional regulation of mRNA formation in resting and growing cells. *4*, 69.

Cytoplasmic microtubules in transformed mouse x nontransformed human cell hybrids: correlation with in vitro growth. *12*, 319.

Microfilament bundles and cell shape are related to adhesiveness to substratum and are dissociable from growth control in cultured fibroblasts. *10*, 375.

Guanosine metabolism
Altered metabolism of the guanosine tetraphosphate, ppGpp, in mutants of E. coli. *1*, 85.

Guanosine tetraphosphate
see Guanosine 3′–diphosphate–5′–diphosphate

Guanosine 5′ triphosphate
Control of nucleolar RNA synthesis by the intracellular pool sizes of ATP and GTP. *7*, 447.

Turnover of tubulin and the N site GTP in Chinese hamster ovary cells. *12*, 587.

Guanosine 3′–diphosphate–5′–diphosphate
Altered metabolism of the guanosine tetraphosphate, ppGpp, in mutants of E. coli. *1*, 85.

Anomalous synthesis of ppGpp in growing cells. *11*, 181.

DNA-dependent in vitro synthesis of ribosomal proteins, protein elongation factors and RNA polymerase subunit α: inhibition by ppGpp. *9*, 439.

The mechanism of action of ppGpp on rRNA synthesis in vitro. *8*, 123.

Questioning of reported evidence for guanosine tetraphosphate synthesis in a ribosome system from mouse embryos. *12*, 1127.

Regulation of stable RNA synthesis and ppGpp levels in growing cells of Escherichia coli. *5*, 69.

Synthesis of ppGpp by mouse embryonic ribosomes. *3*, 249.

Guanosine triphosphate nucleotide
Cowpea mosaic virus RNAs have neither m^7GpppN. . . nor mono-, di- or triphosphates at their 5′ ends. *11*, 73.

Detection in HeLa cell extracts of a 7–methylguanosine-specific enzyme activity that cleaves m^7GpppN^m. *6*, 21.

HGPRT
see Hypoxanthine-guanine phosphoribosyltransferase

hnRNA
see Ribonucleic acid, heterogeneous nuclear

H-Y antigen
see Antigen, H-Y

Hamster fibroblast
Density and cell cycle dependence of cell surface proteins in hamster fibroblasts. *3*, 113.

Heat shock
Analysis of Drosophila mRNA by in situ hybridization: sequences transcribed in normal and heat-shocked cultured cells. *4*, 395.

Deletions of two heat-activated loci in Drosophila melanogaster and their effects on heat-induced protein synthesis. *12*, 643.

The effect of heat shock on RNA synthesis in Drosophila tissues. *8*, 43.

Effect of heat shock on the synthesis of low molecular weight RNAs in Drosophila: accumulation of a novel form of 5S RNA. *6*, 207.

Transcription at two heat shock loci in Drosophila. *12*, 441.

Heavy chain
see Immunoglobulin, heavy chain

HeLa cell
A cytoskeletal structure with associated polyribosomes obtained from HeLa cells. *10*, 67.

The definition of a large viral transcription unit late in Ad2 infection of HeLa cells: mapping by effects of ultraviolet irradiation. *10*, 617.

Detection in HeLa cell extracts of a 7–methylguanosine-specific enzyme activity that cleaves m^7GpppN^m. *6*, 21.

Effect of n–butyrate on DNA synthesis in chick fibroblasts and HeLa cells. *12*, 855.

An electron microscope study of the relative positions of the 4S and ribosomal RNA genes in HeLa cell mitochondrial DNA. *9*, 81.

Further evidence of transcriptional and translational control of histone messenger RNA during the HeLa S3 cycle. *4*, 59.

hnRNA in HeLa cells: distribution of transcript sizes estimated from nascent molecule profile. *9*, 465.

The inhibition by DRB (5,6–dichloro–1–β–D–ribofuranosylbenzimidazole) of hnRNA and mRNA production in HeLa cells. *9*, 473.

Intermolecular duplexes in heterogeneous nuclear RNA from HeLa cells. *10*, 597.

Message and nonmessage sequences adjacent to poly(A) in steady state heterogeneous nuclear RNA of HeLa cells. *7*, 429.

The metabolism of a poly(A) minus mRNA fraction in HeLa cells. *3*, 1.

Methyl labeling of HeLa cell hnRNA: a comparison with mRNA. *7*, 227.

Methylated nucleotides block 5′ terminus of HeLa cell messenger RNA. *4*, 379.

A new class of small nuclear RNA molecules synthesized by a type I RNA polymerase in HeLa cells. *12*, 939.

Polyadenylic acid synthesis in vitro in isolated HeLa cell nuclei and whole cell homogenates. *2*, 197.

A polymerase activity forming 5S and pre-4S RNA in isolated HeLa cell nuclei. *1*, 139.

Pre-4S RNA made in isolated HeLa cell nuclei terminates with U. *3*, 185.

Presence of histone mRNA sequences in high molecular weight RNA of HeLa cells. *11*, 651.

Relationship of chain transcription to poly(A) addition and processing of hnRNA in HeLa cells. *3*, 255.

Short-lived, small RNAs in the cytoplasm of HeLa cells. *3*, 11.

Small RNA species of the HeLa cell: metabolism and subcellular localization. *8*, 19.

Studies on the mode of segregation of histone Nu bodies during replication in HeLa cells. *9*, 423.

Synthesis of histone messenger RNA of HeLa cells during the cell cycle. *12*, 167.

Hemagglutination
A hemagglutination inhibition technique for detection of immunoglobulins in supernatants of human lymphoblastoid cell lines. *3*, 153.

Hemagglutinin, measles virus
Polar appearance and nonligand-induced spreading of measles virus hemagglutinin at the surface of chronically infected cells. *5*, 351.

Hemin
Induction of globin mRNA accumulation by hemin in cultured erythroleukemic cells. *8*, 513.

Hemoglobin, β chain
Differential control of the synthesis of two hemoglobin β chains in normal mice. *12*, 863.

Hemoglobin, fetal
Absence of messenger RNA and DNA for β–globin chains in hereditary persistence of fetal hemoglobin. *7*, 323.

Hemoglobin synthesis
Hemoglobin synthesis in cell hybrids formed between teratocarcinoma and Friend erythroleukemia cells. *12*, 653.

Induction by ouabain of hemoglobin synthesis in cultured Friend erythroleukemic cells. *9*, 375.

X-linked control of hemoglobin production in somatic hybrids of mouse erythroleukemic cells and mouse lymphoma or bone marrow cells. *12*, 263.

Hepatic steroid metabolism
Feminization of hepatic steroid metabolism in male rats with a transplanted pituitary tumor ($M+T/F_4$). *7*, 413.

Hepatitis, B antigen
The antigen complexity of hepatitis B virus. *1*, 157.

Viral hepatitis, the B antigen and liver cancer. *1*, 65.

Hepatitis, viral
Viral hepatitis, the B antigen and liver cancer. *1*, 65.

Hepatitis virus, murine
In vivo and in vitro models of demyelinating diseases: tropism of the JHM strain of murine hepatitis virus for cells of glial origin. *12*, 553.

Hepatoma
Activation of production of mouse liver enzymes in rat hepatoma-mouse lymphoid cell hybrids. *6*, 481.

The control of serum protein synthesis in hepatoma-fibroblast hybrids. *6*, 53.

Glutamine-stimulated modification and degradation of glutamine synthetase in hepatoma tissue culture cells. *8*, 95.

Infection of cultured rat hepatoma cells by mouse mammary tumor virus. *10*, 11.

Inhibition of transport systems in cultured rat hepatoma cells by colcemid and ethanol. *2*, 71.

Heritable changes
Spontaneous heritable changes leading to increased adipose conversion in 3T3 cells. *7*, 105.

Herpes simplex virus
Biochemical transformation of mouse cells by fragments of herpes simplex virus DNA. *11*, 233.

Temporal regulation of herpes simplex virus type 1 transcription: location of transcripts on the viral genome. *12*, 275.

Herpes virus thymidine kinase
Transfer of purified herpes virus thymidine kinase gene to cultured mouse cells. *11*, 223.

Heterocyst differentiation
The program of protein synthesis during heterocyst differentiation in nitrogen-fixing blue-green algae. *3*, 159.

Heterogeneous RNA
see Ribonucleic acid, heterogeneous nuclear

Heterokaryon
Antigen expression of mouse spleen x thymocyte heterokaryons. *6*, 521.

Heterozygosity
The effect of X chromosome heterozygosity on the structure of the ribosomal genes in Drosophila melanogaster. *11*, 389.

Hexon
The location of the genes coding for hexon and fiber proteins in adenovirus DNA. *5*, 93.

Hexose transport
Hydrolase and serum treatment of normal chick embryo cells: effects on hexose transport. *5*, 245.

Histone
A chromatin-bound proteolytic activity with unique specificity for histone H2A. *9*, 785.

Chromatin structure as probed by nucleases and proteases: evidence for the central role of histones H3 and H4. *9*, 179.

Conservative assembly and segregation of nucleosomal histones. *12*, 837.

On the existence of polyadenylated histone mRNA in Xenopus laevis oocytes. *9*, 311.

Further evidence of transcriptional and translational control of histone messenger RNA during the HeLa S3 cycle. *4*, 59.

Histone genes of the sea urchin (S. purpuratus) cloned in E. coli: order, polarity and strandedness of the five histone-coding and spacer regions. *9*, 147.

Histone mRNAs contain blocked and methylated 5′ terminal sequences but lack methylated nucleosides at internal positions. *10*, 113.

Histone messengers and histone genes. *8*, 321.

Histone neighbors in nuclei and extended chromatin. *12*, 417.

Histones H2A, H2B, H3 and H4 form a tetrameric complex in solutions of high salt. *6*, 85.

Identification and location of the histone H2A and H3 genes by sequence analysis of sea urchin (S. purpuratus) DNA cloned in E. coli. *9*, 495.

Identification of specific cross-linked histones after treatment of chromatin with formaldehyde. *5*, 45.

Individual histone messenger RNAs: identification by template activity. *4*, 239.

Influence of histone H1 on chromatin structure. *12*, 101.

Molecular analysis of the histone gene cluster of Psammechinus miliaris: I. Fractionation and identification of five individual histone mRNAs. *8*, 455.

Molecular analysis of the histone gene cluster of Psammechinus miliaris: II. The arrangement of the five histone-coding and spacer sequences. *8*, 471.

Molecular analysis of the histone gene cluster of Psammechinus miliaris: III. Polarity and asymmetry of the histone-coding sequences. *8*, 479.

The organization of histones and DNA in chromatin: evidence for an arginine-rich histone kernel. *8*, 333.

Preferential association of newly synthesized histones with replicating SV40 DNA. *12*, 947.

The programmed switch in lysine-rich histone synthesis at gastrulation. *9*, 171.

Specific folding and contraction of DNA by histones H3 and H4. *11*, 609.

The structure of histone-depleted metaphase chromosomes. *12*, 817.

Studies on the mode of segregation of histone Nu bodies during replication in HeLa cells. *9*, 423.

Hormone, insect
see Insect hormone

Human chorion gonadotropin
Complete 3′ noncoding region sequences of rabbit and human β–globin messenger RNAs. *10*, 559.

Development of hCG sensitivity in the testis of the immature rat. *2*, 75.

Human epidermal cell
Terminal differentiation of cultured human epidermal cells. *11*, 405.

Human epidermal keratinocyte
The cornified envelope of terminally differentiated human epidermal keratinocytes consists of cross-linked protein. *11*, 417.

Hurin
Abrin and hurin: two new lymphocyte mitogens. *4*, 263.

Hybrid cell
Activation of production of mouse liver enzymes in rat hepatoma-mouse lymphoid cell hybrids. *6*, 481.

The construction of viable nuclear-cytoplasmic hybrid cells by nuclear transplantation. *7*, 397.

Cytoplasmic microtubules in transformed mouse x nontransformed human cell hybrids: correlation with in vitro growth. *12*, 319.

Double immunoglobin production in cloned somatic cell hybrids between two human lymphoid cell lines. *11*, 139.

Hemoglobin synthesis in cell hybrids formed between teratocarcinoma and Friend erythroleukemia cells. *12*, 653.

Immunochemical detection of human enzymes in hybrid cells. *7*, 123.

Localization of the human α–globin structural gene to chromosome 16 in somatic cell hybrids by molecular hybridization assay. *12*, 205.

Metabolism of cyclic adenosine 3′:5′–monophosphate in somatic cell hybrids. *3*, 135.

Pluripotent teratocarcinoma-thymus somatic cell hybrids. *9*, 45.

Quantitation of the viral DNA present in somatic cell hybrids between mouse and SV40-transformed human cells. *6*, 535.

Somatic cell hybridization of mouse myeloma cells. *8*, 405.

Suppression of replication of SV40 and polyoma virus in mouse-human hybrids. *11*, 25.

X-linked control of hemoglobin production in somatic hybrids of mouse erythroleukemic cells and mouse lymphoma or bone marrow cells. *12*, 263.

Hybrid virus
Construction of hybrid viruses containing SV40 and λ phage DNA segments and their propagation in cultured monkey cells. *9*, 695.

Hybridization, nucleic acid
Analysis of Drosophila mRNA by in situ hybridization: sequences transcribed in normal and heat-shocked cultured cells. *4*, 395.

Detection of myosin heavy chain mRNA during myogenesis in tissue culture by in vitro and in situ hybridization. *12*, 501.

The determination of RNA homogeneity by molecular hybridization. *3*, 341.

Ecdysone-stimulated RNA synthesis in salivary glands of Drosophila melanogaster: assay by in situ hybridization. *12*, 219.

Further mapping of late adenovirus genes by cell-free translation of RNA selected by hybridization to specific DNA fragments. *12*, 37.

In situ hybridization analysis of polyoma DNA replication in an inducible line of polyoma-transformed cells. *11*, 65.

In situ hybridization of repetitive monkey genome sequences isolated from defective simian virus 40 DNA. *9*, 247.

Isolation of bacteriophage λ containing yeast ribosomal RNA genes: screening by in situ RNA hybridization to plaques. *8*, 227.

Nucleic acid hybridization using DNA covalently coupled to cellulose. *5*, 301.

Hydrolase treatment
Hydrolase and serum treatment of normal chick embryo cells: effects on hexose transport. *5*, 245.

Hypercholesterolemia
Heterozygous familial hypercholesterolemia: failure of normal allele at a regulated genetic locus. *9*, 195.

Hypoxanthine-guanine phosphoribosyltransferase
Forward and reverse mutations affecting the kinetics and apparent molecular weight of mammalian HGPRT. *12*, 383.

Mutant Chinese hamster cells with a thermosensitive hypoxanthine-guanine phosphoribosyltransferase. *5*, 115.

α-L-Iduronidase
Recognition and receptor-mediated uptake of a lysosomal enzyme, α-L-iduronidase, by cultured human fibroblasts. *12*, 619.

Imaginal disc
Patterns of protein synthesis in imaginal discs of Drosophila melanogaster. *12*, 915.

Relative activities of α-ecdysone and β-ecdysone for the differentiation in vitro of Drosophila melanogaster imaginal discs. *3*, 141.

Immunochemistry
Immunochemical detection of human enzymes in hybrid cells. *7*, 123.

Immunocytochemical detection of a murine leukemia virus-related nuclear antigen in mouse oocytes and early embryos. *12*, 697.

Immunodeficiency
Characterization of a cell culture model for the study of adenosine deaminase and purine nucleoside phosphorylase-deficient immunologic disease. *9*, 205.

Immunoelectron microscopy
Chromatin structure visualization by immunoelectron microscopy. *7*, 297.

Localization of 5-methylcytosine in human metaphase chromosomes by immunoelectron microscopy. *9*, 503.

Immunofluorescent localization
α-Actinin: immunofluorescent localization of a muscle structural protein in nonmuscle cells. *6*, 289.

Immunoglobulin
Clone MPC 11 myeloma cells express two kappa genes: a gene for a complete light chain and a gene for a constant region polypeptide. *12*, 453.

Double immunoglobulin production in cloned somatic cell hybrids between two human lymphoid cell lines. *11*, 139.

A hemagglutination inhibition technique for detection of immunoglobulins in supernatants of human lymphoblastoid cell lines. *3*, 153.

Synthesis, surface deposition and secretion of immunoglobulins by Abelson virus-transformed lymphosarcoma cell lines. *6*, 149.

Immunoglobulin D (IgD)
Continuous culturing of murine splenic β-lymphocytes: synthesis and surface deposition of IgM and putative IgD molecules. *8*, 397.

Immunoglobulin G (IgG)
A human lymphoid cell line secreting immunoglobulin G and retaining immunoglobulin M in the plasma membrane. *5*, 87.

Immunoglobulin, heavy chain
Abnormalities in the glycosylation of immunoglobulin heavy chain and an H-2 transplantation antigen in a mouse myeloma mutant. *10*, 679.

Detection of myosin heavy chain mRNA during myogenesis in tissue culture by in vitro and in situ hybridization. *12*, 501.

The genes and mRNA coding for the heavy chains of chick embryonic skeletal myosin. *12*, 491.

Immunoglobulin, light chain
Clone MPC 11 myeloma cells express two kappa genes: a gene for a complete light chain and a gene for a constant region polypeptide. *12*, 453.

Demonstration that a mouse immunoglobulin light chain messenger RNA hybridizes exclusively with unique DNA. *6*, 5.

Immunoglobulin M (IgM)
Continuous culturing of murine splenic β-lymphocytes: synthesis and surface deposition of IgM and putative IgD molecules. *8*, 397.

A human lymphoid cell line secreting immunoglobulin G and retaining immunoglobulin M in the plasma membrane. *5*, 87.

Immunoglobulin secretion
Clonal growth and maturation to immunoglobulin secretion in vitro of every growth-inducible B lymphocyte. *10*, 27.

Synthesis, surface deposition and secretion of immunoglobulins by Abelson virus-transformed lymphosarcoma cell lines. *6*, 149.

Influenza virus
The genes of influenza virus. *10*, 1.

Initiation factor eIF-2
Phosphorylation of initiation factor eIF-2 and the control of reticulocyte protein synthesis. *11*, 187.

Initiation frequency
Amino acid starvation affects the initiation frequency of nucleolar RNA polymerase. *7*, 439.

Insect hormone
Insect hormone activities. *3*, 387.

Insulin receptor
Insulin receptors in normal and transformed fibroblasts: relationship to growth and transformation. *8*, 417.

Integration, germ line
Germ line integration of Moloney leukemia virus: effect of homozygosity at the M-MuLV locus. *12*, 691.

Interferon
The effect of interferon on de novo infection of Moloney murine leukemia virus. *10*, 245.

Inhibition of viral protein synthesis in monkey cells treated with interferon late in simian virus 40 lytic cycle. *12*, 73.

The mechanism of action of interferon. *6*, 429.

Intracisternal A particle
RNA sequences specifically associated with mouse intracisternal A particles. *11*, 83.

Sequences associated with intracisternal A particles are reiterated in the mouse genome. *12*, 963.

Transfer of murine intracisternal A particle phenotype in chloramphenicol-resistant cytoplasts. *9*, 383.

Invasiveness
The chick chorioallantoic membrane as a model system for the study of tissue invasion by viral-transformed cells. *8*, 373.

Ionophore, calcium
Morphological changes in cultured mammalian cells: prevention by the calcium ionophore A23187. *5*, 1.

Japanese quail
see Quail

KB cell
Identification of a ribonuclease P-like activity from human KB cells. *9*, 101.

Kangaroo rat
see Dipodomys ordii

Karyoplast
The regeneration and division of mouse L cell karyoplasts. *7*, 115.

Keratinizing colony
Serial cultivation of strains of human epidermal keratinocytes: the formation of keratinizing colonies from single cells. *6*, 331.

Keratinocyte, epidermal
Differentiation of the epidermal keratinocyte in cell culture: formation of the cornified envelope. *9*, 511.

Keratinocyte, human epidermal
The cornified envelope of terminally differentiated human epidermal keratinocytes consists of cross-linked protein. *11*, 417.

Serial cultivation of strains of human epidermal keratinocytes: the formation of keratinizing colonies from single cells. *6*, 331.

Kidney
Cytosol androgen receptor from kidney of normal and testicular feminized (*Tfm*) mice. *2*, 205.

Messenger ribonucleoprotein complexes isolated with oligo(dT)-cellulose chromatography from kidney polysomes *4*, 157.

Kirsten sarcoma virus
Differential genetic susceptibility of cultured human skin fibroblasts to transformation by Kirsten murine sarcoma virus. *10*, 313.

Increased collagen synthesis in Kirsten sarcoma virus-transformed BALB/3T3 cells grown in the presence of dibutyryl cyclic AMP. *3*, 291.

Studies on the levels of cyclic AMP in cells transformed by wild-type and temperature-sensitive Kirsten sarcoma virus. *1*, 59.

L cell, mouse
Effect of reduced temperatures on protein synthesis in mouse L cells. *4*, 329.

Existence of methylated messenger RNA in mouse L cells. *1*, 37.

The methylated constituents of L cell messenger RNA: evidence for an unusual cluster at the 5′ terminus. *4*, 387.

Mouse L cell mitochondrial DNA molecules are selected randomly for replication throughout the cell cycle. *11*, 719.

Preliminary characterization of the temperature-sensitive defect in DNA replication in a mutant mouse L cell. *7*, 49.

The regeneration and division of mouse L cell karyoplasts. *7*, 115.

LETS
see Large external transformation-sensitive protein

^{125}I–lactoperoxidase
The location of proteins labeled by the ^{125}I–lactoperoxidase system in the NIL8 hamster fibroblast. *4*, 353.

Large external transformation-sensitive protein (see also Cell surface protein; Fibronectin)

Alteration in cell surface LETS protein during myogenesis. *10*, 393.

Mechanism of the decrease in the major cell surface protein of chick embryo fibroblasts after transformation. *11*, 957.

Lectin
Selection and characterization of eight phenotypically distinct lines of lectin-resistant Chinese hamster ovary cells. *6*, 121.

Leukemia virus
see Friend leukemia virus; Moloney leukemia virus; Murine leukemia virus

Leukemogenesis
Accumulation of cystine auxotrophic thymocytes accompanying type C viral leukemogenesis in the mouse. *7*, 41.

Infection of bone marrow cells in vitro with FLV: effects on stem cell proliferation, differentiation and leukemogenic capacity. *12*, 355.

Leukemogenic capacity
see Leukemogenesis

Leukosis virus, chicken
Chicken leukosis virus genome sequences in DNA from normal chick cells and virus-induced bursal lymphomas. *4*, 311.

Lipid
Sublines of mouse 3T3 cells that accumulate lipid. *1*, 113.

Lipoprotein
Analysis of a mutant strain of human fibroblasts with a defect in the internalization of receptor-bound low density lipoprotein. *9*, 663.

Genetics of the LDL receptor: evidence that the mutations affecting binding and internalization are allelic. *12*, 629.

Regulation of the activity of the low density lipoprotein receptor in human fibroblasts. *6*, 307.

Release of low density lipoprotein from its cell surface receptor by sulfated glycosaminoglycans. *7*, 85.

Role of the coated endocytic vesicle in the uptake of receptor-bound low density lipoprotein in human fibroblasts. *10*, 351.

Lymphoblastoid cell line, human
Differences in the incorporation of bromodeoxyuridine by human lymphoblastoid cell lines. *5*, 381.

Lymphocyte
Abelson virus-transformed lymphocytes: null cells that modulate H-2. *12*, 683.

Analysis of cell surfaces by xenogeneic myeloma-hybrid antibodies: differentiation antigens of rat lymphocytes. *12*, 663.

Catabolism of thymidine during the lymphocyte cell cycle. *12*, 365.

Chemical synthesis of a peptide fragment of thymopoietin II that induces selective T cell differentiation. *5*, 367.

Continuous culturing of murine splenic β–lymphocytes: synthesis and surface deposition of IgM and putative IgD molecules. *8*, 397.

DNA-dependent RNA polymerase levels during the response of human peripheral lymphocytes to phytohemagglutinin. *4*, 51.

The effect of cyclic nucleotides on purine biosynthesis and the induction of PRPP synthetase during lymphocyte activation. *3*, 375.

Initiator RNA of discontinuous DNA synthesis in human lymphocytes. *12*, 483.

Lymphocyte:erythrocyte (L.E.) rosettes as indicators of the heterogeneity of lymphocytes in a variety of mammalian species. *4*, 103.

Oxidation-induced lymphocyte transformation. *7*, 13.

The possible biological significance of Fc receptors on mammalian lymphocytes and tumor cells. *3*, 105.

Stimulating the lymphocyte. *6*, 416.

Lymphocyte:erythrocyte rosette
Lymphocyte:erythrocyte (L.E.) rosettes as indicators of the heterogeneity of lymphocytes in a variety of mammalian species. *4*, 103.

Lymphocyte mitogen
Abrin and hurin: two new lymphocyte mitogens. *4*, 263.

Lymphoid cell
Activation of production of mouse liver enzymes in rat hepatoma-mouse lymphoid cell hybrids. *6*, 481.

Lymphoic cell line, human
Double immunoglobulin production in cloned somatic cell hybrids between two human lymphoid cell lines. *11*, 139.

A human lymphoid cell line secreting immunoglobulin G and retaining immunoglobulin M in the plasma membrane. *5*, 87.

Lymphoid cell line, mouse
Diploid and haploid states of the glucocorticoid receptor gene of mouse lymphoid cell lines. *11*, 423.

Lymphoma cell
Isolation of lymphoma cell variants resistant to killing by glucocorticoids. *2*, 213.

Mutations causing charge alterations in regulatory subunits of the cAMP-dependent protein kinase of cultured S49 lymphoma cells. *10*, 381.

Role of S–adenosylhomocysteine in adenosine-mediated toxicity in cultured mouse T lymphoma cells. *12*, 931.

Thy 1 variants of mouse lymphomas: biochemical characterization of the genetic defect. *6*, 279.

X-linked control of hemoglobin production in somatic hybrids of mouse erythroleukemic cells and mouse lymphoma or bone marrow cells. *12*, 263.

Lymphosarcoma
Synthesis, surface deposition and secretion of immunoglobulins by Abelson virus-transformed lymphosarcoma cell lines. *6*, 149.

Lyon's hypothesis
The analysis of Lyon's hypothesis through preferential X-activation. *1*, 175.

Lysosomal enzyme
Recognition and receptor-mediated uptake of a lysosomal enzyme α–L–iduronidase, by cultured human fibroblasts. *12*, 619.

Lysozyme induction
Control of lysozyme induction in the differentiation of myeloid leukemic cells. *9*, 675.

A map of cytoplasmic RNA transcripts from lytic adenovirus type 2, determined by electron microscopy of RNA:DNA hybrids. *11*, 819.

Lytic cycle, SV40
see Adenovirus; Simian virus 40

M-MLV
see Moloney leukemia virus

M-MSV
see Moloney sarcoma virus

MMTV
see Mammary tumor virus, murine

M-MuLV
see Moloney leukemia virus

MPF
see Maturation promoting factor

mRNA
see Ribonucleic acid, messenger

MSA
see Multiplication-stimulating activity

MuLV
see Murine leukemia virus

Macrochromosome
Chicken macrochromosomes contain an endogenous provirus and microchromosomes contain sequences related to the transforming gene of ASV. *10*, 649.

Macroglobulin
Localization of serum-derived α_2 macroglobulin in cultured cells and decrease after Moloney sarcoma virus transformation. *12*, 609.

Macrophage
Macrophage plasminogen activator: induction by concanavalin A and phorbol myristate acetate. *11*, 695.

Macrophage plasminogen activator: modulation of enzyme production by anti-inflammatory steroids, mitotic inhibitors and cyclic nucleotides. *8*, 271.

Major head protein
Correlation between structural transformation and cleavage of the major head protein of T4 bacteriophage. *7*, 191.

Mammary carcinoma
see Carcinoma, mammary

Mammary cell, mouse
Cloned mouse mammary cell lines requiring androgens for growth in culture. *8*, 79.

Mammary tumor virus, murine
High frequency variation in mammary tumor virus expression in cell culture. *8*, 87.

Mouse mammary tumor virus DNA in infected rat cells: characterization of unintegrated forms. *10*, 19.

Maturation promoting factor
Effects of cycloheximide on the "autocatalytic" nature of the maturation promoting factor (MPF) in oocytes of Xenopus laevis. *4*, 269.

Measles virus
Polar appearance and nonligand-induced spreading of measles virus hemagglutinin at the surface of chronically infected cells. *5*, 351.

Melanoblast, retinal
Transformation of chicken embryo retinal melanoblasts by a temperature-sensitive mutant of Rous sarcoma virus. *11*, 881.

Membrane
Looking at the membrane. *4*, 405.

Membrane, plasma
A human lymphoid cell line secreting immunoglobulin G and retaining immunoglobulin M in the plasma membrane. *5*, 87.

Kinetics of biosynthesis of acetylcholine receptor and subsequent incorporation into plasma membrane of cultured chick skeletal muscle. *10*, 365.

Membrane protein
Synthesis and assembly of the membrane proteins in E. coli. *11*, 551.

Membrane receptor
Association of the folded chromosome with the cell envelope of E. coli: characterization of the proteins at the DNA-membrane attachment site. *8*, 245.

Induction of two transformation-sensitive membrane polypeptides in normal fibroblasts by a block in glycoprotein synthesis or glucose deprivation. *11*, 941.

Membrane receptors for murine leukemia viruses: characterization using the purified viral envelope glycoprotein, gp71. *8*, 365.

Mesenchyme
Regression of mouse mammary gland anlagen in recombinants of *Tfm* and wild-type tissues: testosterone acts via the mesenchyme. *10*, 401.

Messenger RNA
see Ribonucleic acid, messenger

Metabolic cooperation
The effects of topoinhibition and cytochalasin B on metabolic cooperation. *6*, 253.

Metaphase chromosome
see Chromosome, metaphase

Methylated messenger ribonucleic acid
see Capping, mRNA; Ribonucleic acid, messenger, methylated

Methylation
see Capping, mRNA

5–methylcytosine
Localization of 5–methylcytosine in human metaphase chromosomes by immunoelectron microscopy. *9*, 503.

7-methylguanosine
Detection in HeLa cell extracts of a 7-methylguanosine-specific enzyme activity that cleaves m^7GpppN^m. *6*, 21.

Ribosome binding to reovirus mRNA in protein synthesis requires 5′ terminal 7-methylguanosine. *6*, 185.

Microchromosome
Chicken macrochromosomes contain an endogenous provirus and microchromosomes contain sequences related to the transforming gene of ASV. *10*, 649.

Microfilament bundle
Microfilament bundles and cell shape are related to adhesiveness to substratum and are dissociable from growth control in cultured fibroblasts. *10*, 375.

Microinjection
Microinjection of thymidine kinase and bovine serum albumin into mammalian cells by fusion with red blood cells. *5*, 371.

Microinjection studies of duck globin messenger RNA translation in human and avian cells. *9*, 725.

A quantitative study of ultramicroinjection of macromolecules into animal cells. *7*, 551.

Microtinae
Testis-determining H-Y antigen in XO males of the mole-vole (Ellobius lutescens). *10*, 729.

Microtubule
Cytoplasmic microtubules in transformed mouse x nontransformed human cell hybrids: correlation with in vitro growth. *12*, 319.

The display of microtubules in transformed cells. *12*, 561.

Induction of microtubule protein synthesis in Chlamydomonas reinhardii during flagellar regeneration. *9*, 15.

Microvilli
Cell surface protein decreases microvilli and ruffles on transformed mouse and chick cells. *9*, 241.

Minicell
Protein expression in E. coli minicells by recombinant plasmids. *10*, 521.

Missense mutant
Informational suppression of missense mutations. *6*, 419.

Mitochondria, insect
Characterization and mapping of mitochondrial ribosomal RNA and mitochondrial DNA in Drosophila melanogaster. *9*, 615.

The messenger-like poly(A)-containing RNA species from the mitochondria of mammals and insects. *1*, 31.

Mitochondria, mammalian
Mammalian cells with defective mitochondrial functions: a Chinese hamster mutant cell line lacking succinate dehydrogenase activity. *10*, 697.

Mapping of mitochondrial DNA of individual sheep and goats: rapid evolution in the D loop region. *11*, 571.

The messenger-like poly(A)-containing RNA species from the mitochondria of mammals and insects. *1*, 31.

The messenger-like properties of the poly(A)$^+$ RNA in mammalian mitochondria. *3*, 335.

Mitogen
Abrin and hurin: two new lymphocyte mitogens. *4*, 263.

Mitotic recombination
Evidence for the formation of hybrid DNA during mitotic recombination in Chinese hamster cells. *8*, 573.

Mollusc, Aplysia californica
DNA sequence organization in the mollusc Aplysia californica. *6*, 29.

Moloney leukemia virus
Germ line integration of Moloney leukemia virus: effect of homozygosity at the M-MuLV locus. *12*, 691.

A heteroduplex study of the sequence relationships between the RNAs of M-MSV and M-MLV. *10*, 469.

Moloney sarcoma virus
Cells transformed by certain strains of Moloney sarcoma virus contain murine p60. *10*, 79.

A heteroduplex study of the sequence relationships between the RNAs of M-MSV and M-MLV. *10*, 469.

Localization of serum-derived α_2 macroglobulin in cultured cells and decrease after Moloney sarcoma virus transformation. *12*, 609.

The 30S Moloney sarcoma virus RNA contains leukemia virus nucleotide sequences. *9*, 299.

Monkey cell
Construction of hybrid viruses containing SV40 and λ phage DNA segments and their propagation in cultured monkey cells. *9*, 695.

Inhibition of viral protein synthesis in monkey cells treated with interferon late in simian virus 40 lytic cycle. *12*, 73.

Morphological change
Morphological changes in cultured mammalian cells: prevention by the calcium ionophore A23187. *5*, 1.

Mosaic mouse
Metabolic cooperation between *Tfm* and wild-type cells in mosaic mice after induction of DNA synthesis. *6*, 475.

Mouse, athymic nude
see Nude mouse

Mouse blastocyst
The culture of cells derived from mouse blastocysts. *5*, 343.

Mouse brain
Complexity and characterization of polyadenylated RNA in the mouse brain. *8*, 139.

Mouse cell
Biochemical transformation of mouse cells by fragments of herpes simplex virus DNA. *11*, 233.

A comparison of the transcription of mouse cell chromatin by homologous RNA polymerase I and II. *3*, 15.

Mouse embryo
Immunocytochemical detection of a murine leukemia virus-related nuclear antigen in mouse oocytes and early embryos. *12*, 697.

In vitro studies of mouse embryos bearing mutations at the T locus: t^{w5} and t^{12}. *9*, 523.

Questioning of reported evidence for guanosine tetraphosphate synthesis in a ribosome system from mouse embryos. *12*, 1127.

Mouse foldback DNA
An electron microscopic study of mouse foldback DNA. *5*, 429.

Mouse leukemia cell
A core polyprotein of murine leukemia virus on the surface of mouse leukemia cells. *9*, 573.

Mouse liver cell
Characterization of the 5′ termini of hnRNA in mouse L cells: implications for processing and cap formation. *9*, 121.

Mouse liver enzyme
Activation of production of mouse liver enzymes in rat hepatoma-mouse lymphoid cell hybrids. *6*, 481.

Mouse mammary cell line
Cloned mouse mammary cell lines requiring androgens for growth in culture. *8*, 79.

Mouse mammary tumor virus
see Mammary tumor virus, murine

Mouse myeloma cell
see Myeloma, mouse

Mouse, nude
see Nude mouse

Mouse 3T3 cell
Collagen synthesis as a marker for cell type in mouse 3T3 lines. *11*, 169.

The phagokinetic tracks of 3T3 cells. *11*, 395.

Phagokinetic tracks of 3T3 cells: parallels between the orientation of track segments and of cellular structures which contain actin or tubulin. *12*, 333.

Multiplication-stimulating activity
Proliferation of buffalo rat liver cells in serum-free medium does not depend upon multiplication-stimulating activity (MSA). *11*, 441.

Murine hepatitis virus
see Hepatitis virus, murine

Murine leukemia virus (see also Friend leukemia virus; Moloney leukemia virus; Radiation leukemia virus; Rauscher leukemia virus)

Cellular changes in the thymuses of preleukemic AKR mice: correlation with changes in the expression of murine leukemia viruses. *12*, 341.

A core polyprotein of murine leukemia virus on the surface of mouse leukemia cells. *9*, 573.

Effect of Fv-1 gene product on synthesis of N-tropic and B-tropic murine leukemia viral RNA. *7*, 33.

The Friend virus genome: evidence for the stable association of MuLV sequences and sequences involved in erythroleukemic transformation. *12*, 287.

Identification of mouse chromosomes required for murine leukemia virus replication. *11*, 949.

Immunocytochemical detection of a murine leukemia virus-related nuclear antigen in mouse oocytes and early embryos. *12*, 697.

Mechanism of formation of pseudotypes between vesicular stomatitis virus and murine leukemia virus. *11*, 505.

Membrane receptors for murine leukemia viruses: characterization using the purified viral envelope glycoprotein, gp71. *8*, 365.

Monospecific immunoprecipitation of murine leukemia virus polyribosomes: identification of p30 protein-specific messenger RNA. *9*, 579.

Murine leukemia virus mutants with temperature-sensitive defects in precursor polypeptide cleavage. *6*, 543.

Phenotypic mixing between N- and B-tropic murine leukemia viruses: infectious particles with dual sensitivity to Fv-1 restriction. *7*, 373.

Properties of a P70 proteolytic factor of murine leukemia viruses. *12*, 709.

RNA metabolism of murine leukemia virus: size analysis of nuclear pulse-labeled virus-specific RNA. *11*, 297.

Selective degradation of integrated murine leukemia proviral DNA by deoxyribonucleases. *11*, 933.

Murine leukemia virus, Friend
see Friend leukemia virus

Murine leukemia virus, Moloney
see Moloney leukemia virus

Murine mammary carcinoma
Androgen-dependent fibrinolytic activity in a murine mammary carcinoma (Shionogi SC-115 cells) in vitro. *7*, 223.

Murine p60
Cells transformed by certain strains of Moloney sarcoma virus contain murine p60. *10*, 79.

Murine sarcoma virus, Kirsten
see Kirsten sarcoma virus

Murine sarcoma virus, Moloney
see Moloney sarcoma virus

Muscle, skeletal (see also Myogenesis)
Kinetics of biosynthesis of acetylcholine receptor and subsequent incorporation into plasma membrane of cultured chick skeletal muscle. *10*, 365.

Muscle structural protein
α–Actinin: immunofluorescent localization of a muscle structural protein in nonmuscle cells. *6*, 289.

Myeloid leukemic cell
Control of lysozyme induction in the differentiation of myeloid leukemic cells. *9*, 675.

Myeloma-hybrid antibody
Analysis of cell surfaces by xenogeneic myeloma-hybrid antibodies: differentiation antigens of rat lymphocytes. *12*, 663.

Myeloma, mouse
Abnormalities in the glycosylation of immunoglobulin heavy chain and an H-2 transplantation antigen in a mouse myeloma mutant. *10*, 679.

Characterization of light chain and light chain constant region fragment mRNAs in MPC 11 mouse myeloma cells and variants. *5*, 139.

Clone MPC 11 myeloma cells express two kappa genes: a gene for a complete light chain and a gene for a constant region polypeptide. *12*, 453.

Somatic cell hybridization of mouse myeloma cells. *8*, 405.

Studies on nascent DNA in mouse myeloma. *2*, 23.

Myoblast
Changes in adenylate cyclase, cyclic AMP and protein kinase levels in chick myoblasts, and their relationship to differentiation. *2*, 103.

Changes in the mRNA population of chick myoblasts during myogenesis in vitro. *12*, 751.

Post-transcriptional regulation of ribosome accumulation during myoblast differentiation. *10*, 587.

Myogenesis
Alteration in cell surface LETS protein during myogenesis. *10*, 393.

Appearance and disappearance of acetylcholine receptor during differentiation of chick skeletal muscle in vitro. *7*, 543.

Changes in the mRNA population of chick myoblasts during myogenesis in vitro. *12*, 751.

Creatine kinase, myokinase and acetylcholinesterase activities in muscle-forming primary cultures of mouse teratocarcinoma cells. *6*, 61.

Detection of myosin heavy chain mRNA during myogenesis in tissue culture by in vitro and in situ hybridization. *12*, 501.

Messenger RNA for myosin polypeptides: isolation from single myogenic cell cultures. *10*, 265.

Myokinase
Creatine kinase, myokinase and acetylcholinesterase activities in muscle-forming primary cultures of mouse teratocarcinoma cells. *6*, 61.

Myosin
Detection of myosin heavy chain mRNA during myogenesis in tissue culture by in vitro and in situ hybridization. *12*, 501.

The genes and mRNA coding for the heavy chains of chick embryonic skeletal myosin. *12*, 491.

Messenger RNA for myosin polypeptides: isolation from single myogenic cell cultures. *10*, 265.

Myosin and paramyosin of Caenorhabditis elegans: biochemical and structural properties of wild-type and mutant proteins. *10*, 709.

Two homogeneous myosins in body-wall muscle of Caenorhabditis elegans. *10*, 721.

A unified theory of the control of actin and myosin in nonmuscle movements. *2*, 123.

N-tropic
Effect of Fv-1 gene product on synthesis of N-tropic and B-tropic murine leukemia viral RNA. *7*, 33.

Loss of Fv-1 restriction in BALB/3T3 cells following infection with a single N-tropic murine leukemia virus particle. *10*, 479.

Phenotypic mixing between N- and B-tropic murine leukemia viruses: infectious particles with dual sensitivity to Fv-1 restriction. *7*, 373.

NIL8
The location of proteins labeled by the ^{125}I–lactoperoxidase system in the NIL8 hamster fibroblast. *4*, 353.

Neoplasia
Teratocarcinomas as a model system for the study of embryogenesis and neoplasia. *5*, 229.

Nerve connections
In search of the rules for nerve connections. *3*, 201.

Neuron
Variation in chromatin structure in two cell types from the same tissue: a short DNA repeat length in cerebral cortex neurons. *10*, 633.

Neurones
Reception at neurones. *6*, 117.

Neurospora crassa
Differences and similarities in chromatin structure of Neurospora crassa and higher eucaryotes. *8*, 349.

Neurotubulin
Assembly of tubulin from cultured cells and comparison with the neurotubulin model. *12*, 573.

Neutron scattering
Small angle neutron scattering studies of chromatin subunits in solution. *10*, 139.

Nitrogen fixation
The program of protein synthesis during heterocyst differentiation in nitrogen-fixing blue-green algae. *3*, 159.

Nonhistone protein
Role of nonhistone proteins in metaphase chromosome structure. *12*, 805.

Nu body
Cooperative alignment of Nu bodies during chromosome replication in the presence of cycloheximide. *9*, 419.

Studies on the mode of segregation of histone Nu bodies during replication in HeLa cells. *9*, 423.

Nuclear binding
A new mechanism for steroid unresponsiveness: loss of nuclear binding activity of a steroid hormone receptor. *3*, 301.

Nuclear-cytoplasmic hybrid cell
The construction of viable nuclear-cytoplasmic hybrid cells by nuclear transplantation. *7*, 397.

Nuclear organization
Characterization of the DNA from the dinoflagellate Crypthecodinium cohnii and implications for nuclear organization. *6*, 161.

Nuclear transplantation
The construction of viable nuclear-cytoplasmic hybrid cells by nuclear transplantation. *7*, 397.

Nuclease
Cesium chloride gradients of chromatin after treatment with micrococcal nuclease. *8*, 59.

Chromatin structure as probed by nucleases and proteases: evidence for the central role of histones H3 and H4. *9*, 179.

Nucleation region
Sequence from the assembly nucleation region of TMV RNA. *11*, 483.

Nuclei, isolated
The definition of a large viral transcription unit late in Ad2 infection of HeLa cells: mapping of nascent RNA molecules labeled in isolated nuclei. *10*, 611.

Nucleolar ribonucleic acid polymerase
Amino acid starvation affects the initiation frequency of nucleolar RNA polymerase. *7*, 439.

Nucleolar ribonucleic acid synthesis
Control of nucleolar RNA synthesis by the intracellular pool sizes of ATP and GTP. *7*, 447.

Nucleoprotein, viral
The arrangement of nucleosomes in nucleoprotein complexes from polyoma virus and SV40. *11*, 35.

The SV40 DNA template for transcription of late mRNA in viral nucleoprotein complexes. *11*, 495.

Nucleoside
Histone mRNAs contain blocked and methylated 5′ terminal sequences but lack methylated nucleosides at internal positions. *10*, 113.

Nucleosome
The arrangement of nucleosomes in nucleoprotein complexes from polyoma virus and SV40. *11*, 35.

Mapping DNAase I-susceptible sites in nucleosomes labeled at the 5′ ends. *9*, 347.

A model for chromatin based upon two symmetrically paired half-nucleosomes. *9*, 409.

Nucleosome structure in Aspergillus nidulans. *8*, 357.

Nucleosomes and subnucleosomes: heterogeneity and composition. *11*, 619.

On the occurrence of nucleosome phasing in chromatin. *12*, 829.

Nucleotide
Methylated nucleotides block 5′ terminus of HeLa cell messenger RNA. *4*, 379.

A mutant of Escherichia coli defective in removing 3′ terminal nucleotides from some transfer RNA precursor molecules. *5*, 389.

Nucleotide, methylated
Sequences containing methylated nucleotides at the 5′ termini of messenger RNAs: possible implications for processing. *3*, 197.

Nucleotide sequence
see Deoxyribonucleic acid sequence

Nude mouse
Cellular tumorigenicity in nude mice: correlation with cell growth in semi-solid medium. *3*, 355.

In vitro traits of adenovirus-transformed cell lines and their relevance to tumorigenicity in nude mice. *10*, 669.

Null cell
Abelson virus-transformed lymphocytes: null cells that modulate H-2. *12*, 683.

Odocoileus hemionus
Endogenous type C RNA virus of Odocoileus hemionus, a mammalian species of New World origin. *9*, 489.

Okazaki piece
Asymmetric Okazaki piece synthesis during replication of simian virus 40 DNA in vivo. *12*, 1029.

Oligosaccharide
Proposal for a common oligosaccharide intermediate in the synthesis of membrane glycoproteins. *12*, 893.

Oligo(dT)-cellulose chromatography
Messenger ribonucleoprotein complexes isolated with oligo(dT)-cellulose chromatography from kidney polysomes. *4*, 157.

Oligonucleotide
Arrangement of specific oligonucleotides within poly(A)-terminated hnRNA molecules. *1*, 43.

Oncopeltus fasciatus
Comparative organization of active transcription units in Oncopeltus fasciatus. *9*, 131.

Oncornavirus
Mapping of poly(A) sequences in the electron microscope reveals unusual structure of type C oncornavirus RNA molecules. *7*, 595.

Oocytes, Xenopus laevis
see Xenopus laevis

Operon, galactose
Dual control for transcription of the galactose operon by cyclic AMP and its receptor protein at two interspersed promoters. *12*, 847.

Effects of dimethylsulfoxide on the E. coli *gal* operon and on bacteriophage lambda in vivo. *3*, 39.

Ornithine decarboxylase
Effect of cyclic nucleotides on the induction of ornithine decarboxylase in BHK cells by serum and insulin. *2*, 229.

Ornithine transcarbamylase
Evolutionary drift of the *argF* and *argI* genes coding for isoenzyme forms of ornithine transcarbamylase in E. coli K12. *10*, 275.

Orotic aciduria
Oxipurinol and orotic aciduria: effect on the orotidine–5′–monophosphate decarboxylase activity of cultured human fibroblasts. *3*, 55.

Orotidine, 5′–monophosphate decarboxylase activity
Oxipurinol and orotic aciduria: effect on the orotidine–5′–monophosphate decarboxylase activity of cultured human fibroblasts. *3*, 55.

Osteoblast
Differential cytotoxic activity of anticollagen serum on rat osteoblasts and fibroblasts in tissue culture. *5*, 83.

Oubain
The expression of the vitellogenin gene. *9*, 1.

Isolation of ouabain-resistant human diploid fibroblasts. *3*, 221.

Ovalbumin
Quantitation of parameters that determine the rate of ovalbumin synthesis. *4*, 189.

Oviduct, chicken
Analysis of the complexity and diversity of mRNA from chicken liver and oviduct. *7*, 247.

mRNA complexity and egg white protein mRNA content in mature and hormone-withdrawn oviduct. *11*, 923.

Quantitation of elongating form A and form B RNA polymerases in chick oviduct nuclei and effects of estradiol. *7*, 455.

Oxipurinol
Oxipurinol and orotic aciduria: effect on the orotidine–5′–monophosphate decarboxylase activity of cultured human fibroblasts. *3*, 55.

Oxytricha
DNA of ciliated protozoa: DNA sequence diminution during macronuclear development of Oxytricha. *7*, 67.

PMA
see Phorbol myristate acetate

ppGpp
see Guanosine 3′–diphosphate–5′–diphosphate

PRPP
see Phosphoribosyl pyrophosphate

Panicum maximum
The dimorphic chloroplasts of the C_4 plant Panicum maximum contain identical genomes. *11*, 729.

Paramyosin
Myosin and paramyosin of Caenorhabditis elegans: biochemical and structural properties of wild-type and mutant proteins. *10*, 709.

Parietal endoderm
Plasminogen activator in early embryogenesis: enzyme production by trophoblast and parietal endoderm. *9*, 231.

Phagokinetic track
The phagokinetic tracks of 3T3 cells. *11*, 395.

Phagokinetic tracks of 3T3 cells: parallels between the orientation of track segments and of cellular structures which contain actin or tubulin. *12*, 333.

Phenotypic mixing
Phenotypic mixing between N- and B-tropic murine leukemia viruses: infectious particles with dual sensitivity to Fv-1 restriction. *7*, 373.

Phorbol myristate acetate
Macrophage plasminogen activator: induction by concanavalin A and phorbol myristate acetate. *11*, 695.

Phosphoribosyl pyrophosphate
A direct, stimulating effect of cyclic GMP on purified phosphoribosyl pyrophosphate synthetase and its antagonism by cyclic AMP. *2*, 241.

The effect of cyclic nucleotides on purine biosynthesis and the induction of PRPP synthetase during lymphocyte activation. *3*, 375.

Phosphorylation
Phosphorylation of initiation factor eIF-2 and the control of reticulocyte protein synthesis. *11*, 187.

Phosphorylation of murine type C viral p12 proteins regulates their extent of binding to the homologous viral RNA. *10*, 489.

Phytohemagglutinin
DNA-dependent RNA polymerase levels during the response of human peripheral lymphocytes to phytohemagglutinin. *4*, 51.

Pigmentation, suppression of
Deoxycytidine reverses the suppression of pigmentation caused by 5–BrdUrd without changing the amount of 5–BrdUrd in DNA. *12*, 923.

Pituitary tumor
Feminization of hepatic S metabolism in male rats with a transplanted pituitary tumor (M + T/F_4). *7*, 413.

Induction of prolactin synthesis in rat pituitary tumor cells by 5–bromodeoxyuridine. *11*, 431.

Plant cell
Stable incorporation of plasmid DNA into higher plant cells: the molecular basis of crown gall tumorigenesis. *11*, 263.

Plants
Evolving molecules and plants. *3*, 384.

Plaque morphology, polyoma virus
Correlation between genetic loci and structural differences in the capsid proteins of polyoma virus plaque morphology mutants. *11*, 331.

Plasmid, bacterial
Bacterial plasmids. *3*, 189.

Recombination between bacterial plasmids leading to the formation of plasmid multimers. *9*, 707.

Plasmid, colicin E1 hybrid
A colony bank containing synthetic Col E1 hybrid plasmids representative of the entire E. coli genome. *9*, 91.

Plasmid, recombinant
Protein expression in E. coli minicells by recombinant plasmids. *10*, 521.

The relative positions of sea urchin histone genes on the chimeric plasmids pSp2 and pSp17 as studied by electron microscopy. *9*, 163.

The sequence arrangement of Drosophila melanogaster 5S DNA cloned in recombinant plasmids. *11*, 585.

The structures and fidelity of replication of mouse mitochondrial DNA–pSC101 Eco RI recombinant plasmids grown in E. coli K12. *7*, 517.

Studies of mouse mitochondrial DNA in Escherichia coli: structure and function of the eucaryotic-procaryotic chimeric plasmids. *6*, 231.

Plasmin
Actin-containing cables within anchorage-dependent rat embryo cells are dissociated by plasmin and trypsin. *6*, 495.

Follicular plasminogen and plasminogen activator and the effect of plasmin on ovarian follicle wall. *6*, 379.

Plasminogen
Fibrinolytic activity in a human fibrosarcoma cell line and evidence for the induction of plasminogen activator secretion during tumor formation. *6*, 245.

Follicular plasminogen and plasminogen activator and the effect of plasmin on ovarian follicle wall. *6*, 379.

Increased protease levels in transformed cells: a casein overlay assay for the detection of plasminogen activator production. *2*, 95.

Macrophage plasminogen activator: induction by concanavalin A and phorbol myristate acetate. *11*, 695.

Macrophage plasminogen activator: modulation of enzyme production by anti-inflammatory steroids, mitotic inhibitors and cyclic nucleotides. *8*, 271.

Ovarian plasminogen activator: relationship to ovulation and hormonal regulation. *6*, 387.

Plasminogen activator in early embryogenesis: enzyme production by trophoblast and parietal endoderm. *9*, 231.

Teratocarcinoma differentiation: plasminogen activator activity associated with embryoid body formation. *10*, 297.

Pluteus stage
Similarity of hnRNA sequences in blastula and pluteus stage sea urchin embryos. *12*, 143.

Poliovirus
Studies on the function of polyadenylic acid on poliovirus RNA. *6*, 41.

Poliovirus receptor gene
Human chromosome 19 carries a poliovirus receptor gene. *1*, 167.

Poly(A)
see Polyadenylic acid

Polyadenylic acid
Complete turnover of poly(A) on maternal mRNA of sea urchin embryos. *11*, 339.

Complexity and characterization of polyadenylated RNA in the mouse brain. *8*, 139.

The distribution of poly(A)$^+$ and poly(A)$^-$ protamine messenger RNA sequences in the developing trout testis. *10*, 433.

The dynamics of maternal poly(A)-containing mRNA in fertilized sea urchin eggs. *11*, 673.

Effect of cell proliferation on levels and diversity of poly(A)-containing mRNA. *7*, 255.

Isolation and characterization of trout testis protamine mRNAs lacking poly(A). *10*, 443.

A kinetic estimation of base sequence complexity of nuclear poly(A)-containing RNA in mouse Friend cells. *4*, 121.

Mapping of poly(A) sequences in the electron microscope reveals unusual structure of type C oncornavirus RNA molecules. *7*, 595.

Message and nonmessage sequences adjacent to poly(A) in steady state heterogeneous nuclear RNA of HeLa cells. *7*, 429.

The messenger-like poly(A)-containing RNA species from the mitochondria of mammals and insects. *1*, 31.

The messenger-like properties of the poly(A)$^+$ RNA in mammalian mitochondria. *3*, 335.

The metabolism of a poly(A) minus mRNA fraction in HeLa cells. *3*, 1.

The metabolism of poly(A)$^+$ and poly(A)$^-$ hnRNA in cultured Drosophila cells studied with a rapid uridine pulse-chase. *11*, 105.

Metabolism of the polyadenylate sequence of nuclear RNA and messenger RNA in mammalian cells. *5*, 271.

Methylated blocked 5′ terminal sequences of sea urchin embryo messenger RNA classes containing and lacking poly(A). *9*, 589.

Methylated constituents of poly(A)$^-$ and poly(A)$^+$ polyribosomal RNA of sea urchin embryos. *9*, 597.

Poly(A) in mRNA does not contribute to secondary structure necessary for protein synthesis. *2*, 247.

Polyadenylic acid synthesis in vitro in isolated HeLa cell nuclei and whole cell homogenates. *2*, 197.

Relationship of chain transcription to poly(A) addition and processing of hnRNA in HeLa cells. *3*, 255.

Short polyadenylic acid sequences in insect chorion messenger RNA. *3*, 265.

The size of fibroin messenger RNA and its polyadenylic acid content. *4*, 199.

Studies on the function of polyadenylic acid on poliovirus RNA. *6*, 41.

Synthesis of viral mRNA and polyadenylate by a ribonucleoprotein complex from extracts of VSV-infected cells. *3*, 77.

Polyoma
see Polyoma virus

Polyoma virus
The arrangement of nucleosomes in nucleoprotein complexes from polyoma virus and SV40. *11*, 35.

Correlation between genetic loci and structural differences in the capsid proteins of polyoma virus plaque morphology mutants. *11*, 331.

Effects of cycloheximide on virus DNA replication in an inducible line of polyoma-transformed rat cells. *5*, 311.

In situ hybridization analysis of polyoma DNA replication in an inducible line of polyoma-transformed cells. *11*, 65.

In vitro polyoma DNA synthesis: asymmetry of short DNA chains. *12*, 1021.

In vitro polyoma DNA synthesis: self-annealing properties of short DNA chains. *5*, 205.

Location of the sequences coding for capsid proteins VP1 and VP2 on polyoma virus DNA. *9*, 481.

Suppression of replication of SV40 and polyoma virus in mouse-human hybrids. *11*, 25.

Temperature-sensitive mutants of BALB/3T3 cells: description of a mutant affected in cellular and polyoma virus DNA synthesis. *7*, 289.

Topography of polyoma virus messenger RNA molecules. *7*, 361.

Transcription during productive infection with polyoma virus and simian virus 40. *8*, 1.

Polypurine
Polypyrimidine segments in Drosophila melanogaster DNA: I. Detection of a cryptic satellite containing polypyrimidine/polypurine DNA. *5*, 173.

Polypyrimidine
Polypyrimidine segments in Drosophila melanogaster DNA: I. Detection of a cryptic satellite containing polypyrimidine/polypurine DNA. *5*, 173.

Polypyrimidine segments in Drosophila melanogaster DNA: II. Chromosome location and nucleotide sequence. *5*, 183.

Polyribosome
A cytoskeletal structure with associated polyribosomes obtained from HeLa cells. *10*, 67.

Messenger ribonucleoprotein complexes isolated with oligo(dT)-cellulose chromatography from kidney polysomes. *4*, 157.

Monospecific immunoprecipitation of murine leukemia virus polyribosomes: identification of p30 protein-specific messenger RNA. *9*, 579.

Polytene chromosome puffing
Polytene chromosome puffing and in situ hybridization measure different aspects of RNA metabolism. *12*, 227.

Post-transcriptional regulation
Post-transcriptional regulation of ribosome accumulation during myoblast differentiation. *10*, 587.

Precursor
Globin mRNA sequences in polyadenylated and nonpolyadenylated nuclear precursor messenger RNA from avian erythroblasts. *8*, 505.

Globin RNA precursor molecules: biosynthesis and processing in erythroid cells. *11*, 641.

Identification of a small subfraction of hnRNA with the characteristics of a precursor to mRNA. *2*, 253.

In vitro processing of E. coli tRNA precursors. *8*, 581.

Murine leukemia virus mutants with temperature-sensitive defects in precursor polypeptide cleavage. *6*, 543.

Procollagen
Electron microscopic studies of procollagen from cultured human fibroblasts. *1*, 185.

Procollagen and collagen produced by a teratocarcinoma-derived cell line, TSD4: evidence for a new molecular form of collagen. *10*, 287.

Procollagen peptidase
Procollagen peptidase: its mode of action on the native substrate. *4*, 45.

Prolactin synthesis
Induction of prolactin synthesis in rat pituitary tumor cells by 5-bromodeoxyuridine. *11*, 431.

Promoter
The *ara*C promoter: transcription, mapping and interaction with the *ara*BAD promoter. *11*, 545.

Capacity of ribosomal RNA promoters of E. coli to bind RNA polymerase. *10*, 121.

Dual control for transcription of the galactose operon by cyclic AMP and its receptor protein at two interspersed promoters. *12*, 847.

Ultraviolet mapping of the adenovirus 2 early promoters. *12*, 45.

Prophase
A novel temperature-sensitive mammalian cell line exhibiting defective prophase progression. *8*, 257.

Prostate, rat
Effects of androgens on the complexity of poly(A) RNA from rat prostate. *12*, 401.

Protamine
The distribution of poly(A)$^+$ and poly(A)$^-$ protamine messenger RNA sequences in the developing trout testis. *10*, 433.

Isolation and characterization of trout testis protamine mRNAs lacking poly(A). *10*, 443.

Protease
Chromatin structure as probed by nucleases and proteases: evidence for the central role of histones H3 and H4. *9*, 179.

Effect of proteases on activation of resting chick embryo fibroblasts and on cell surface proteins. *6*, 137.

Effects of protease treatment on growth, morphology, adhesion and cell surface proteins of secondary chick embryo fibroblasts. *7*, 407.

Increased protease levels in transformed cells: a casein overlay assay for the detection of plasminogen activator production. *2*, 95.

Inhibition of protease activity in cultures of Rous sarcoma virus-transformed cells: effect on the transformed phenotype. *5*, 253.

Role of surface alterations in cell transformation: the importance of proteases and surface proteins. *1*, 147.

Protein breakdown
Regulation of intracellular protein breakdown in stringent and relaxed strains of E. coli. *2*, 31.

Protein, cross-linked
The cornified envelope of terminally differentiated human epidermal keratinocytes consists of cross-linked protein. *11*, 417.

Protein kinase
Changes in adenylate cyclase, cyclic AMP and protein kinase levels in chick myoblasts, and their relationship to differentiation. *2*, 103.

Developmentally regulated cyclic AMP-dependent protein kinases in Dictyostelium discoideum. *11*, 173.

Mutations causing charge alterations in regulatory subunits of the cAMP-dependent protein kinase of cultured S49 lymphoma cells. *10*, 381.

Protein, major head
Correlation between structural transformation and cleavage of the major head protein of T4 bacteriophage. *7*, 191.

Protein, p12
Specific binding of the type C viral core protein p12 with purified viral RNA. *7*, 21.

Protein, p30
Monospecific immunoprecipitation of murine leukemia virus polyribosomes: identification of p30 protein-specific messenger RNA. *9*, 579.

Protein, packaging
Identification and characterization of the packaging proteins of core 40S hnRNP particles. *11*, 127.

Protein, ribonucleic acid binding
The genome-associated, specific RNA binding proteins of avian and mammalian type C viruses. *10*, 91.

Protein synthesis
Analysis of a VSV mutant with attenuated cytopathogenicity: mutation in viral function, P, for inhibition of protein synthesis. *11*, 273.

Biosynthesis and stability of globin mRNA in cultured erythroleukemic Friend cells. *8*, 495.

Biosynthesis of Rauscher leukemia viral proteins. *4*, 31.

Biosynthesis of transfer RNA in Escherichia coli. *4*, 21.

Continuous protein synthesis is required to maintain the probability of entry into S phase. *12*, 311.

The control of serum protein synthesis in hepatoma-fibroblast hybrids. *6*, 53.

Deletions of two heat-activated loci in Drosophila melanogaster and their effects on heat-induced protein synthesis. *12*, 643.

DNA-dependent in vitro synthesis of ribosomal proteins, protein elongation factors and RNA polymerase subunit α: inhibition by ppGpp. *9*, 439.

Effect of reduced temperatures on protein synthesis in mouse L cells. *4*, 329.

Induction of microtubule protein synthesis in Chlamydomonas reinhardii during flagellar regeneration. *9*, 15.

Inhibition of viral protein synthesis in monkey cells treated with interferon late in simian virus 40 lytic cycle. *12*, 73.

The isolation and preliminary characterization of somatic cell mutants resistant to the protein synthesis inhibitor—emetine. *9*, 213.

Stringent control of protein synthesis in E. coli. *3*, 47.

A study of foldback DNA. *8*, 33.

Translational control of protein synthesis during the early stages of differentiation of the slime mold Dictyostelium discoideum. *12*, 301.

Protein, yolk platelet
Translation of Xenopus liver messenger RNA in Xenopus oocytes: vitellogenin synthesis and conversion to yolk platelet proteins. *8*, 283.

Proteolytic activity
A chromatin-bound proteolytic activity with unique specificity for histone H2A. *9*, 785.

Protozoa, ciliated
DNA of ciliated protozoa: DNA sequence diminution during macronuclear development of Oxytricha. *7*, 67.

Protozoologist
Among the protozoologists. *2*, 119.

Provirus, endogenous
Chicken macrochromosomes contain an endogenous provirus and microchromosomes contain sequences related to the transforming gene of ASV. *10*, 649.

Psammechinus miliaris
Molecular analysis of the histone gene cluster of Psammechinus miliaris: I. Fractionation and identification of five individual histone mRNAs. *8*, 455.

Molecular analysis of the histone gene cluster of Psammechinus miliaris: II. The arrangement of the five histone-coding and spacer sequences. *8*, 471.

Molecular analysis of the histone gene cluster of Psammechinus miliaris: III. Polarity and asymmetry of the histone-coding sequences. *8*, 479.

Pseudogene
A pseudogene structure in 5S DNA of Xenopus laevis. *12*, 109.

Pseudomonas exotoxin A
Selection and characterization of cells resistant to diphtheria toxin and Pseudomonas exotoxin A: presumptive translational mutants. *11*, 447.

Purine
Induction of erythroid differentiation in vitro by purines and purine analogues. *8*, 263.

Purine biosynthesis
The effect of cyclic nucleotides on purine biosynthesis and the induction of PRPP synthetase during lymphocyte activation. *3*, 375.

Purine nucleoside phosphorylase
Characterization of a cell culture model for the study of adenosine deaminase- and purine nucleoside phosphorylase-deficient immunologic disease. *9*, 205.

Pyrimidine nucleotide biosynthesis
Stable mutants of mammalian cells that overproduce the first three enzymes of pyrimidine nucleotide biosynthesis. *9*, 541.

Pyrophosphate synthetase
A direct stimulating effect of cyclic GMP on purified phosphoribosyl pyrophosphate synthetase and its antagonism by cyclic AMP. *2*, 241.

Quail
Continuous tissue culture cell lines derived from chemically induced tumors of Japanese quail. *11*, 95.

R loop
R loop mapping of the 18S and 28S sequences in the long and short repeating units of Drosophila melanogaster rDNA. *10*, 177.

RD-114 (endogenous feline virus)
RD-114, baboon and woolly monkey viral RNAs compared in size and structure. *7*, 609.

Two active forms of RD-114 virus DNA polymerase in infected cells. *6*, 45.

rDNA
see Deoxyribonucleic acid, ribosomal

RNA
see Ribonucleic acid

rRNA
see Ribonucleic acid, ribosomal

RSV
see Rous sarcoma virus

Radiation leukemia virus
Continuous production of radiation leukemia virus in C57BL thymona tissue culture lines: purification of the leukemogenic virus. *1*, 79.

Rat embryo cell
Actin-containing cables within anchorage-dependent rat embryo cells are dissociated by plasmin and trypsin. *6*, 495.

Rat hepatoma-mouse lymphoid cell hybrid
Activation of production of mouse liver enzymes in rat hepatoma-mouse lymphoid cell hybrids. *6*, 481.

Rauscher leukemia virus
Biosynthesis of Rauscher leukemia viral proteins. *4*, 31.

Receptor
Cytosol androgen receptor from kidney of normal and testicular feminized (*Tfm*) mice. *2*, 205.

Genetics of the LDL receptor: evidence that the mutations affecting binding and internalization are allelic. *12*, 629.

Insulin receptors in normal and transformed fibroblasts: relationship to growth and transformation. *8*, 417.

Release of low density lipoprotein from its cell surface receptor by sulfated glycosaminoglycans. *7*, 85.

Receptor, acetylcholine
Appearance and disappearance of acetylcholine receptor during differentiation of chick skeletal muscle in vitro. *7*, 543.

Kinetics of biosynthesis of the acetylcholine receptor and its subsequent incorporation into the plasma membrane of cultured chick skeletal muscle. *10*, 365.

Receptor, androgen
see Androgen receptor

Receptor, Fc
see Fc receptor

Recombination
Recombination between bacterial plasmids leading to the formation of plasmid multimers. *9*, 707.

Red blood cell
A characterization of globin mRNA sequences in the nucleus of duck immature red blood cells. *12*, 131.

Microinjection of thymidine kinase and bovine serum albumin into mammalian cells by fusion with red blood cells. *5*, 371.

A precursor to hemoglobin mRNA in nuclei of immature duck red blood cells. *1*, 117.

Regulator protein
Interaction of regulator proteins with recognition sequences of DNA. *2*, 1.

Reovirus
Ribosome binding to reovirus mRNA in protein synthesis requires 5′ terminal 7–methylguanosine. *6*, 185.

Synthesis of all the gene products of the reovirus genome in vivo and in vitro. *4*, 173.

Replication intermediate
Discrete sizes of replication intermediates in Drosophila cells. *12*, 183.

Replication, viral
Identification of mouse chromosomes required for murine leukemia virus replication. *11*, 949.

In situ hybridization analysis of polyoma DNA replication in an inducible line of polyoma-transformed cells. *11*, 65.

Suppression of replication of SV40 and polyoma virus in mouse-human hybrids. *11*, 25.

Repressor
The general affinity of *lac* repressor for E. coli DNA: implications for gene regulation in procaryotes and eucaryotes. *4*, 107.

Recognition sequences of repressor and polymerase in the operators of bacteriophage lambda. *5*, 109.

Resting cell
Changes in RNA in relation to growth of the fibroblast. I. Amounts of mRNA, rRNA and tRNA in resting and growing cells. *1*, 95.

Changes in RNA in relation to growth of the fibroblast. II. The lifetime of mRNA, rRNA and tRNA in resting and growing cells. *1*, 161.

Changes in RNA in relation to growth of the fibroblast. III. Post-transcriptional regulation of mRNA formation in resting and growing cells. *4*, 69.

Reticulocyte
Different lifetimes of reticulocyte messenger RNA. *7*, 59.

Phosphorylation of initiation factor eIF-2 and the control of reticulocyte protein synthesis. *11*, 187.

Retrovirus replication
Avian myeloblastosis virus RNA is terminally redundant: implications for the mechanism of retrovirus replication. *12*, 57.

Reverse transcript
Full-length and discrete partial reverse transcripts of globin and chorion mRNAs. *4*, 367.

Reverse transcriptase
A joint product of the genes *gag* and *pol* of avian sarcoma virus: a possible precursor of reverse transcriptase. *12*, 993.

Revertant, morphologic
Transformation-defective virus mutants in a class of morphologic revertants of sarcoma virus-transformed nonproducer cells. *2*, 279.

Ribofuranosylbenzimidazole
see DRB (5, 6. . .)

Ribonuclease P-like activity
Identification of a ribonuclease P-like activity from human KB cells. *9*, 101.

Ribonucleic acid
Alteration in cellular RNAs during the in vitro lifespan of cultured human diploid fibroblasts. *6*, 179.

An analysis by electron microscopy of early simian virus 40 RNA from a ts*A* mutant. *11*, 523.

Analysis of the RNA of defective VSV particles. *3*, 85.

Arrangement of specific oligonucleotides within poly(A)-terminated hnRNA molecules. *1*, 43.

Avian myeloblastosis virus RNA is terminally redundant: implications for the mechanism of retrovirus replication. *12*, 57.

Changes in RNA in relation to growth of the fibroblast. I. Amounts of mRNA, rRNA and tRNA in resting and growing cells. *1*, 95.

Changes in RNA in relation to growth of the fibroblast. II. The lifetime of mRNA, rRNA and tRNA in resting and growing cells. *1*, 161.

Changes in RNA in relation to growth of the fibroblast. III. Post-transcriptional regulation of mRNA formation in resting and growing cells. *4*, 69.

Covalent attachment of RNA to nascent DNA in mammalian cells. *6*, 551.

Cowpea mosaic virus RNAs have neither m^7GpppN. . . nor mono-, di- or triphosphates at their 5′ ends. *11*, 73.

The definition of a large viral transcription unit late in Ad2 infection of HeLa cells: mapping of nascent RNA molecules labeled in isolated nuclei. *10*, 611.

The degradation of ribonucleic acids injected into Xenopus laevis oocytes. *2*, 189.

Dexamethasone-mediated induction of mouse mammary tumor virus RNA: a system for studying glucocorticoid action. *6*, 299.

Electrophoretic characterization of shuttling and nonshuttling small nuclear RNAs. *2*, 259.

Evidence for a functional role of RNA in centrioles. *10*, 337.

Further mapping of late adenovirus genes by cell-free translation of RNA selected by hybridization to specific DNA fragments. *12*, 37.

A heteroduplex study of the sequence relationships between the RNAs of M-MSV and M-MLV. *10*, 469.

The initiation sites for RNA transcription in Ad2 DNA. *12*, 733.

Initiator RNA of discontinuous DNA synthesis in human lymphocytes. *12*, 483.

The isolation of tobacco mosaic virus RNA fragments containing the origin for viral assembly. *11*, 455.

A kinetic estimation of base sequence complexity of nuclear poly(A)-containing RNA in mouse Friend cells. *4*, 121.

A map of cytoplasmic RNA transcripts from lytic adenovirus type 2 determined by electron microscopy of RNA:DNA hybrids. *11*, 819.

The messenger-like poly(A)-containing RNA species from the mitochondria of mammals and insects. *1*, 31.

The messenger-like properties of the poly(A)$^+$ RNA in mammalian mitochondria. *3*, 335.

A new species of virus-coded low molecular weight RNA from cells infected with adenovirus type 2. *7*, 585.

Nuclear transcripts larger than the cytoplasmic mRNAs are specified by segments of the adenovirus genome coding for early functions. *8*, 205.

Preferential synthesis of viral late RNA by nuclei isolated from SV40 lytically infected cells. *7*, 567.

RD-114, baboon and woolly monkey viral RNAs compared in size and structure. *7*, 609.

RNA sequences specifically associated with mouse intracisternal A particles. *11*, 83.

Regulation of stable RNA synthesis and ppGpp levels in growing cells of Escherichia coli. *5*, 69.

Ribonucleic acids in review. *2*, 121.

Sequence from the assembly nucleation region of TMV RNA. *11*, 483.

Short-lived, small RNAs in the cytoplasm of HeLa cells. *3*, 11.

The size and genetic composition of virus-specific RNAs in the cytoplasm of cells producing avian sarcoma-leukosis viruses. *12*, 983.

Small RNA species of the HeLa cell: metabolism and subcellular localization. *8*, 19.

The 30S Moloney sarcoma virus RNA contains leukemia virus nucleotide sequences. *9*, 299.

A unique RNA species involved in initiation of vesicular stomatitis virus RNA transcription in vitro. *8*, 197.

Visualization and mapping of late nuclear adenovirus RNA. *10*, 225.

Ribonucleic acid chain initiation
The virus-specific subunits of a modified B subtilis RNA polymerase are determinants of DNA binding and RNA chain initiation. *8*, 595.

Ribonucleic acid, chloroplast ribosomal
Zea mays chloroplast ribosomal RNA genes are part of a 22,000 base pair inverted repeat. *11*, 739.

Ribonucleic acid, defective interfering
Further characterization of Sendai virus DI-RNAs: a model for their generation. *12*, 539.

Isolation and characterization of Sendai virus DI-RNAs. *8*, 547.

Ribonucleic acid:deoxyribonucleic acid hybrid
A map of cytoplasmic RNA transcripts from lytic adenovirus type 2, determined by electron microscopy of RNA:DNA hybrids. *11*, 819.

Ribonucleic acid, 4S
An electron microscope study of the relative positions of the 4S and ribosomal RNA genes in HeLa cell mitochondrial DNA. *9*, 81.

A polymerase activity forming 5S and pre-4S RNA in isolated HeLa cell nuclei. *1*, 139.

Pre-4S RNA made in isolated HeLa cell nuclei terminates with U. *3*, 185.

Ribonucleic acid, 5S
Metabolism of 5S RNA in the absence of ribosome production. *3*, 275.

A polymerase activity forming 5S and pre-4S RNA in isolated HeLa cell nuclei. *1*, 139.

Ribonucleic acid, 5.5S
Location of sequences on the adenovirus genome coding for the 5.5S RNA. *6*, 1.

Ribonucleic acid, heterogeneous nuclear
Arrangement of specific oligonucleotides within poly(A)-terminated hnRNA molecules. *1*, 43.

Characterization of the 5′ termini of hnRNA in mouse L cells: implications for processing and cap formation. *9*, 121.

hnRNA in HeLa cells: distribution of transcript sizes estimated from nascent molecule profile. *9*, 465.

hnRNA size and processing as related to different DNA content in two dipterans: Drosophila and Aedes. *5*, 281.

Identification of a small subfraction of hnRNA with the characteristics of a precursor to mRNA. *2*, 253.

The inhibition of DRB (5,6-dichloro-1-β-D-ribofuranosylbenzimidazole) of hnRNA and mRNA production in HeLa cells. *9*, 473.

Intermolecular duplexes in heterogeneous nuclear RNA from HeLa cells. *10*, 597.

Message and nonmessage sequences adjacent to poly(A) in steady state heterogeneous nuclear RNA of HeLa cells. *7*, 429.

The metabolism of poly(A)$^+$ and poly(A)$^-$ hnRNA in cultured Drosophila cells studied with a rapid uridine pulse-chase. *11*, 105.

Methyl labeling of HeLa cell hnRNA: a comparison with mRNA. *7*, 227.

Methylated constituents of heterogeneous nuclear RNA: presence in blocked 5′ terminal structures. *6*, 13.

Quantitation of turnover and export to the cytoplasm of hnRNA transcribed in the Balbiani rings. *7*, 507.

A radiological analysis of the transcription units for heterogeneous nuclear RNA in cultured murine cells. *9*, 775.

Relationship of chain transcription to poly(A) addition and processing of hnRNA in HeLa cells. *3*, 255.

Repetitious and unique sequences in the heterogeneous nuclear and cytoplasmic messenger RNA of mammalian and insect cells. *3*, 23.

Sequence complexity of heterogeneous nuclear RNA in sea urchin embryos. *5*, 291.

Similarity of hnRNA sequences in blastula and pluteus stage sea urchin embryos. *12*, 143.

Synthesis of heterogeneous nuclear RNA in full-grown oocytes of Xenopus laevis (Daudin). *11*, 663.

Units of transcription and translation: the relationship between heterogeneous nuclear RNA and messenger RNA. *4*, 11.

Units of transcription and translation: sequence components of heterogeneous nuclear RNA and messenger RNA. *4*, 77.

Ribonucleic acid, low molecular weight

A new species of virus-coded low molecular weight RNA from cells infected with adenovirus type 2. *7*, 585.

Ribonucleic acid, messenger

Absence of messenger RNA and gene DNA for β-globin chains in hereditary persistence of fetal hemoglobin. *7*, 323.

An amazing sequence arrangement at the 5′ ends of adenovirus 2 messenger RNA. *12*, 1.

Analysis of Drosophila mRNA by in situ hybridization: sequences transcribed in normal and heat-shocked cultured cells. *4*, 395.

Analysis of the complexity and diversity of mRNA from chicken liver and oviduct. *7*, 247.

Appendix: calculation of mRNA lifetimes using ribosomal RNA labeling as a metabolic probe. *4*, 139.

Biosynthesis and stability of globin mRNA in cultured erythroleukemic Friend cells. *8*, 495.

The blocked and methylated 5′ terminal sequence of a specific cellular messenger: the mRNA for silk fibroin of Bombyx mori. *7*, 339.

Capping of eucaryotic mRNAs. *9*, 645.

Changes in RNA in relation to growth of the fibroblast. I. Amounts of mRNA, rRNA and tRNA in resting and growing cells. *1*, 95.

Changes in RNA in relation to growth of the fibroblast. II. The lifetime of mRNA, rRNA and tRNA in resting and growing cells. *1*, 161.

Changes in RNA in relation to growth of the fibroblast. III. Post-transcriptional regulation of mRNA formation in resting and growing cells. *4*, 69.

Changes in the mRNA population of chick myoblasts during myogenesis in vitro. *12*, 751.

Characterization of light chain and light chain constant region fragment mRNAs in MPC 11 mouse myeloma cells and variants. *5*, 139.

Characterization of the mRNAs for α–, β– and γ–actin. *12*, 767.

Complete nucleotide sequence of the 5′ noncoding region of rabbit β–globin mRNA. *10*, 549.

Complete 3′ noncoding region sequences of rabbit and human β–globin messenger RNAs. *10*, 559.

Complete turnover of poly(A) on maternal mRNA of sea urchin embryos. *11*, 339.

Demonstration that a mouse immunoglobulin light chain messenger RNA hybridizes exclusively with unique DNA. *6*, 5.

Detection of myosin heavy chain mRNA during myogenesis in tissue culture by in vitro and in situ hybridization. *12*, 501.

The determination of RNA homogeneity by molecular hybridization. *3*, 341.

Developmental changes in the synthesis of sea urchin embryo messenger RNA containing and lacking polyadenylic acid. *6*, 559.

Different lifetimes of reticulocyte messenger RNA. *7*, 59.

Distribution of messenger RNA-coding sequences in fractionated chromatin. *12*, 953.

The distribution of poly(A)$^+$ and poly(A)$^-$ protamine messenger RNA sequences in the developing trout testis. *10*, 433.

The dynamics of maternal poly(A)-containing mRNA in fertilized sea urchin eggs. *11*, 673.

Effect of cell proliferation on levels and diversity of poly(A)-containing mRNA. *7*, 255.

Elevated dihydrofolate reductase messenger RNA levels in methotrexate-resistant BHK cells. *7*, 391.

The expression of three abundance classes of messenger RNA in mouse tissues. *9*, 761.

The extensive homology between mRNA sequences of normal and SV40-transformed human fibroblasts. *11*, 901.

5′ terminal nucleotide sequences of the messenger RNAs of Dictyostelium discoideum. *8*, 233.

The gene and messenger RNA for adenovirus polypeptide IX. *12*, 741.

The genes and mRNA coding for the heavy chains of chick embryonic skeletal myosin. *12*, 491.

How a single Sindbis virus mRNA directs the synthesis of one soluble protein and two integral membrane glycoproteins. *10*, 253.

Identification of a small subfraction of hnRNA with the characteristics of a precursor to mRNA. *2*, 253.

The inhibition by DRB (5,6–dichloro–1–β–D–ribofuranosylbenzimidazole) of hnRNA and mRNA production in HeLa cells. *9*, 473.

Initiation sites for translation of Sindbis virus 42S and 26S messenger RNAs. *6*, 215.

Kinetics of formation of 5′ terminal caps in RNA. *8*, 433.

mRNA complexity and egg white protein mRNA content in mature and hormone-withdrawn oviduct. *11*, 923.

Messenger RNA for myosin polypeptides: isolation from single myogenic cell cultures. *10*, 265.

The messenger RNA sequences in growing and resting mouse fibroblasts. *6*, 197.

Messenger RNA species synthesized in vitro by the virion-associated RNA polymerase of vesicular stomatitis virus. *4*, 37.

Messenger ribonucleoprotein complexes isolated with oligo(dT)-cellulose chromatography from kidney polysomes. *4*, 157.

The metabolism of a poly(A) minus mRNA fraction in HeLa cells. *3*, 1.

Methyl labeling of HeLa cell hnRNA: a comparison with mRNA. *7*, 227.

Methylated and blocked 5′ termini in vesicular stomatitis virus in vivo mRNAs. *5*, 59.

Methylated blocked 5′ terminal sequences of sea urchin embryo messenger RNA classes containing and lacking poly(A). *9*, 589.

The methylated constituents of L cell messenger RNA: evidence for an unusual cluster at the 5′ terminus. *4*, 387.

Properties of sea urchin embryo messenger RNA containing and lacking poly(A). *6*, 171.

Protein synthesis in oocytes of Xenopus laevis is not regulated by the supply of messenger RNA. *11*, 345.

Quantitation of vitellogenin messenger RNA in the liver of male Xenopus toads during primary and secondary stimulation by estrogen. *11*, 213.

Regulation of a set of abundant mRNA sequences. *10*, 463.

Repetitious and unique sequences in the heterogeneous nuclear and cytoplasmic messenger RNA of mammalian and insect cells. *3*, 23.

Ribosome binding to reovirus mRNA in protein synthesis requires 5′ terminal 7-methylguanosine. *6*, 185.

Sequences containing methylated nucleotides at the 5′ termini of messenger RNAs: possible implications for processing. *3*, 197.

Subcellular compartmentation of albumin and globin made in oocytes under the direction of injected messenger RNA. *11*, 683.

Translation of Xenopus liver messenger RNA in Xenopus oocytes: vitellogenin synthesis and conversion to yolk platelet proteins. *8*, 283.

Two very different components of messenger RNA in an insect cell line. *4*, 131.

Units of transcription and translation: sequence components of heterogeneous nuclear RNA and messenger RNA. *4*, 77.

Units of transcription and translation: the relationship between heterogeneous nuclear RNA and messenger RNA. *4*, 11.

Ribonucleic acid, messenger, adenovirus
An amazing sequence arrangement at the 5′ ends of adenovirus 2 messenger RNA. *12*, 1.

One predominant 5′ undecanucleotide in adenovirus 2 late messenger RNAs. *11*, 533.

Sizing and mapping of early adenovirus mRNAs by gel electrophoresis of S1 endonuclease-digested hybrids. *12*, 721.

Two adenovirus mRNAs have a common 5′ terminal leader sequence encoded at least 10 kb upstream from their main coding regions. *12*, 9.

Ribonucleic acid, messenger, deadenylated
Translational capacity of deadenylated messenger RNA. *1*, 101.

The translational capacity of deadenylated ovalbumin messenger RNA. *8*, 51.

Ribonucleic acid, messenger, fibroin
The size of fibroin messenger RNA and its polyadenylic acid content. *4*, 199.

The size of pulse-labeled fibroin messenger RNA. *7*, 239.

Ribonucleic acid, messenger, globin
Accumulation of α- and β-globin messenger RNAs in mouse erythroleukemic cells. *12*, 463.

Biosynthesis and stability of globin mRNA in cultured erythroleukemic Friend cells. *8*, 495.

A characterization of globin mRNA sequences in the nucleus of duck immature red blood cells. *12*, 131.

Complete nucleotide sequence of the 5′ noncoding region of human α- and β-globin mRNA. *12*, 1085.

Complete 3′ noncoding region sequences of rabbit and human β-globin messenger RNAs. *10*, 559.

Full-length and discrete partial reverse transcripts of globin and chorion mRNAs. *4*, 367.

Globin mRNA sequences in polyadenylated and nonpolyadenylated nuclear precursor-messenger RNA from avian erythroblasts. *8*, 505.

Induction of globin mRNA accumulation by hemin in cultured erythroleukemic cells. *8*, 513.

Microinjection studies of duck globin messenger RNA translation in human and avian cells. *9*, 725.

Nucleotide sequence of the 3′ terminal third of rabbit α-globin messenger RNA: comparison with human α-globin messenger RNA. *11*, 807.

Nucleotide sequences at the 5′ termini of rabbit α- and β-globin mRNA. *9*, 747.

A precursor to hemoglobin mRNA in nuclei of immature duck red blood cells. *1*, 117.

The primary structure of rabbit β-globin mRNA as determined from cloned DNA. *10*, 571.

Quantitation of globin mRNA levels during erythroid development in the rabbit and discovery of a new β-related species in immature erythroblasts. *11*, 353.

The 3′ terminal sequences of human α- and β-globin messenger RNAs: comparison with rabbit globin messenger RNA. *9*, 733.

Ribonucleic acid, messenger, histone
Further evidence of transcriptional and translational control of histone messenger RNA during the HeLa S3 cycle. *4*, 59.

Histone mRNAs contain blocked and methylated 5′ terminal sequences but lack methylated nucleosides at internal positions. *10*, 113.

Individual histone messenger RNAs: identification by template activity. *4*, 239.

Molecular analysis of the histone gene cluster of Psammechinus miliaris: I. Fractionation and identification of five individual histone mRNAs. *8*, 455.

Presence of histone mRNA sequences in high molecular weight RNA of HeLa cells. *11*, 651.

Synthesis of histone mRNA sequences in isolated nuclei of cleavage stage sea urchin embryos. *3*, 283.

Synthesis of histone messenger RNA of HeLa cells during the cell cycle. *12*, 167.

Ribonucleic acid, messenger, insect chorion
Short polyadenylic acid sequences in insect chorion messenger RNA. *3*, 265.

Ribonucleic acid, messenger, methylated (see also Capping, mRNA)
Existence of methylated messenger RNA in mouse L cells. *1*, 37.

The 5′ terminal structure of the methylated mRNA synthesized in vitro by vesicular stomatitis virus. *5*, 51.

In vitro synthesis of methylated messenger RNA by the virion-associated RNA polymerase of vesicular stomatitis virus. *3*, 327.

Ribonucleic acid, messenger, ovalbumin
A significant lag in the induction of ovalbumin messenger RNA by steroid hormones: a receptor translocation hypothesis. *8*, 557.

The translational capacity of deadenylated ovalbumin messenger RNA. *8*, 51.

Ribonucleic acid, messenger, polyadenylated
Complexity and characterization of polyadenylated RNA in the mouse brain. *8*, 139.

On the existence of polyadenylated histone mRNA in Xenopus laevis oocytes. *9*, 311.

Globin mRNA sequences in polyadenylated and nonpolyadenylated nuclear precursor-messenger RNA from avian erythroblasts. *8*, 505.

Metabolism of the polyadenylate sequence of nuclear RNA and messenger RNA in mammalian cells. *5*, 271.

Ribonucleic acid, messenger, polyribosomal
A measurement of the sequence complexity of polysomal messenger RNA in sea urchin embryos. *2*, 9.

Synthesis and turnover of polysomal mRNAs in sea urchin embryos *10*, 415.

Ribonucleic acid, messenger, precursor
Globin mRNA sequences in polyadenylated and nonpolyadenylated nuclear precursor-messenger RNA from avian erythroblasts. *8*, 505.

Globin RNA precursor molecules: biosynthesis and processing in erythroid cells. *11*, 641.

Ribonucleic acid, messenger, protamine, trout testis
Isolation and characterization of trout testis protamine mRNAs lacking poly(A). *10*, 443.

Ribonucleic acid, messenger, reovirus
Reovirus mRNA: transcription and translation. *7*, 305.

Ribonucleic acid, messenger, simian virus 40
The SV40 DNA template transcription of late mRNA in viral nucleoprotein complexes. *11*, 495.

Ribonucleic acid, messenger, VSV
Synthesis of viral mRNA and polyadenylate by a ribonucleoprotein complex from extracts of VSV-infected cells. *3*, 77.

Ribonucleic acid metabolism
Polytene chromosome puffing and in situ hybridization measure different aspects of RNA metabolism. *12*, 227.

RNA metabolism of murine leukemia virus: size analysis of nuclear pulse-labeled virus-specific RNA. *11*, 297.

Ribonucleic acid, nuclear
A new class of small nuclear RNA molecules synthesized by a type 1 RNA polymerase in HeLa cells. *12*, 939.

Relationship between nuclear and polysomal RNA populations of Achlya: a simple eucaryotic system. *10*, 623.

Ribonucleic acid, nucleolar
Control of nucleolar RNA synthesis by the intracellular pool sizes of ATP and GTP. *7*, 447.

Ribonucleic acid nucleotidyltransferase
Amino acid starvation affects the initiation frequency of nucleolar RNA polymerase. *7*, 439.

Capacity of ribosomal RNA promoters of E. coli to bind RNA polymerase. *10*, 121.

A comparison of the transcription of mouse cell chromatin by homologous RNA polymerase I and II. *3*, 15.

DNA-dependent in vitro synthesis of ribosomal proteins, protein elongation factors and RNA polymerase subunit α: inhibition by ppGpp. *9*, 439.

DNA-dependent RNA polymerase activity of Chinese hamster kidney cells sensitive to high concentrations of α–amanitin. *3*, 227.

DNA-dependent RNA polymerase levels during the response of human peripheral lymphocytes to phytohemagglutinin. *4*, 51.

In vitro synthesis of a methylated messenger RNA by the virion-associated RNA polymerase of vesicular stomatitis virus. *3*, 327.

Low molecular weight viral RNAs transcribed by RNA polymerase III during adenovirus 2 infection. *7*, 557.

A polymerase activity forming 5S and pre-4S RNA in isolated HeLa cell nuclei. *1*, 139.

Quantitation of elongating form A and form B RNA polymerases in chick oviduct nuclei and effects of estradiol. *7*, 455.

RNA polymerase-promoter interactions: some general principles. *3*, 97.

Recognition sequences of repressor and polymerase in the operators of bacteriophage lambda. *5*, 109.

Transcription of specific genes in isolated nuclei by exogenous RNA polymerases. *10*, 405.

The virus-specified subunits of a modified B. subtilis RNA polymerase are determinants of DNA binding and RNA chain initiation. *8*, 595.

Ribonucleic acid nucleotidyltransferase II
A new class of small nuclear RNA molecules synthesized by a type I RNA polymerase in HeLa cells. *12*, 939.

The RNA polymerase II of an α–amanitin-resistant Chinese hamster ovary cell line. *8*, 65.

Regulation of RNA polymerase II activity in α–amanitin-resistant CHO hybrid cells. *10*, 53.

Ribonucleic acid nucleotidyltransferase III
Low molecular weight viral RNAs transcribed by RNA polymerase III during adenovirus 2 infection. *7*, 557.

Ribonucleic acid nucleotidyltransferase, virion-associated
Comparison of polysomal polyadenylated RNA from embryonal carcinoma and committed myogenic and erythropoietic cell lines. *12*, 509.

Effects of androgens on the complexity of poly(A) RNA from rat prostate. *12*, 401.

Messenger RNA species synthesized in vitro by the virion-associated RNA polymerase of vesicular stomatitis virus. *4*, 37.

Metabolism of the polyadenylate sequence of nuclear RNA and messenger RNA in mammalian cells. *5*, 271.

Number and distribution of polyadenylated RNA sequences in yeast. *10*, 453.

Ribonucleic acid polymerase
see Ribonucleic acid nucleotidyltransferase

Ribonucleic acid, ribosomal
Capacity of ribosomal RNA promoters of E. coli to bind RNA polymerase. *10*, 121.

Changes in RNA in relation to growth of the fibroblast. I. Amounts of mRNA, rRNA and tRNA in resting and growing cells. *1*, 95.

Changes in RNA in relation to growth of the fibroblast. II. The lifetime of mRNA, rRNA and tRNA in resting and growing cells. *1*, 161.

Characterization and mapping of mitochondrial ribosomal RNA and mitochondrial DNA in Drosophila melanogaster. *9*, 615.

Characterization of six cloned DNAs from Drosophila melanogaster, including one that contains the genes for rRNA. *5*, 149.

DNA-dependent in vitro synthesis of ribosomal proteins, protein elongation factors and RNA polymerase subunit α: inhibition by ppGpp. *9*, 439.

Dictyostelium 17S, 25S and 5S rDNAs lie within a 38,000 base pair repeated unit. *9*, 431.

An electron microscope study of the relative positions of the 4S and ribosomal RNA genes in HeLa cell mitochondrial DNA. *9*, 81.

Expression of spacer tRNA genes in ribosomal RNA transcription units carried by hybrid Col E1 plasmids in E. coli. *11*, 779.

The 5′→3′ polarity of the Xenopus ribosomal RNA precursor molecule. *8*, 449.

Isolation of bacteriophage λ containing yeast ribosomal RNA genes: screening by in situ RNA hybridization to plaques. *8*, 227.

The mechanism of action of ppGpp on rRNA synthesis in vitro. *8*, 123.

Methylated constituents of poly(A)$^-$ and poly(A)$^+$ polyribosomal RNA of sea urchin embryos. *9*, 597.

Multiple modes of ribosomal RNA transcription in vitro. *8*, 605.

A reinvestigation of 5′ → 3′ polarity in 40S ribosomal RNA precursor of Xenopus laevis. *8*, 443.

Spacer transfer RNAs in ribosomal RNA transcripts of E. coli: processing of 30S ribosomal RNA in vitro. *11*, 247.

Synthesis of ribosomal RNA in E. coli: analysis using deletion mutants of a λ transducing phage carrying ribosomal RNA genes. *7*, 179.

Ribonucleic acid, ribosomal, 5S
Sequences of 5S ribosomal RNA from Xenopus mulleri and the evolution of 5S gene-coding sequences. *8*, 485.

Ribonucleic acid synthesis
see Transcription

Ribonucleic acid synthetase
CHO cell mutants for arginyl-, asparagyl-, glutaminyl-, histidyl- and methionyl-transfer RNA synthetases: identification and initial characterization. *11*, 157.

Ribonucleic acid, TMV
The nucleotide sequence at the origin for assembly on tobacco mosaic virus RNA. *11*, 463.

Ribonucleic acid, transfer
Biosynthesis of transfer RNA in Escherichia coli. *4*, 21.

Changes in RNA in relation to growth of the fibroblast. I. Amounts of mRNA, rRNA and tRNA in resting and growing cells. *1*, 95.

Changes in RNA in relation to growth of the fibroblast. II. The lifetime of mRNA, rRNA and tRNA in resting and growing cells. *1*, 161.

Expression of spacer tRNA genes in ribosomal RNA transcription units carried by hybrid Col E1 plasmids in E. coli. *11*, 779.

A functional requirement for modification of the wobble nucleotide in the anticodon of a T4 suppressor tRNA. *9*, 449.

Nucleotide sequence of human placenta cytoplasmic initiator tRNA. *6*, 407.

Nucleotide sequence of salmon testes and salmon liver cytoplasmic initiator tRNA. *6*, 395.

The nucleotide sequence of two silk gland alanine tRNAs: implications for fibroin synthesis and for initiator tRNA structure. *11*, 561.

Sequence arrangement of tRNA genes on a fragment of Drosophila melanogaster DNA cloned in E. coli. *11*, 763.

Spacer transfer RNAs in ribosomal RNA transcripts of E. coli: processing of 30S ribosomal RNA in vitro. *11*, 247.

Yeast super-suppressors are altered tRNAs capable of translating a nonsense codon in vitro. *6*, 269.

Yeast suppressors of UAA and UAG nonsense codons work efficiently in vitro via tRNA. *7*, 381.

Ribonucleic acid, transfer, alanine
The nucleotide sequence of two silk gland alanine tRNAs: implications for fibroin synthesis and for initiator tRNA structure. *11*, 561.

Ribonucleic acid, transfer, chloroplastic
The first nucleotide sequence of an organelle transfer RNA: chloroplastic $tRNA^{Phe}$. *9*, 717.

Ribonucleic acid, transfer, initiator
The nucleotide sequence of two silk gland alanine tRNAs: implications for fibroin synthesis and for initiator tRNA structure. *11*, 561.

Ribonucleic acid, transfer, methionine
Isolation and some properties of DNA coding for $tRNA_1^{met}$ from Xenopus laevis. *8*, 183.

Ribonucleic acid, transfer, phenylalanine
The first nucleotide sequence of an organelle transfer RNA: chloroplastic $tRNA^{Phe}$. *9*, 717.

Ribonucleic acid, transfer, precursor
In vitro processing of E. coli tRNA precursors. *8*, 581.

Regulation of pretransfer RNA synthesis during transition from resting to growing state. *3*, 171.

Ribonucleic acid, transfer, suppressor
A functional requirement for modification of the wobble nucleotide in the anticodon of a T4 suppressor tRNA. *9*, 449.

Ribonucleic acid, virus-associated
Genes for VA-RNA in adenovirus 2. *6*, 223.

Ribonucleoprotein
Messenger ribonucleoprotein complexes isolated with oligo(dT)-cellulose chromatography from kidney polysomes. *4*, 157.

Synthesis of viral mRNA and polyadenylate by a ribonucleoprotein complex from extracts of VSV-infected cells. *3*, 77.

Ribonucleoprotein, heterogeneous nuclear
Identification and characterization of the packaging proteins of core 40S hnRNP particles. *11*, 127.

Ribonucleotide reductase
Alterations leading to increased ribonucleotide reductase in cells selected for resistance to deoxynucleosides. *3*, 367.

Ribosomal gene
see Gene, ribosomal

Ribosomal protein, eucaryotic
The synthesis of eucaryotic ribosomal proteins in vitro. *11*, 201.

Ribosomal protein S2
Identification of genes for elongation factor Ts and ribosomal protein S2 in E. coli. *8*, 129.

Ribosomal ribonucleic acid
see Ribonucleic acid, ribosomal

Ribosomal subunit 40S
The molecular basis of emetine resistance in Chinese hamster ovary cells: alteration in the 40S ribosomal subunit. *10*, 61.

Ribosome
A cytoskeletal structure with associated polyribosomes obtained from HeLa cells. *10*, 67.

Metabolism of 5S RNA in the absence of ribosome production. *3*, 275.

Post-transcriptional regulation of ribosome accumulation during myoblast differentiation. *10*, 587.

Questioning of reported evidence for guanosine tetraphosphate synthesis in a ribosome system from mouse embryos. *12*, 1127.

Ribosome binding to reovirus mRNA in protein synthesis requires 5′ terminal 7-methylguanosine. *6*, 185.

Synthesis of ppGpp by mouse embryonic ribosomes. *3*, 249.

Rosy locus
Organization of the rosy locus in Drosophila melanogaster. *11*, 1.

Rous sarcoma virus
Decreased adherence to the substrate in Rous sarcoma virus-transformed chicken embryo fibroblasts. *10*, 45.

Inhibition of protease activity in cultures of Rous sarcoma virus-transformed cells: effect on the transformed phenotype. *5*, 253.

Regulation of sugar transport in chick embryo fibroblasts infected with a temperature-sensitive mutant of RSV. *6*, 513.

Transformation of chicken embryo retinal melanoblasts by a temperature-sensitive mutant of Rous sarcoma virus. *11*, 881.

Transformation of chondroblasts by Rous sarcoma virus and synthesis of the sulfated proteoglycan matrix. *11*, 891.

Virogenic nontransformed cells isolated following infection of normal rat kidney cells with B77 strain Rous sarcoma virus. *3*, 71.

Ruffle, cell surface
Cell surface protein decreases microvilli and ruffles on transformed mouse and chick cells. *9*, 241.

S phase
see Cell cycle

S-tropic
Mixed splenocyte cultures and graft versus host reactions selectively induce an "S-tropic" murine type C virus. *1*, 55.

S-2-aminoethyl-L-cysteine
Selection of temperature-sensitive CHL asparagyl-tRNA synthetase mutants using the toxic lysine analog, S-2-aminoethyl-L-cysteine. *9*, 655.

SV40
see Simian virus 40

Saccharomyces cerevisiae
Mitochondrial DNA synthesis in cell cycle mutants of Saccharomyces cerevisiae. *5*, 423.

Salivary gland
Differentiation in the salivary glands of Drosophila melanogaster: characterization of the glue proteins and their developmental appearance. *9*, 365.

Ecdysone-stimulated RNA synthesis in salivary glands of Drosophila melanogaster: assay by in situ hybridization. *12*, 219.

Schizosaccharomyces pombe
Temperature-sensitive lethal mutants in the structural gene for DNA ligase in the yeast Schizosaccharomyces pombe. *12*, 1109.

Sea urchin
Histone genes of the sea urchin (S. purpuratus) cloned in E. coli: order, polarity and strandedness of the five histone-coding and spacer regions. *9*, 147.

Identification and location of the histone H2A and H3 genes by sequence analysis of sea urchin (S. purpuratus) DNA cloned in E. coli. *9*, 495.

Interspersion of repetitive and nonrepetitive DNA sequences in the sea urchin genome. *1*, 127.

The organization of sea urchin histone genes. *6*, 359.

The relative positions of sea urchin histone genes on the chimeric plasmids pSp2 and pSp17 as studied by electron microscopy. *9*, 163.

Sequential biochemical and morphological events during assembly of the fertilization membrane of the sea urchin. *10*, 321.

Structural gene sets active in embryos and adult tissues of the sea urchin. *7*, 487.

Sea urchin egg
The dynamics of maternal poly(A)-containing mRNA in fertilized sea urchin eggs. *11*, 673.

Sea urchin embryo
Complete turnover of poly(A) on maternal mRNA of sea urchin embryos. *11*, 339.

Developmental changes in the synthesis of sea urchin embryo messenger RNA containing and lacking polyadenylic acid. *6*, 559.

A measurement of the sequence complexity of polysomal messenger RNA in sea urchin embryos. *2*, 9.

Methylated blocked 5′ terminal sequences of sea urchin embryo messenger RNA classes containing and lacking poly(A). *9*, 589.

Methylated constituents of poly(A)$^-$ and poly(A)$^+$ polyribosomal RNA of sea urchin embryos. *9*, 597.

Properties of sea urchin embryo messenger RNA containing and lacking poly(A). *6*, 171.

Sequence complexity of heterogeneous nuclear RNA in sea urchin embryos. *5*, 291.

Similarity of hnRNA sequences in blastula and pluteus stage sea urchin embryos. *12*, 143.

Synthesis and turnover of polysomal mRNAs in sea urchin embryos. *10*, 415.

Synthesis of histone mRNA sequences in isolated nuclei of cleavage stage sea urchin embryos. *3*, 283.

Sendai virus
Further characterization of Sendai virus DI-RNAs: a model for their generation. *12*, 539.

Isolation and characterization of Sendai virus DI-RNAs. *8*, 547.

Senescence
A rapid rise in cell variants during the senescence of populations of human fibroblasts. *6*, 67.

Serum protein
The control of serum protein synthesis in hepatoma-fibroblast hybrids. *6*, 53.

Serum requirement
SV40-transformed cells with temperature-dependent serum requirements. *4*, 255.

Serum stimulation
Hydrolase and serum treatment of normal chick embryo cells: effects on hexose transport. *5*, 245.

Sexual development
Major regulatory genes for mammalian sexual development. *7*, 315.

Shionogi carcinoma 115 cell
Androgen-dependent fibrinolytic activity in a murine mammary carcinoma (Shionogi SC-115 cells) in vitro. *7*, 223.

Development of methods for the quantitative in vitro analysis of androgen-dependent and autonomous Shionogi carcinoma 115 cells. *10*, 35.

Silk fibroin
The blocked and methylated 5′ terminal sequence of a specific cellular messenger: the mRNA for silk fibroin of Bombyx mori. *7*, 339.

Simian virus 40 (see also Simian virus 40, cells transformed by)
An analysis by electron microscopy of early simian virus 40 RNA from a ts*A* mutant. *11*, 523.

The arrangement of simian virus 40 sequences in the DNA of transformed cells. *9*, 269.

Assembly of SV40 chromatin in a cell-free system from Xenopus eggs. *10*, 237.

Asymmetric Okazaki piece synthesis during replication of simian virus 40 DNA in vivo. *12*, 1029.

Conservative assembly and segregation of nucleosomal histones. *12*, 837.

Construction of hybrid viruses containing SV40 and λ phage DNA segments and their propagation in cultured monkey cells. *9*, 695.

Identification of regions of the SV40 genome which contain preferred SV40 T antigen binding sites. *8*, 535.

In situ hybridization of repetitive monkey genome sequences isolated from defective simian virus 40 DNA. *9*, 247.

Inhibition of viral protein synthesis in monkey cells treated with interferon late in simian virus 40 lytic cycle. *12*, 73.

The initiation region of the SV40 VP1 gene. *9*, 117.

The nucleotide sequence of repetitive monkey DNA found in defective simian virus 40. *11*, 845.

The number of superhelical turns in native virion SV40 DNA and minicol DNA determined by the band counting method. *8*, 215.

Occurrence of reiterated sequences in an untranslated region of simian virus 40 DNA determined by nucleotide sequence analysis. *10*, 497.

Overlapping of the VP2-VP3 gene and the VP1 gene in the SV40 genome. *12*, 529.

Partial purification and characterization of the SV40 T antigen. *3*, 65.

Preferential association of newly synthesized histones with replicating SV40 DNA. *12*, 947.

Preferential synthesis of viral late RNA by nuclei isolated from SV40 lytically infected cells. *7*, 567.

Propagation of a segment of bacteriophage λ DNA in monkey cells after covalent linkage to a defective simian virus 40 genome. *7*, 349.

Properties of T antigens induced by wild-type SV40 and ts*A* mutants in lytic infection. *6*, 529.

Resolution of simian virus 40 proteins in whole cell extracts by two-dimensional electrophoresis: heterogeneity of the major capsid protein. *9*, 289.

The SV40 DNA template for transcription of late mRNA in viral nucleoprotein complexes. *11*, 495.

Suppression of replication of SV40 and polyoma virus in mouse-human hybrids. *11*, 25.

Transcription during productive infection with polyoma virus and simian virus 40. *8*, 1.

Simian virus 40, cells transformed by
The arrangement of nucleosomes in nucleoprotein complexes from polyoma virus and SV40. *11*, 35.

Initiation points for DNA replication in nontransformed and simian virus 40-transformed Chinese hamster lung cells. *11*, 859.

Quantitation of the viral DNA present in somatic cell hybrids between mouse and SV40-transformed human cells. *6*, 535.

SV40-transformed cells with temperature-dependent serum requirements. *4*, 255.

Transformation of cultured human vascular endothelium by SV40 DNA. *9*, 685.

Simian virus 40, ts*A*
Properties of T antigens induced by wild-type SV40 and ts*A* mutants in lytic infection. *6*, 529.

Sindbis virus
How a single Sindbis virus mRNA directs the synthesis of one soluble protein and two integral membrane glycoproteins. *10*, 253.

Immediate glycosylation of Sindbis virus membrane proteins. *10*, 659.

Initiation sites for translation of Sindbis virus 42S and 26S messenger RNAs. *6*, 215.

Somatic cell hybrid
see Hybrid cell

Somatic cell mutant
On the nature of hereditable variation in cultured somatic cells. *7*, 1.

Spacer
Expression of spacer tRNA genes in ribosomal RNA transcription units carried by hybrid Col E1 plasmids in E. coli. *11*, 779.

Histone genes of the sea urchin (S. purpuratus) cloned in E. coli: order, polarity and strandedness of the five histone-coding and spacer regions. *9*, 147.

Molecular analysis of the histone gene cluster of Psammechinus miliaris: II. The arrangement of the five histone-coding and spacer sequences. *8*, 471.

Organization of the ribosomal RNA genes of Dictyostelium discoideum: mapping of the nontranscribed spacer regions. *9*, 605.

Restriction analysis of the nontranscribed spacers of Xenopus laevis ribosomal DNA. *11*, 599.

Spacer transfer RNAs in ribosomal RNA transcripts of E. coli: processing of 30S ribosomal RNA in vitro. *11*, 247.

Spleen, mouse
Antigen expression of mouse spleen × thymocyte heterokaryons. *6*, 521.

Splenocyte
Mixed splenocyte cultures and graft versus host reactions selectively induce an "S-tropic" murine type C virus. *1*, 55.

Sporulation
The program of protein synthesis during sporulation in Bacillus subtilis. *8*, 103.

***spo*T**
*spo*T, a new genetic locus involved in the stringent response in E. coli. *1*, 27.

Steroid hormone
Macrophage plasminogen activator: modulation of enzyme production by anti-inflammatory steroids, mitotic inhibitors and cyclic nucleotides. *8*, 271.

A significant lag in the induction of ovalbumin messenger RNA by steroid hormones: a receptor translocation hypothesis. *8*, 557.

Steroid hormone receptor
A new mechanism for steroid unresponsiveness: loss of nuclear binding activity of a steroid hormone receptor. *3*, 301.

Steroid metabolism
Feminization of hepatic steroid metabolism in male rats with a transplanted pituitary tumor (M + T/F_4). *7*, 413.

Steroid resistance
Mechanisms of steroid resistance. *2*, 221.

Stochastic analysis
Commitment to erythroid differentiation by Friend erythroleukemia cells: a stochastic analysis. *9*, 221.

Stringent response
*spo*T, a new genetic locus involved in the stringent response in E. coli. *1*, 27.

Structural transformation
The adhesion of BHK and PyBHK cells to the substratum. *3*, 31.

Correlation between structural transformation and cleavage of the major head protein of T4 bacteriophage. *7*, 191.

Decreased adherence to the substrate in Rous sarcoma virus-transformed chicken embryo fibroblasts. *10*, 45.

Succinate dehydrogenase
Mammalian cells with defective mitochondrial functions: a Chinese hamster mutant cell line lacking succinate dehydrogenase activity. *10*, 697.

Sugar
Modifications of mammalian cell surfaces induced by sugars: scanning electron microscopy. *7*, 97.

Sugar transport
Regulation of sugar transport in chick embryo fibroblasts infected with a temperature-sensitive mutant of RSV. *6*, 513.

Sulfated proteoglycan matrix
Transformation of chondroblasts by Rous sarcoma virus and synthesis of the sulfated proteoglycan matrix. *11*, 891.

Superhelical turns
The number of superhelical turns in native virion SV40 DNA and minicol DNA determined by the band counting method. *8*, 215.

Superinduction
"Superinduction" of tyrosine aminotransferase by actinomycin D: a reevaluation. *5*, 29.

Suppressor
A functional requirement for modification of the wobble nucleotide in the anticodon of a T4 suppressor tRNA. *9*, 449.

A temperature-sensitive suppressor enabling the manipulation of the level of individual proteins in intact cells. *7*, 205.

Yeast super-suppressors are altered tRNAs capable of translating a nonsense codon in vitro. *6*, 269.

Yeast suppressors of UAA and UAG nonsense codons work efficiently in vitro via tRNA. *7*, 381.

Surface deposition
Continuous culturing of murine splenic B lymphocytes: synthesis and surface deposition of IgM and putative IgD molecules. *8*, 397.

Synthesis, surface deposition and secretion of immunoglobulins by Abelson virus-transformed lymphosarcoma cell lines. *6*, 149.

Synthetase, asparagyl-tRNA
Selection of temperature-sensitive CHL asparagyl-tRNA synthetase mutants using the toxic lysine analog, S-2-aminoethyl-L-cysteine. *9*, 655.

T antigen
How does T antigen transform cells? *11*, 243.

Identification of regions of the SV40 genome which contain preferred SV40 T antigen-binding sites. *8*, 535.

Partial purification and characterization of the SV40 T antigen. *3*, 65.

Properties of T antigens induced by wild-type SV40 and ts*A* mutants in lytic infection. *6*, 529.

The relationship between group C adenovirus tumor antigen and the adenovirus single-strand DNA-binding protein. *7*, 575.

T cell
Chemical synthesis of a peptide fragment of thymopoietin II that induces selective T cell differentiation. *5*, 367.

T locus
In vitro studies of mouse embryos bearing mutations at the T locus: t^{w5} and t^{12}. *9*, 523.

The T locus of the mouse. *6*, 441.

Tfm
see Testicular feminized mice

3T3
see Mouse 3T3 cell

TMV
see Tobacco mosaic virus

tRNA
see Ribonucleic acid, transfer

Temperature-sensitive cell mutation
Characterization of a Chinese hamster cell with a temperature-sensitive mutation in folate metabolism. *2*, 183.

Isolation of heat- and cold-sensitive mutants of Chinese hamster lung cells affected in their ability to express the transformed state. *5*, 131.

A novel temperature-sensitive mammalian cell line exhibiting defective prophase progression. *8*, 257.

Preliminary characterization of the temperature-sensitive defect in DNA replication in a mutant mouse L cell. *7*, 49.

SV40-transformed cells with temperature-dependent serum requirements. *4*, 255.

Temperature-sensitive cell cycle mutants: a Chinese hamster cell line with a reversible block in cytokinesis. *5*, 123.

Temperature-sensitive lethal mutants in the structural gene for DNA ligase in the yeast Schizosaccharomyces pombe. *12*, 1109.

Temperature-sensitive mutants of BALB/3T3 cells: description of a mutant affected in cellular and polyoma virus DNA synthesis. *7*, 289.

A temperature-sensitive suppressor enabling the manipulation of the level of individual proteins in intact cells. *7*, 205.

Temperature-sensitive viral transformant
see Transformation by temperature-sensitive viruses

Teratocarcinoma
Cell surface antigens of clonal teratocarcinoma cells at various stages of differentiation. *6*, 455.

Creatine kinase, myokinase and acetylcholinesterase activities in muscle-forming primary cultures of mouse teratocarcinoma cells. *6*, 61.

Hemoglobin synthesis in cell hybrids formed between teratocarcinoma and Friend erythroleukemia cells. *12*, 653.

The morphology and growth of a pluripotent teratocarcinoma cell line and its derivatives in tissue culture. *2*, 163.

Multiple differentiation of clonal teratocarcinoma stem cells following embryoid body formation in vitro. *6*, 467.

Pluripotent teratocarcinoma-thymus somatic cell hybrids. *9*, 45.

Procollagen and collagen produced by a teratocarcinoma-derived cell line, TSD4: evidence for a new molecular form of collagen. *10*, 287.

Studies on the activity of the X chromosomes in female teratocarcinoma cells in culture. *9*, 57.

Teratocarcinoma differentiation: plasminogen activator activity associated with embryoid body formation. *10*, 297.

Teratocarcinomas as a model system for the study of embryogenesis and neoplasia. *5*, 229.

Virus infection of murine teratocarcinoma stem cell lines. *12*, 973.

Teratoma
Characterization of two different alkaline phosphatases in mouse teratoma: partial purification, electrophoretic and histochemical studies. *9*, 37.

Formation of a keratinizing epithelium in culture by a cloned cell line derived from a teratoma. *6*, 317.

Terminus, 3′
A mutant of Escherichia coli defective in removing 3′ terminal nucleotides from some transfer RNA precursor molecules. *5*, 389.

Nucleotide sequence of the 3′ terminal third of rabbit α–globin messenger RNA: comparison with human α–globin messenger RNA. *11*, 807.

The 3′ terminal sequences of human α– and β–globin messenger RNAs: comparison with rabbit globin messenger RNA. *9*, 733.

Terminus, 5′ (see also Cappng, mRNA)
5′ terminal nucleotide sequences of the messenger RNAs of Dictyostelium discoideum. *8*, 233.

The 5′ terminal structure of the methylated mRNA synthesized in vitro by vesicular stomatitis virus. *5*, 51.

Methylated and blocked 5′ termini in vesicular stomatitis virus in vivo mRNAs. *5*, 59.

Methylated blocked 5′ terminal sequences of sea urchin embryo messenger RNA classes containing and lacking poly(A). *9*, 589.

Methylated constituents of heterogeneous nuclear RNA: presence in blocked 5′ terminal structures. *6*, 13.

The methylated constituents of L cell messenger RNA: evidence for an unusual cluster at the 5′ terminus. *4*, 387.

Methylated nucleotides block 5′ terminus of HeLa cell messenger RNA. *4*, 379.

Nucleotide sequences at the 5′ termini of rabbit α– and β–globin mRNA. *9*, 747.

On the nature of 5′ termini in nuclear pre-mRNA of Ehrlich carcinoma cells. *9*, 323.

One predominant 5′ undecanucleotide in adenovirus 2 late messenger RNAs. *11*, 533.

Ribosome binding to reovirus mRNA in protein synthesis requires 5′ terminal 7–methylguanosine. *6*, 185.

Sequences containing methylated nucleotides at the 5′ termini of messenger RNAs: possible implications for processing. *3*, 197.

Terminus, 5′ → 3′ polarity
A reinvestigation of 5′ → 3′ polarity in 40S ribosomal RNA precursor of Xenopus laevis. *8*, 443.

Testicular feminized mice
Cytosol androgen receptor from kidney of normal and testicular feminized (*Tfm*) mice. *2*, 205.

Metabolic cooperation between *Tfm* and wild-type cells in mosaic mice after induction of DNA synthesis. *6*, 475.

Regression of mouse mammary gland anlagen in recombinants of *Tfm* and wild-type tissues: testosterone acts via the mesenchyme. *10*, 401.

Tfm mutation and masculinization versus feminization of the mouse central nervous system. *3*, 235.

Testosterone
Regression of mouse mammary gland anlagen in recombinants of *Tfm* and wild-type tissues: testosterone acts via the mesenchyme. *10*, 401.

Tetracycline
Specific inhibition of ribosomal RNA synthesis in Escherichia coli by tetracycline. *3*, 145.

Tetrahymena
The life of Tetrahymena. *2*, 307.

A single integrated gene for ribosomal RNA in a eucaryote, Tetrahymena pyriformis. *12*, 121.

$\delta\beta$–Thalassemia
$\delta\beta$–Thalassemia is due to a gene deletion. *9*, 71.

Thy 1 variant
Thy 1 variants of mouse lymphomas: biochemical characterization of the genetic defect. *6*, 279.

Thymidine
Catabolism of thymidine during the lymphocyte cell cycle. *12*, 365.

A model of cell cycle control: effects of thymidine on synchronous cell cultures. *5*, 37.

Thymidine kinase
Expression of thymidine kinase variants is a function of the replicative state of cells. *2*, 113.

Microinjection of thymidine kinase and bovine serum albumin into mammalian cells by fusion with red blood cells. *5*, 371.

Transfer of purified herpes virus thymidine kinase gene to cultured mouse cells. *11*, 223.

Thymocyte, cystine auxotrophic
Accumulation of cystine auxotrophic thymocytes accompanying type C viral leukemogenesis in the mouse. *7*, 41.

Thymocyte heterokaryon
Antigen expression of mouse spleen × thymocyte heterokaryons. *6*, 521.

Thymona
Continuous production of radiation leukemia virus in C57BL thymona tissue culture lines: purification of the leukemogenic virus. *1*, 79.

Thymopoietin II
The amino acid sequence of thymopoietin II. *5*, 361.

Chemical synthesis of a peptide fragment of thymopoietin II that induces selective T cell differentiation. *5*, 367.

Thymus
Cellular changes in the thymuses of preleukemic AKR mice: correlation with changes in the expression of murine leukemia viruses. *12*, 341.

Pluripotent teratocarcinoma-thymus somatic cell hybrids. *9*, 45.

Tobacco mosaic virus
The isolation of tobacco mosaic virus RNA fragments containing the origin for viral assembly. *11*, 455.

The nucleotide sequence at the origin for assembly on tobacco mosaic virus RNA. *11*, 463.

Sequence from the assembly nucleation region of TMV RNA. *11*, 483.

Topoinhibition
The effects of topoinhibition and cytochalasin B on metabolic cooperation. *6*, 253.

Transcription
The *ara*C promoter: transcription, mapping and interaction with the *ara*BAD promoter. *11*, 545.

A comparison of the transcription of mouse cell chromatin by homologous RNA polymerase I and II. *3*, 15.

Coupled transcription-translation of DNA injected into Xenopus oocytes. *12*, 175.

Dual control for transcription of the galactose operon by cyclic AMP and its receptor protein at two interspersed promoters. *12*, 847.

Ecdysone-stimulated RNA synthesis in salivary glands of Drosophila melanogaster: assay by in situ hybridization. *12*, 219.

Effect of Fv-1 gene product on synthesis of N-tropic and B-tropic murine leukemia viral RNA. *7*, 33.

The effect of heat shock on RNA synthesis in Drosophila tissues. *8*, 43.

Effect of heat shock on the synthesis of low molecular weight RNAs in Drosophila: accumulation of a novel form of 5S RNA. *6*, 207.

hnRNA in HeLa cells: distribution of transcript sizes estimated from nascent molecule profile. *9*, 465.

The initiation sites for RNA transcription in Ad2 DNA. *12*, 733.

Multiple modes of ribosomal RNA transcription in vitro. *8*, 605.

Noncoordinate control of RNA synthesis in eucaryotic cells. *3*, 179.

RNA synthesis in puff 2-48BC after experimental induction in Drosophila hydei. *8*, 299.

Relationship of chain transcription to poly(A) addition and processing of hnRNA in HeLa cells. *3*, 255.

Reovirus mRNA: transcription and translation. *7*, 305.

The SV40 DNA template for transcription of late mRNA in viral nucleoprotein complexes. *11*, 495.

Specific inhibition of ribosomal RNA synthesis in Escherichia coli by tetracycline. *3*, 145.

Temporal regulation of herpes simplex virus type 1 transcription: location of transcripts on the viral genome. *12*, 275.

The topography and transcription of the adenovirus genome. *10*, 153.

Transcription at two heat shock loci in Drosophila. *12*, 441.

Transcription during productive infection with polyoma virus and simian virus 40. *8*, 1.

Transcription in polytene chromosomes. *4*, 1.

Transcription of specific genes in isolated nuclei by exogenous RNA polymerases. *10*, 405.

Ultrastructural patterns of RNA synthesis during early embryogenesis of Drosophila melanogaster. *8*, 305.

A unique RNA species involved in initiation of vesicular stomatitis virus RNA transcription in vitro. *8*, 197.

Transcription unit
Comparative organization of active transcription units in Oncopeltus fasciatus. *9*, 131.

Expression of spacer tRNA genes in ribosomal RNA transcription units carried by hybrid Col E1 plasmids in E. coli. *11*, 779.

A radiological analysis of the transcription units for heterogeneous nuclear RNA in cultured murine cells. *9*, 775.

Transfer RNA genes between 16S and 23S rRNA genes in rRNA transcription units of E. coli. *7*, 165.

Units of transcription and translation: sequence components of heterogeneous nuclear RNA and messenger RNA. *4*, 77.

Units of transcription and translation: the relationship between heterogeneous nuclear RNA and messenger RNA. *4*, 11.

Transduction
Synthesis of ribosomal RNA in E. coli: analysis using deletion mutants of a λ transducing phage carrying ribosomal RNA genes. *7*, 179.

Transfer RNA
see Ribonucleic acid, transfer

Transfer ribonucleic acid
see Ribonucleic Acid, transfer

Transformation by temperature-sensitive viruses
Properties of mammalian cells transformed by temperature-sensitive mutants of avian sarcoma virus. *11*, 513.

Regulation of sugar transport in chick embryo fibroblasts infected with a temperature-sensitive mutant of RSV. *6*, 513.

Studies on the levels of cyclic AMP in cells transformed by wild-type and temperature-sensitive Kirsten sarcoma virus. *1*, 59.

Transformation of chicken embryo retinal melanoblasts by a temperature-sensitive mutant of Rous sarcoma virus. *11*, 881.

Transformation of animal cells (see also Transformation by temperature-sensitive viruses)
Abelson virus-transformed lymphocytes: null cells that modulate H-2. *12*, 683.

Accumulation of water during transformation of cells by an avian sarcoma virus. *3*, 307.

The adhesion of BHK and PyBHK cells to the substratum. *3*, 31.

The arrangement of simian virus 40 sequences in the DNA of transformed cells. *9*, 269.

Biochemical transformation of mouse cells by fragments of herpes simplex virus DNA. *11*, 233.

Cell surface protein decreases microvilli and ruffles on transformed mouse and chick cells. *9*, 241.

Cells transformed by certain strains of Moloney sarcoma virus contain murine p60. *10*, 79.

The chick chorioallantoic membrane as a model system for the study of tissue invasion by viral-transformed cells. *8*, 373.

Chicken macrochromosomes contain an endogenous provirus and microchromosomes contain sequences related to the transforming gene of ASV. *10*, 649.

Correlation between genetic loci and structural differences in the capsid proteins of polyoma virus plaque morphology mutants. *11*, 331.

Cytoplasmic microtubules in transformed mouse × nontransformed human cell hybrids: correlation with in vitro growth. *12*, 319.

Decreased adherence to the substrate in Rous sarcoma virus-transformed chicken embryo fibroblasts. *10*, 45.

Differential genetic susceptibility of cultured human skin fibroblasts to transformation by Kirsten murine sarcoma virus. *10*, 313.

The display of microtubules in transformed cells. *12*, 561.

Effects of cycloheximide on virus DNA replication in an inducible line of polyoma-transformed rat cells. *5*, 311.

The extensive homology between mRNA sequences of normal and SV40-transformed human fibroblasts. *11*, 901.

Fibrin overlay methods for the detection of single transformed cells and colonies of transformed cells. *5*, 323.

The Friend virus genome: evidence for the stable association of MuLV sequences and sequences involved in erythroleukemic transformation. *12*, 287.

Gene expression in chemically transformed mouse embryo cells: selective enhancement of the expression of C-type RNA tumor virus genes. *11*, 909.

The group C adenovirus tumor antigens: identification in infected and transformed cells and a peptide map analysis. *11*, 871.

How does T antigen transform cells? *11*, 243.

In situ hybridization analysis of polyoma DNA replication in an inducible line of polyoma-transformed cells. *11*, 65.

In vitro traits of adenovirus-transformed cell lines and their relevance to tumorigenicity in nude mice. *10*, 669.

Increased collagen synthesis in Kirsten sarcoma virus-transformed BALB/3T3 cells grown in the presence of dibutyryl cyclic AMP. *3*, 291.

Increased protease levels in transformed cells: a casein overlay assay for the detection of plasminogen activator production. *2*, 95.

Inhibition of protease activity in cultures of Rous sarcoma virus-transformed cells: effect on the transformed phenotype. *5*, 253.

Initiation points for DNA replication in nontransformed and simian virus 40-transformed Chinese hamster lung cells. *11*, 859.

Integrated viral sequences in adenovirus type 12-transformed hamster cells. *10*, 101.

Isolation of heat- and cold-sensitive mutants of Chinese hamster lung cells affected in their ability to express the transformed state. *5*, 131.

Mechanism of the decrease in the major cell surface protein of chick embryo fibroblasts after transformation. *11*, 957.

Properties of enucleated cells: II. Characteristic overlapping of transformed cells is reestablished by enucleates. *3*, 51.

Properties of mammalian cells transformed by temperature-sensitive mutants of avian sarcoma virus. *11*, 513.

Quantitation of the viral DNA present in somatic cell hybrids between mouse and SV40-transformed human cells. *6*, 535.

Restoration of normal morphology: adhesion and cytoskeleton in transformed cells by addition of a transformation-sensitive surface protein. *11*, 115.

Role of surface alterations in cell transformation: the importance of proteases and surface proteins. *1*, 147.

SV40-transformed cells with temperature-dependent serum requirements. *4*, 255.

Studies on the levels of cyclic AMP in cells transformed by wild-type and temperature-sensitive Kirsten sarcoma virus. *1*, 59.

Synthesis, surface deposition and secretion of immunoglobulins by Abelson virus-transformed lymphosarcoma cell lines. *6*, 149.

Transformation-defective virus mutants in a class of morphologic revertants of sarcoma virus-transformed nonproducer cells. *2*, 279.

Transformation of chicken embryo retinal melanoblasts by a temperature-sensitive mutant of Rous sarcoma virus. *11*, 881.

Transformation of chondroblasts by Rous sarcoma virus and synthesis of the sulfated proteoglycan matrix. *11*, 891.

Transformation of cultured human vascular endothelium by SV40 DNA. *9*, 685.

Vesicular stomatitis virus envelope glycoprotein alterations induced by host cell transformation. *2*, 63.

Transformation-sensitive surface protein
see Large external transformation-sensitive protein

Translation
Translation of Xenopus liver messenger RNA in Xenopus oocytes: vitellogenin synthesis and conversion to yolk platelet proteins. *8*, 283.

Translational capacity of deadenylated messenger RNA. *1*, 101.

The translational capacity of deadenylated ovalbumin messenger RNA. *8*, 51.

Translational control of protein synthesis during the early stages of differentiation of the slime mold Dictyostelium discoideum. *12*, 301.

Translation unit
Units of transcription and translation: sequence components of heterogeneous nuclear RNA and messenger RNA. *4*, 77.

Units of transcription and translation: the relationship between heterogeneous nuclear RNA and messenger RNA. *4*, 11.

Translocatable element
Translocatable elements in procaryotes. *11*, 11.

Transport
Inhibition of transport systems in cultured rat hepatoma cells by colcemid and ethanol. *2*, 71.

Regulation of sugar transport in chick embryo fibroblasts infected with a temperature-sensitive mutant of RSV. *6*, 513.

Trimethylpsoralen
Cross-linking of DNA with trimethylpsoralen is a probe for chromatin structure. *11*, 631.

Tropism
In vivo and in vitro models of demyelinating diseases: tropism of the JHM strain of murine hepatitis virus for cells of glial origin. *12*, 553.

Trophoblast
Plasminogen activator in early embryogenesis: enzyme production by trophoblast and parietal endoderm. *9*, 231.

Trout testis
The distribution of poly(A)$^+$ and poly(A)$^-$ protamine messenger RNA sequences in the developing trout testis. *10*, 433.

Isolation and characterization of trout testis protamine mRNAs lacking poly(A). *10*, 443.

Trypsin
Actin-containing cables within anchorage-dependent rat embryo cells are dissociated by plasmin and trypsin. *6*, 495.

Tubulin
Assembly of tubulin from cultured cells and comparison with the neurotubulin model. *12*, 573.

Phagokinetic tracks of 3T3 cells: parallels between the orientation of track segments and of cellular structures which contain actin or tubulin. *12*, 333.

Turnover of tubulin and the N site GTP in Chinese hamster ovary cells. *12*, 587.

Tumor antigen
see T antigen

Tumor virus
Inside the tumor viruses. *1*, 77.

Tumor viruses at Cold Spring Harbor. *2*, 295.

Tumorigenesis, crown gall
Stable incorporation of plasmid DNA into higher plant cells: the molecular basis of crown gall tumorigenesis. *11*, 263.

Tumorigenicity
Cellular tumorigenicity in nude mice: correlation with cell growth in semi-solid medium. *3*, 355.

In vitro traits of adenovirus-transformed cell lines and their relevance to tumorigenicity in nude mice. *10*, 669.

Type C virus
see C-type virus

Tyrosine aminotransferase
"Superinduction" of tyrosine aminotransferase by actinomycin D: a reevaluation. *5*, 29.

Ultramicroinjection
A quantitative study of ultramicroinjection of macromolecules into animal cells. *7*, 551.

Ultraviolet irradiation
The definition of a large viral transcription unit late in Ad2 infection of HeLa cells: mapping by effects of ultraviolet irradiation. *10*, 617.

Ultraviolet mapping
Ultraviolet mapping of the adenovirus 2 early promoters. *12*, 45.

Uridine kinase
A uridine kinase-deficient mutant of 3T3 and a selective method for cells containing the enzyme. *1*, 23.

Uridine pulse-chase
The metabolism of poly(A)$^+$ and poly(A)$^-$ hnRNA in cultured Drosophila cells studied with a rapid uridine pulse-chase. *11*, 105.

Uukuniemi virus
The genome of Uukuniemi virus consists of three unique RNA segments. *11*, 51.

VP1 gene
see Gene, VP1

VSV
see Vesicular stomatitis virus

D-valine
D-valine as a selective agent for normal human and rodent epithelial cells in culture. *5*, 11.

Vascular endothelium
Transformation of cultured human vascular endothelium by SV40 DNA. *9*, 685.

Vesicular stomatitis virus
Analysis of a VSV mutant with attenuated cytopathogenicity: mutation in viral function, P, for inhibition of protein synthesis. *11*, 273.

Analysis of the RNA of defective VSV particles. *3*, 85.

The 5′ terminal structure of the methylated mRNA synthesized in vitro by vesicular stomatitis virus. *5*, 51.

In vitro synthesis of methylated messenger RNA by the virion-associated RNA polymerase of vesicular stomatitis virus. *3*, 327.

Mechanism of formation of pseudotypes between vesicular stomatitis virus and murine leukemia virus. *11*, 505.

Messenger RNA species synthesized in vitro by the virion-associated RNA polymerase of vesicular stomatitis virus. *4*, 37.

Methylated and blocked 5′ termini in vesicular stomatitis virus in vivo mRNAs. *5*, 59.

Synthesis of viral mRNA and polyadenylate by a ribonucleoprotein complex from extracts of VSV-infected cells. *3*, 77.

A unique RNA species involved in initiation of vesicular stomatitis virus RNA transcription in vitro. *8*, 197.

Vesicular stomatitis virus envelope glycoprotein alterations induced by host cell transformations. *2*, 63.

Viral assembly
see Virus assembly

Viral envelope glycoprotein
Membrane receptors for murine leukemia viruses: characterization using the purified viral envelope glycoprotein, gp71. *8*, 365.

Viral transcription
The definition of a large viral transcription unit late in Ad2 infection of HeLa cells: mapping by effects of ultraviolet irradiation. *10*, 617.

Virology
Comprehensible virology? *5*, 339.

Virus assembly
The isolation of tobacco mosaic virus RNA fragments containing the origin for viral assembly. *11*, 455.

The nucleotide sequence at the origin for assembly on tobacco mosaic virus RNA. *11*, 463.

Vitellogenin
Quantitation of vitellogenin messenger RNA in the liver of male Xenopus toads during primary and secondary stimulation by estrogen. *11*, 213.

Vitellogenin gene
The expression of the vitellogenin gene. *9*, 1.

Vitellogenin synthesis
Direct induction by estradiol of vitellogenin synthesis in organ cultures of male Xenopus laevis liver. *7*, 131.

Translation of Xenopus liver messenger RNA in Xenopus oocytes: vitellogenin synthesis and conversion of yolk platelet proteins. *8*, 283.

Water, accumulation of
Accumulation of water during transformation of cells by an avian sarcoma virus. *3*, 307.

Wobble nucleotide
A functional requirement for modification of the wobble nucleotide in the anticodon of a T4 suppressor tRNA. *9*, 449.

X-activation
The analysis of Lyon's hypothesis through preferential X-activation. *1*, 175.

Genetically directed preferential X-activation seen in mice. *1*, 3.

Xenopus laevis
Assembly of SV40 chromatin in a cell-free system from Xenopus eggs. *10*, 237.

The 5′ → 3′ polarity of the Xenopus ribosomal RNA precursor molecule. *8*, 449.

Isolation and some properties of DNA coding for $tRNA_1^{met}$ from Xenopus laevis. *8*, 183.

Recombinant DNA formation in a cell-free system from Xenopus laevis eggs. *12*, 191.

A reinvestigation of 5′ → 3′ polarity in 40S ribosomal RNA precursor of Xenopus laevis. *8*, 443.

Restriction analysis of the nontranscribed spacers of Xenopus laevis ribosomal DNA. *11*, 599.

Xenopus laevis 5S DNA
Adjacent repeating units of Xenopus laevis 5S DNA can be heterogeneous in length. *7*, 477.

The isolation and characterization of a second oocyte 5S DNA from Xenopus laevis. *12*, 1045.

A pseudogene structure in 5S DNA of Xenopus laevis. *12*, 109.

Repeating units of Xenopus laevis oocyte-type 5S DNA are heterogeneous in length. *7*, 467.

Xenopus laevis, liver, male
Direct induction by estradiol of vitellogenin synthesis in organ cultures of male Xenopus laevis liver. *7*, 131.

Xenopus laevis oocytes
Coupled transcription-translation of DNA injected into Xenopus oocytes. *12*, 175.

The degradation of ribonucleic acids injected into Xenopus laevis oocytes. *2*, 189.

Diffusible and bound actin in nuclei of Xenopus laevis oocytes. *12*, 883.

Effects of cycloheximide on the "autocatalytic" nature of the maturation promoting factor (MPF) in oocytes of Xenopus laevis. *4*, 269.

The isolation and characterization of a second oocyte 5S DNA from Xenopus laevis. *12*, 1045.

On the existence of polyadenylated histone mRNA in Xenopus laevis oocytes. *9*, 311.

Protein synthesis in oocytes of Xenopus laevis is not regulated by the supply of messenger RNA. *11*, 345.

Subcellular compartmentation of albumin and globin made in oocytes under the direction of injected messenger RNA. *11*, 683.

Synthesis of heterogeneous nuclear RNA in full-grown oocytes of Xenopus laevis (Daudin). *11*, 663.

Translation of Xenopus liver messenger RNA in Xenopus oocytes: vitellogenin synthesis and conversion to yolk platelet proteins. *8*, 283.

Xenopus mulleri
Sequences of 5S ribosomal RNA from Xenopus mulleri and the evolution of 5S gene-coding sequences. *8*, 485.

Xenopus toad
Quantitation of vitellogenin messenger RNA in the liver of male Xenopus toads during primary and secondary stimulation by estrogen. *11*, 213.

Yeast
Number and distribution of polyadenylated RNA sequences in yeast. *10*, 453.

The organization and replication of genetic material in yeast. *6*, 259.

Replicating circular DNA molecules in yeast. *4*, 249.

Temperature-sensitive lethal mutants in the structural gene for DNA ligase in the yeast Schizosaccharomyces pombe. *12*, 1109.

Zea mays
Zea mays chloroplast ribosomal RNA genes are part of a 22,000 base pair inverted repeat. *11*, 739.

Cell Cumulative Index, Vol. 1–12, Copyright © 1979 by MIT

Title Index

Abelson virus-transformed lymphocytes: null cells that modulate H-2. *12*, 683.

Abnormalities in the glycosylation of immunoglobulin heavy chain and an H-2 transplantation antigen in a mouse myeloma mutant. *10*, 679.

Abrin and hurin: two new lymphocyte mitogens. *4*, 263.

Absence of messenger RNA and gene DNA for β–globin chains in hereditary persistence of fetal hemoglobin. *7*, 323.

Accumulation of α– and β–globin messenger RNAs in mouse erythroleukemia cells. *12*, 463.

Accumulation of cystine auxotrophic thymocytes accompanying type C viral leukemogenesis in the mouse. *7*, 41.

Accumulation of water during transformation of cells by an avian sarcoma virus. *3*, 307.

Actin-containing cables within anchorage-dependent rat embryo cells are dissociated by plasmin and trypsin. *6*, 495.

Activation of production of mouse liver enzymes in rat hepatoma-mouse lymphoid cell hybrids. *6*, 481.

Adenovirus recombination: physical mapping of crossover events. *4*, 113.

The adhesion of BHK and PyBHK cells to the substratum. *3*, 31.

Adjacent repeating units of Xenopus laevis 5S DNA can be heterogeneous in length. *7*, 477.

α–Actinin: immunofluorescent localization of a muscle structural protein in nonmuscle cells. *6*, 289.

α–Amanitin resistance: a dominant mutation in CHO cells. *4*, 167.

Alteration in cell surface LETS protein during myogenesis. *10*, 393.

Alteration in cellular RNAs during the in vitro lifespan of cultured human diploid fibroblasts. *6*, 179.

Alterations leading to increased ribonucleotide reductase in cells selected for resistance to deoxynucleosides. *3*, 367.

Altered metabolism of the guanosine tetraphosphate, ppGpp, in mutants of E. coli. *1*, 85.

An altered subunit configuration associated with the actively transcribed DNA of integrated adenovirus genes. *12*, 783.

An amazing sequence arrangement at the 5′ ends of adenovirus 2 messenger RNA. *12*, 1.

The amino acid sequence of thymopoietin II. *5*, 361.

Amino acid starvation affects the initiation frequency of nucleolar RNA polymerase. *7*, 439.

Among the protozoologists. *2*, 119.

Amplification and characterization of a β-globin gene synthesized in vitro. *8*, 163.

An analysis by electron microscopy of early simian virus 40 RNA from a ts*A* mutant. *11*, 523.

Analysis of a mutant strain of human fibroblasts with a defect in the internalization of receptor-bound low density lipoprotein. *9*, 663.

Analysis of a VSV mutant with attenuated cytopathogenicity: mutation in viral function, P, for inhibition of protein synthesis. *11*, 273.

Analysis of cell surfaces by xenogeneic myeloma-hybrid antibodies: differentiation antigens of rat lymphocytes. *12*, 663.

Analysis of Drosophila mRNA by in situ hybridization: sequences transcribed in normal and heat-shocked cultured cells. *4*, 395.

The analysis of Lyon's hypothesis through preferential X-activation. *1*, 175.

Analysis of the complexity and diversity of mRNA from chicken liver and oviduct. *7*, 247.

Analysis of the RNA of defective VSV particles. *3*, 85.

Androgen-dependent fibrinolytic activity in a murine mammary carcinoma (Shionogi SC-115 cells) in vitro. *7*, 223.

Anomalous synthesis of ppGpp in growing cells. *11*, 181.

Antigen expression of mouse spleen x thymocyte heterokaryons. *6*, 521.

The antigenic complexity of hepatitis B virus. *1*, 157.

Appearance and disappearance of acetylcholine receptor during differentiation of chick skeletal muscle in vitro. *7*, 543.

Appendix: calculation of mRNA lifetimes using ribosomal RNA labeling as a metabolic probe. *4*, 139.

Appendix: short-range diffusion gradients. *3*, 217.

The *ara*C promoter: transcription, mapping and interaction with the *ara*BAD promoter. *11*, 545.

Around the cell cycle. *3*, 382.

The arrangement of nucleosomes in nucleoprotein complexes from polyoma virus and SV40. *11*, 35.

The arrangement of simian virus 40 sequences in the DNA of transformed cells. *9*, 269.

Arrangement of specific oligonucleotides within poly(A)-terminated hnRNA molecules. *1*, 43.

Assembly of SV40 chromatin in a cell-free system from Xenopus eggs. *10*, 237.

Assembly of tubulin from cultured cells and comparison with the neurotubulin model. *12*, 573.

Association of the folded chromosome with the cell envelope of E. coli: characterization of the proteins at the DNA-membrane attachment site. *8*, 245.

Asymmetric Okazaki piece synthesis during replication of simian virus 40 DNA in vivo. *12*, 1029.

Avian myeloblastosis virus RNA is terminally redundant: implications for the mechanism of retrovirus replication. *12*, 57.

Bacterial plasmids. *3*, 189.

Biochemical characterization of azetidine carboxylic acid-resistant Chinese hamster cells. *8*, 71.

Biochemical transformation of mouse cells by fragments of herpes simplex virus DNA. *11*, 233.

Biological approaches to cancer. *6*, 415.

Biosynthesis and stability of globin mRNA in cultured erythroleukemic Friend cells. *8*, 495.

Biosynthesis of Rauscher leukemia viral proteins. *4*, 31.

Biosynthesis of transfer RNA in Escherichia coli. *4*, 21.

The blocked and methylated 5′ terminal sequence of a specific cellular messenger: the mRNA for silk fibroin of Bombyx mori. *7*, 339.

The blue-green alga Agmenellum quadruplicatum contains covalently closed DNA circles. *9*, 551.

Butyric acid, a potent inducer of erythroid differentiation in cultured erythroleukemic cells. *5*, 319.

cAMP-induced changes in cAMP-binding sites on D. discoideum amebae. *10*, 329.

CHO cell mutants for arginyl-, aspargyl-, glutaminyl-, histidyl- and methionyl-transfer RNA synthetases: identification and initial characterization. *11*, 157.

Capacity of ribosomal RNA promoters of E. coli to bind RNA polymerase. *10*, 121.

Capping of eucaryotic mRNAs. *9*, 645.

Catabolism of thymidine during the lymphocyte cell cycle. *12*, 365.

Cell culture—the state of the art. *2*, 120.

Cell surface antigens of clonal teratocarcinoma cells at various stages of differentiation. *6*, 455.

Cell surface myosin in cultured fibroblasts. *8*, 383.

Cell surface protein decreases microvilli and ruffles on transformed mouse and chick cells. *9*, 241.

Cell surface proteins of NIL1 hamster fibroblasts labeled by a galactose oxidase, tritiated borohydride method. *3*, 121.

Cells transformed by certain strains of Moloney sarcoma virus contain murine p60. *10*, 79.

Cellular changes in the thymuses of preleukemic AKR mice: correlation with changes in the expression of murine leukemia viruses. *12*, 341.

Cellular tumorigenicity in nude mice: correlation with cell growth in semi-solid medium. *3*, 355.

Cesium chloride gradients of chromatin after treatment with micrococcal nuclease. *8*, 59.

Changes in adenylate cyclase, cyclic AMP and protein kinase levels in chick myoblasts, and their relationship to differentiation. *2*, 103.

Changes in RNA in relation to growth of the fibroblast. I. Amounts of mRNA, rRNA and tRNA in resting and growing cells. *1*, 95.

Changes in RNA in relation to growth of the fibroblast. II. The lifetime of mRNA, rRNA and tRNA in resting and growing cells. *1*, 161.

Changes in RNA in relation to growth of the fibroblast. III. Post-transcriptional regulation of mRNA formation in resting and growing cells. *4*, 69.

Changes in the mRNA population of chick myoblasts during myogenesis in vitro. *12*, 751.

Characterization and mapping of mitochondrial ribosomal RNA and mitochondrial DNA in Drosophila melanogaster. *9*, 615.

Characterization of a cell culture model for the study of adenosine deaminase- and purine nucleoside phosphorylase-deficient immunologic disease. *9*, 205.

Characterization of a Chinese hamster cell with a temperature-sensitive mutation in folate metabolism. *2*, 183.

Characterization of a hormone receptor defect in the androgen-insensitivity mutant. *3*, 59.

A characterization of globin mRNA sequences in the nucleus of duck immature red blood cells. *12*, 133.

Characterization of light chain and light chain constant region fragment mRNAs in MPC 11 mouse myeloma cells and variants. *5*, 139.

Characterization of single-stranded viral DNA sequences present during replication of adenovirus types 2 and 5. *9*, 559.

Characterization of six cloned DNAs from Drosophila melanogaster, including one that contains the genes for rRNA. *5*, 149.

Characterization of the DNA from the dinoflagellate Crypthecodinium cohnii and implications for nuclear organization. *6*, 161.

Characterization of the 5′ termini of hnRNA in mouse L cells: implications for processing and cap formation. *9*, 121.

Characterization of the mRNAs for α–, β– and γ–actin. *12*, 767.

Characterization of two different alkaline phosphatases in mouse teratoma: partial purification, electrophoretic and histochemical studies. *9*, 37.

Chemical synthesis of a peptide fragment of thymopoietin II that induces selective T cell differentiation. *5*, 367.

The chick chorioallantoic membrane as a model system for the study of tissue invasion by viral-transformed cells. *8*, 373.

Chicken leukosis virus genome sequences in DNA from normal chick cells and virus-induced bursal lymphomas. *4*, 311.

Chicken macrochromosomes contain an endogenous provirus and microchromosomes contain sequences related to the transforming gene of ASV. *10*, 649.

A chromatin-bound proteolytic activity with unique specificity for histone H2A. *9*, 785.

Chromatin structure as probed by nucleases and proteases: evidence for the central role of histones H3 and H4. *9*, 179.

Chromatin structure visualization by immunoelectron microscopy. *7*, 297.

Chromosomal rearrangements which affect the chromosomal integration of the ribosomal genes in Drosophila melanogaster. *11*, 383.

Clonal growth and maturation to immunoglobulin secretion in vitro of every growth-inducible B lymphocyte. *10*, 27.

Clonal variation in colony morphology and growth of CHO cells cultured in agar. *10*, 305.

Clone MPC 11 myeloma cells express two kappa genes: a gene for a complete light chain and a gene for a constant region polypeptide. *12*, 453.

Cloned Bacillus subtilis DNA containing a gene that is activated early during sporulation. *11*, 751.

Cloned mouse mammary cell lines requiring androgens for growth in culture. *8*, 79.

Cloning and characterization of a complex satellite DNA from Drosophila melanogaster. *11*, 371.

Collagen synthesis as a marker for cell type in mouse 3T3 cell lines. *11*, 169.

A colony bank containing synthetic Col E1 hybrid plasmids representative of the entire E. coli genome. *9*, 91.

Commitment to erythroid differentiation by Friend erythroleukemic cells: a stochastic analysis. *9*, 221.

Communications between cells. *4*, 407.

Comparative organization of active transcription units in Oncopeltus fasciatus. *9*, 131.

Comparison of polysomal polyadenylated RNA from embryonal carcinoma and committed myogenic and erythropoietic cell lines. *12*, 509.

A comparison of the structure of chicken erythrocyte and chicken liver chromatin. *9*, 627.

A comparison of the transcription of mouse cell chromatin by homologous RNA polymerase I and II. *3*, 15.

Complete nucleotide sequence of the 5′ noncoding region of human α– and β–globin mRNA. *12*, 1085.

Complete nucleotide sequence of the 5′ noncoding region of rabbit β–globin mRNA. *10*, 549.

Complete 3′ noncoding region sequences of rabbit and human β–globin messenger RNA. *10*, 559.

Complete turnover of poly(A) maternal mRNA of sea urchin embryos. *11*, 339.

Complexity and characterization of polyadenylated RNA in the mouse brain. *8*, 139.

Comprehensible virology? *5*, 339.

Conservative assembly and segregation of nucleosomal histones. *12*, 837.

Construction of hybrid viruses containing SV40 and λ phage DNA segments and their propagation in cultured monkey cells. *9*, 695.

The construction of viable nuclear-cytoplasmic hybrid cells by nuclear transplantation. *7*, 397.

Continuous culturing of murine splenic B lymphocytes: synthesis and surface deposition of IgM and putative IgD molecules. *8*, 397.

Continuous production of radiation leukemia virus in C57BL thymona tissue culture lines: purification of the leukemogenic virus. *1*, 79.

Continuous protein synthesis is required to maintain the probability of entry into S phase. *12*, 311.

Continuous tissue culture cell lines derived from chemically induced tumors of Japanese quail. *11*, 95.

Control of lysozyme induction in the differentiation of myeloid leukemic cells. *9*, 675.

Control of nucleolar RNA synthesis by the intracellular pool sizes of ATP and GTP. *7*, 447.

The control of serum protein synthesis in hepatoma-fibroblast hybrids. *6*, 53.

Cooperative alignment of Nu bodies during chromosome replication in the presence of cycloheximide. *9*, 419.

A core polyprotein of murine leukemia virus on the surface of mouse leukemia cells. *9*, 573.

The cornified envelope of terminally differentiated human epidermal keratinocytes consists of cross-linked protein. *11*, 417.

Correlation between genetic loci and structural differences in the capsid proteins of polyoma virus plaque morphology mutants. *11*, 331.

Correlation between structural transformation and cleavage of the major head protein of T4 bacteriophage. *7*, 191.

Coupled transcription-translation of DNA injected into Xenopus oocytes. *12*, 175.

Covalent attachment of RNA to nascent DNA in mammalian cells. *6*, 551.

Cowpea mosaic virus RNAs have neither m^7GpppN... nor mono-, di- or triphosphates at their 5′ ends. *11*, 73.

Creatine kinase, myokinase and acetylcholinesterase activities in muscle-forming primary cultures of mouse teratocarcinoma cells. *6*, 61.

Cross-linking of a major fibroblast surface-associated glycoprotein (fibronectin) catalyzed by blood coagulation factor XIII. *9*, 29.

Cross-linking of DNA with trimethylpsoralen is a probe for chromatin structure. *11*, 631.

The culture of cells derived from mouse blastocysts. *5*, 343.

Cyclic AMP can replace the *relA*-dependent requirement for derepression of acetohydroxy acid synthase in E. coli K12. *12*, 1121.

Cyclic AMP-induced cytolysis in S49 cells: selection of an unresponsive "deathless" mutant. *11*, 149.

Cytoplasmic microtubules in transformed mouse x nontransformed human cell hybrids: correlation with in vitro growth. *12*, 319.

A cytoskeletal structure with associated polyribosomes obtained from HeLa cells. *10*, 67.

Cytosol androgen receptor from kidney of normal and testicular feminized (*Tfm*) mice. *2*, 205.

D-valine as a selective agent for normal human and rodent epithelial cells in culture. *5*, 11.

DNA-dependent in vitro synthesis of ribosomal proteins, protein elongation factors and RNA polymerase subunit α: inhibition by ppGpp. *9*, 439.

DNA-dependent RNA polymerase activity of Chinese hamster kidney cells sensitive to high concentrations of α-amanitin. *3*, 227.

DNA-dependent RNA polymerase levels during the response of human peripheral lymphocytes to phytohemagglutinin. *4*, 51.

DNA of ciliated protozoa: DNA sequence diminution during macronuclear development of Oxytricha. *7*, 67.

DNA sequence organization in the mollusc Aplysia californica. *6*, 29.

Decrease in adhesion of cells cultured in polyunsaturated fatty acids. *12*, 295.

Decreased adherence to the substrate in Rous sarcoma virus-transformed chicken embryo fibroblasts. *10*, 45.

The definition of a large viral transcription unit late in Ad2 infection of HeLa cells. Mapping by effects of ultraviolet irradiation. *10*, 617.

The definition of a large viral transcription unit late in Ad2 infection of HeLa cells. Mapping of nascent RNA molecules labeled in isolated nuclei. *10*, 611.

The degradation of ribonucleic acids injected into Xenopus laevis oocytes. *2*, 189.

Deletions of two heat-activated loci in Drosophila melanogaster and their effects on heat-induced protein synthesis. *12*, 643.

$\delta\beta$-Thalassemia is due to a gene deletion. *9*, 71.

Demonstration that a mouse immunoglobulin light chain messenger RNA hybridizes exclusively with unique DNA. *6*, 5.

Density and cell cycle dependence of cell surface proteins in hamster fibroblasts. *3*, 113.

Deoxycytidine reverses the suppression of pigmentation caused by 5-BrdUrd without changing the amount of 5-BrdUrd in DNA. *12*, 923.

Depolymerization of F actin by deoxyribonuclease I. *7*, 531.

Detection in HeLa cell extracts of a 7-methylguanosine-specific enzyme activity that cleaves m^7GpppN^m. *6*, 21.

Detection of myosin heavy chain mRNA during myogenesis in tissue culture by in vitro and in situ hybridization. *12*, 501.

The determination of RNA homogeneity by molecular hybridization. *3*, 341.

Development of a simple eucaryote. *6*, 573.

Development of Drosophila enzymes. *6*, 118.

Development of hCG sensitivity in the testis of the immature rat. *2*, 75.

Development of methods for the quantitative in vitro analysis of androgen-dependent and autonomous Shionogi carcinoma 115 cells. *10*, 35.

Development of vertebrate tissues. *5*, 342.

Developmental changes in the synthesis of sea urchin embryo messenger RNA containing and lacking polyadenylic acid. *6*, 559.

Developmentally regulated cyclic AMP-dependent protein kinases in Dictyostelium discoideum. *11*, 173.

Dexamethasone-mediated induction of mouse mammary tumor virus RNA: a system for studying glucocorticoid action. *6*, 299.

Dictyostelium 17S, 25S and 5S rDNAs lie within a 38,000 base pair repeated unit. *9*, 431.

Differences and similarities in chromatin structures of Neurospora crassa and higher eucaryotes. *8*, 349.

Differences in the incorporation of bromodeoxyuridine by human lymphoblastoid cell lines. *5*, 381.

Different lifetimes of reticulocyte messenger RNA. *7*, 59.

Differential control of the synthesis of two hemoglobin β chains in normal mice. *12*, 863.

Differential cytotoxic activity of anticollagen serum on rat osteoblasts and fibroblasts in tissue culture. *5*, 83.

Differential genetic susceptibility of cultured human skin fibroblasts to transformation by Kirsten murine sarcoma virus. *10*, 313.

Differentiating cells. *7*, 153.

Differentiation in the salivary glands of Drosophila melanogaster: characterization of the glue proteins and their developmental appearance. *9*, 365.

Differentiation of the epidermal keratinocyte in cell culture: formation of the cornified envelope. *9*, 511.

Diffusible and bound actin in nuclei of Xenopus laevis oocytes. *12*, 883.

The dimorphic chloroplasts of the C_4 plant Panicum maximum contain identical genomes. *11*, 729.

Diploid and haploid states of the glucocorticoid receptor gene of mouse lymphoid cell lines. *11*, 423.

A direct estimate of the number of human γ–globin genes. *8*, 13.

Direct induction by estradiol of vitellogenin synthesis in organ cultures of male Xenopus laevis liver. *7*, 131.

A direct stimulating effect of cyclic GMP on purified phosphoribosyl pyrophosphate synthetase and its antagonism by cyclic AMP. *2*, 241.

Discrete sizes of replication intermediates in Drosophila cells. *12*, 183.

The display of microtubules in transformed cells. *12*, 561.

Distribution of concanavalin A in fibroblasts: direct endocytosis versus surface capping. *11*, 707.

Distribution of messenger RNA-coding sequences in fractionated chromatin. *12*, 953.

Distribution of murine type B and type C viral nucleic acid sequences in template active and template inactive chromatin. *4*, 321.

The distribution of poly(A)$^+$ and poly(A)$^-$ protamine messenger RNA sequences in the developing trout testis. *10*, 433.

Distribution patterns of three subfractions of Drosophila nonhistone chromosomal proteins: possible correlations with gene activity. *11*, 971.

Double immunoglobulin production in cloned somatic cell hybrids between two human lymphoid cell lines. *11*, 139.

Dual control for transcription of the galactose operon by cyclic AMP and its receptor protein at two interspersed promoters. *12*, 847.

The dynamics of maternal poly(A)-containing mRNA in fertilized sea urchin eggs. *11*, 673.

The early region of SV40 DNA may have more than one gene. *11*, 837.

Ecdysone-stimulated RNA synthesis in salivary glands of Drosophila melanogaster: assay by in situ hybridization. *12*, 219.

Effect of cell proliferation on levels and diversity of poly(A)-containing mRNA. *7*, 255.

The effect of cyclic nucleotides on purine biosynthesis and the induction of PRPP synthetase during lymphocyte activation. *3*, 375.

Effect of cyclic nucleotides on the induction of ornithine decarboxylase in BHK cells by serum and insulin. *2*, 229.

Effect of Fv-1 gene product on synthesis of N-tropic and B-tropic murine leukemia viral RNA. *7*, 33.

The effect of heat shock on RNA synthesis in Drosophila tissues. *8*, 43.

Effect of heat shock on the synthesis of low molecular weight RNAs in Drosophila: accumulation of a novel form of 5S RNA. *6*, 207.

The effect of interferon on de novo infection of Moloney murine leukemia virus. *10*, 245.

Effect of n–butyrate on DNA synthesis in chick fibroblasts and HeLa cells. *12*, 855.

Effect of proteases on activation of resting chick embryo fibroblasts and on cell surface proteins. *6*, 137.

Effect of reduced temperatures on protein synthesis in mouse L cells. *4*, 329.

Effect of the *relA* gene on the synthesis of individual proteins in vivo. *8*, 115.

The effect of X chromosome heterozygosity on the structure of the ribosomal genes in Drosophila melanogaster. *11*, 389.

Effects of androgens on the complexity of poly(A) RNA from rat prostate. *12*, 401.

Effects of cycloheximide on the "autocatalytic" nature of the maturation promoting factor (MPF) in oocytes of Xenopus laevis. *4*, 269.

Effects of cycloheximide on virus DNA replication in an inducible line of polyoma-transformed rat cells. *5*, 311.

Effects of cytochalasin B on fibroblasts, lymphoid cells and platelets revealed by human anti-actin antibodies. *6*, 507.

Effects of dimethylsulfoxide on the E. coli *gal* operon and on bacteriophage lambda in vivo. *3*, 39.

Effects of protease treatment on growth, morphology, adhesion and cell surface proteins of secondary chick embyro fibroblasts. *7*, 407.

The effects of topoinhibition and cytochalasin B on metabolic cooperation. *6*, 253.

An electron microscope study of the effects of dibutyryl cyclic AMP on Chinese hamster ovary cells. *2*, 145.

An electron microscope study of the relative positions of the 4S and ribosomal RNA genes in HeLa cell mitochondrial DNA. *9*, 81.

Electron microscopic analysis of chromatin replication in the cellular blastoderm Drosophila melanogaster embryo. *12*, 795.

Electron microscopic and biochemical evidence that chromatin structure is a repeating unit. *4*, 281.

Electron microscopic studies of procollagen from cultured human fibroblasts. *1*, 185.

An electron microscopic study of mouse foldback DNA. *5*, 429.

Electrophoretic characterization of shuttling and nonshuttling small nuclear RNAs. *2*, 259.

Elements of molecular biology. *3*, 385.

Elevated dihydrofolate reductase messenger RNA levels in methotrexate-resistant BHK cells. *7*, 391.

Endogenous type C RNA virus of Odocoileus hemionus, a mammalian species of New World origin. *9*, 489.

Enzymatic in vitro synthesis of globin genes. *7*, 279.

An established preadipose cell line and its differentiation in culture. *3*, 127.

An established preadipose cell line and its differentiation in culture. II. Factors affecting the adipose conversion. *5*, 19.

Evidence for a functional role of RNA in centrioles. *10*, 337.

Evidence for genetic recombination between endogenous and exogenous mouse RNA type C viruses. *2*, 87.

Evidence for the existence of two types of cAMP binding sites in aggregating cells of Dictyostelium discoideum. *6*, 129.

Evidence for the formation of hybrid DNA during mitotic recombination in Chinese hamster cells. *8*, 573.

Evolution of molecules. *6*, 417.

Evolutionary drift of the *argF* and *argI* genes coding for isoenzyme forms of ornithine transcarbamylase in E. coli K12. *10*, 275.

Evolutionary relationships between *gag* gene coded proteins of murine and primate endogenous type C RNA viruses. *10*, 641.

Evolving molecules and plants. *3*, 384.

Existence of methylated messenger RNA in mouse L cells. *1*, 37.

Expression of spacer tRNA genes in ribosomal RNA transcription units carried by hybrid Col E1 plasmids in E. coli. *11*, 779.

The expression of the vitellogenin gene. *9*, 1.

The expression of three abundance classes of messenger RNA in mouse tissues. *9*, 761.

Expression of thymidine kinase variants is a function of the replicative state of cells. *2*, 113.

The extensive homology between mRNA sequences of normal and SV40-transformed human fibroblasts. *11*, 901.

Feminization of hepatic steroid metabolism in male rats with a transplanted pituitary tumor ($M+T/F_4$). *7*, 413.

Fibrin overlay methods for the detection of single transformed cells and colonies of transformed cells. *5*, 323.

Fibrinolytic activity in a human fibrosarcoma cell line and evidence for the induction of plasminogen activator secretion during tumor formation. *6*, 245.

The first nucleotide sequence of an organelle transfer RNA: chloroplastic $tRNA^{Phe}$. *9*, 717.

The 5S genes of Drosophila melanogaster. *12*, 1057.

5′ terminal nucleotide sequences of the messenger RNAs of Dictyostelium discoideum. *8*, 233.

The 5′ terminal structure of the methylated mRNA synthesized in vitro by vesicular stomatitis virus. *5*, 51.

The 5′→3′ polarity of the Xenopus ribosomal RNA precursor molecule. *8*, 449.

Follicular plasminogen and plasminogen activator and the effect of plasmin on ovarian follicle wall. *6*, 379.

Formation of a keratinizing epithelium in culture by a cloned cell line derived from a teratoma. *6*, 317.

Forward and reverse mutations affecting the kinetics and apparent molecular weight of mammalian HGPRT. *12*, 383.

The Friend virus genome: evidence for the stable association of MuLV sequences and sequences involved in erythroleukemic transformation. *12*, 287.

From chromatin to proteins. *6*, 115.

Full-length and discrete partial reverse transcripts of globin and chorion mRNAs. *4*, 367.

A functional requirement for modification of the wobble nucleotide in the anticodon of a T4 suppressor tRNA. *9*, 449.

Further characterization of Sendai virus DI-RNAs: a model for their generation. *12*, 539.

Further evidence of transcriptional and translational control of histone messenger RNA during the HeLa S3 cycle. *4*, 59.

Further mapping of late adenovirus genes by cell-free translation of RNA selected by hybridization to specific DNA fragments. *12*, 37.

GUG and UUG are initiation codons in vivo. *1*, 73.

The gene and messenger RNA for adenovirus polypeptide IX. *12*, 741.

Gene expression in chemically transformed mouse embryo cells: selective enhancement of the expression of C-type RNA tumor virus genes. *11*, 909.

The gene numbers game. *2*, 81.

The general affinity of *lac* repressor for E. coli DNA: implications for gene regulation in procaryotes and eucaryotes. *4*, 107.

The genes and mRNA coding for the heavy chains of chick embryonic skeletal myosin. *12*, 491.

Genes for VA-RNA in adenovirus 2. *6*, 223.

The genes of influenza virus. *10*, 1.

Genetic control of chlorophyll biosynthesis in Chlamydomonas: analysis of a mutant affecting synthesis of δ–aminolevulinic acid. *6*, 75.

Genetic determination of the α–galactosidase developmental program in mice. *6*, 371.

Genetic determination of the β–galactosidase developmental program in mouse liver. *9*, 533.

Genetically directed preferential X-activation seen in mice. *1*, 3.

Genetics of chemotatic behavior in bacteria. *4*, 183.

Genetics of the LDL receptor: evidence that the mutations affecting binding and internalization are allelic. *12*, 629.

The genome-associated, specific RNA binding proteins of avian and mammalian type C viruses. *10*, 91.

The genome of Uukuniemi virus consists of three unique RNA segments. *11*, 51.

Germ line integration of Moloney leukemia virus: effect of homozygosity at the M-MuLV locus. *12*, 691.

Globin mRNA sequences in polyadenylated and nonpolyadenylated nuclear precursor messenger RNA from avian erythroblasts. *8*, 505.

Globin RNA precursor molecules: biosynthesis and processing in erythroid cells. *11*, 641.

Glutamine-stimulated modification and degradation of glutamine synthetase in hepatoma tissue culture cells. *8*, 95.

Glycoproteins of the plasma membrane of Dictyostelium discoideum during development. *8*, 391.

The group C adenovirus tumor antigens: identification in infected and transformed cells and a peptide map analysis. *11*, 871.

Growth control in chick embryo fibroblasts; no evidence for a specific role for cyclic purine nucleotides. *2*, 235.

Growth of cell culture. *3*, 381.

Growth of cultured mammalian cells on secondary glucose sources. *2*, 287.

hnRNA in HeLa cells: distribution of transcript sizes estimated from nascent molecule profile. *9*, 465.

hnRNA size and processing as related to different DNA content in two dipterans: Drosophila and Aedes. *5*, 281.

A hemagglutination inhibition technique for detection of immunoglobulins in supernatants of human lymphoblastoid cell lines. *3*, 153.

Hemoglobin synthesis in cell hybrids formed between teratocarcinoma and Friend erythroleukemia cells. *12*, 653.

A heteroduplex study of the sequence relationships between the RNAs of M-MSV and M-MLV. *10*, 469.

Heterogeneity of the ribosomal genes in mice and men. *11*, 363.

Heterozygous familial hypercholesterolemia: failure of normal allele to compensate for mutant allele at a regulated genetic locus. *9*, 195.

High frequency variation in mammary tumor virus expression in cell culture. *8*, 87.

High resolution two-dimensional electrophoresis of basic as well as acidic proteins. *12*, 1133.

Higher order coiling of DNA in chromatin. *12*, 83.

Histone genes of the sea urchin (S. purpuratus) cloned in E. coli: order, polarity and strandedness of the five histone-coding and spacer regions. *9*, 147.

Histone mRNAs contain blocked and methylated 5′ terminal sequences but lack methylated nucleosides at internal positions. *10*, 113.

Histone messengers and histone genes. *8*, 321.

Histone neighbors in nuclei and extended chromatin. *12*, 417.

Histones H2A, H2B, H3 and H4 form a tetrameric complex in solutions of high salt. *6*, 85.

Host restriction of Friend leukemia virus; fate of input virion RNA. *2*, 271.

How a single Sindbis virus mRNA directs the synthesis of one soluble protein and two integral membrane glycoproteins. *10*, 253.

How does T antigen transform cells? *11*, 243.

Human chromosome 19 carries a poliovirus receptor gene. *1*, 167.

A human lymphoid cell line secreting immunoglobulin G and retaining immunoglobulin M in the plasma membrane. *5*, 87.

Hydrolase and serum treatment of normal chick embryo cells: effects on hexose transport. *5*, 245.

Identification and characterization of multiple forms of actin. *9*, 793.

Identification and characterization of the packaging proteins of core 40S hnRNP particles. *11*, 127.

Identification and location of the histone H2A and H3 genes by sequence analysis of sea urchin (S. purpuratus) DNA cloned in E. coli. *9*, 495.

Identification of a protein linked to the ends of adenovirus DNA. *11*, 283.

Identification of a ribonuclease P-like activity from human KB cells. *9*, 101.

Identification of a small subfraction of hnRNA with the characteristics of a precursor to mRNA. *2*, 253.

Identification of genes for elongation factor Ts and ribosomal protein S2 in E. coli. *8*, 129.

Identification of mouse chromosomes required for murine leukemia virus replication. *11*, 949.

Identification of regions of the SV40 genome which contain preferred SV40 T antigen binding sites. *8*, 535.

Identification of specific cross-linked histones after treatment of chromatin with formaldehyde. *5*, 45.

Immediate glycosylation of Sindbis virus membrane proteins. *10*, 659.

Immunochemical detection of human enzymes in hybrid cells. *7*, 123.

Immunocytochemical detection of a murine leukemia virus-related nuclear antigen in mouse oocytes and early embryos. *12*, 697.

In search of the rules for nerve connections. *3*, 201.

In situ hybridization analysis of polyoma DNA replication in an inducible line of polyoma-transformed cells. *11*, 65.

In situ hybridization of repetitive monkey genome sequences isolated from defective simian virus 40 DNA. *9*, 247.

In vitro polyoma DNA synthesis: asymmetry of short DNA chains. *12*, 1021.

In vitro polyoma DNA synthesis: self-annealing properties of short DNA chains. *5*, 205.

In vitro processing of E. coli tRNA precursors. *8*, 581.

In vitro studies of mouse embryos bearing mutations at the T locus: t^{w5} and t^{12}. *9*, 523.

In vitro synthesis of methylated messenger RNA by the virion-associated RNA polymerase of vesicular stomatitis virus. *3*, 327.

In vitro traits of adenovirus-transformed cell lines and their relevance to tumorigenicity in nude mice. *10*, 669.

In vivo and in vitro models of demyelinating diseases: tropism of the JHM strain of murine hepatitis virus for cells of glial origin. *12*, 553.

Increased collagen synthesis in Kirsten sarcoma virus-transformed BALB/3T3 cells grown in the presence of dibutyryl cyclic AMP. *3*, 291.

Increased protease levels in transformed cells: a casein overlay assay for the detection of plasminogen activator production. *2*, 95.

Individual histone messenger RNAs: identification by template activity. *4*, 239.

Induction by ouabain of hemoglobin synthesis in cultured Friend erythroleukemic cells. *9*, 375.

Induction of a deoxycytidineless state in cultured mammalian cells by bromodeoxyuridine. *2*, 109.

Induction of cell interactions. *6*, 113.

Induction of erythroid differentiation in vitro by purine and purine analogues. *8*, 263.

Induction of globin mRNA accumulation by hemin in cultured erythroleukemic cells. *8*, 513.

Induction of microtubule protein synthesis in Chlamydomonas reinhardii during flagellar regeneration. *9*, 15.

Induction of prolactin synthesis in rat pituitary tumor cells by 5-bromodeoxyuridine. *11*, 431.

Induction of two transformation-sensitive membrane polypeptides in normal fibroblasts by a block in glycoprotein synthesis or glucose deprivation. *11*, 941.

Infection of bone marrow cells in vitro with FLV: effects on stem cell proliferation, differentiation and leukemogenic capacity. *12*, 355.

Infection of cultured rat hepatoma cells by mouse mammary tumor virus. *10*, 11.

Influence of histone H1 on chromatin structure. *12*, 101.

Informational suppression of missense mutations. *6*, 419.

The inhibition of DRB (5,6-dichloro-1-β-D-ribofuranosylbenzimidazole) of hnRNA and mRNA production in HeLa cells. *9*, 473.

Inhibition of protease activity in cultures of Rous sarcoma virus-transformed cells: effect on the transformed phenotype. *5*, 253.

Inhibition of transport systems in cultured rat hepatoma cells by colcemid and ethanol. *2*, 71.

Inhibition of viral protein synthesis in monkey cells treated with interferon late in simian virus 40 lytic cycle. *12*, 73.

The initial sites for RNA transcription in Ad2 DNA. *12*, 733.

Initiation points for DNA replication in nontransformed and simian virus 40-transformed Chinese hamster lung cells. *11*, 859.

The initiation region of the SV40 VP1 gene. *9*, 117.

Initiation sites for translation of Sindbis virus 42S and 26S messenger RNAs. *6*, 215.

Initiator RNA of discontinuous DNA synthesis in human lymphocytes. *12*, 483.

Insect hormone activities. *3*, 387.

Inside the tumor viruses. *1*, 77.

Insulin receptors in normal and transformed fibroblasts: relationship to growth and transformation. *8*, 417.

Integrated viral sequences in adenovirus type 12-transformed hamster cells. *10*, 101.

The integration and excision of bacteriophage lambda. *1*, 69.

The integration and excision of the bacteriophage Mu-1. *7*, 155.

The interaction of estradiol-receptor protein with the genome: an argument for the existence of undetected specific sites. *4*, 301.

Interaction of regulator proteins with recognition sequences of DNA. *2*, 1.

Intermolecular duplexes in heterogeneous nuclear RNA from HeLa cells. *10*, 597.

Interspersion of repetitive and nonrepetitive DNA sequences in the Drosophila melanogaster genome. *4*, 141.

Interspersion of repetitive and nonrepetitive DNA sequences in the sea urchin genome. *1*, 127.

Inverted repeat sequences in the Drosophila genome. *5*, 159.

Isolation and biochemical characterization of folate-deficient mutants of Chinese hamster cells. *2*, 173.

The isolation and characterization of a second oocyte 5S DNA from Xenopus laevis. *12*, 1045.

Isolation and characterization of Sendai virus DI-RNAs. *8*, 547.

Isolation and characterization of trout testis protamine mRNAs lacking poly(A). *10*, 443.

The isolation and preliminary characterization of somatic cell mutants resistant to the protein synthesis inhibitor—emetine. *9*, 213.

Isolation and some properties of DNA coding for $tRNA_1^{met}$ from Xenopus laevis. *8*, 183.

Isolation, characterization and structure of the folded interphase genome of Drosophila melanogaster. *9*, 393.

Isolation from BALB/c mouse cells of a structural polypeptide of a third endogenous type C virus. *3*, 347.

The isolation of a suppressible nonsense mutant in mammalian cells. *12*, 371.

Isolation of bacteriophage λ containing yeast ribosomal RNA genes: screening by in situ RNA hybridization to plaques. *8*, 227.

Isolation of heat- and cold-sensitive mutants of Chinese hamster lung cells affected in their ability to express the transformed state. *5*, 131.

Isolation of lymphoma cell variants resistant to killing by glucocorticoids. *2*, 213.

Isolation of ouabain-resistant human diploid fibroblasts. *3*, 221.

The isolation of tobacco mosaic virus RNA fragments containing the origin for viral assembly. *11*, 455.

A joint product of the genes *gag* and *pol* of avian sarcoma virus: a possible precursor of reverse transcriptase. *12*, 993.

A journal of exciting biology. *1*, 1.

A kinetic estimation of base sequence complexity of nuclear poly(A)-containing RNA in mouse Friend cells. *4*, 121.

Kinetics of biosynthesis of the acetylcholine receptor and subsequent incorporation into plasma membrane of cultured chick skeletal muscle. *10*, 365.

Kinetics of formation of 5′ terminal caps in mRNA. *8*, 433.

Lack of correlation between agglutinability, the surface distribution of con A and post-confluence inhibition of cell division in ten cell lines. *7*, 213.

The length of the fibroin gene in the Bombyx mori genome. *4*, 207.

The life of Tetrahymena. *2*, 307.

Lineage-dependent transcription of globin genes. *3*, 243.

Linkage of markers controlling consecutive biochemical steps in CHO cells as demonstrated by chromosome transfer. *12*, 235.

Localization of 5–methylcytosine in human metaphase chromosomes by immunoelectron microscopy. *9*, 503.

Localization of serum-derived α_2 macroglobulin in cultured cells and decrease after Moloney sarcoma virus transformation. *12*, 609.

Localization of the human α–globin structural gene to chromosome 16 in somatic cell hybrids by molecular hybridization assay. *12*, 205.

Location and identification of the genes for adenovirus type 2 early polypeptides. *7*, 141.

The location of proteins labeled by the ^{125}I–lactoperoxidase system in the NIL8 hamster fibroblast. *4*, 353.

Location of sequences on the adenovirus genome coding for the 5.5S RNA. *6*, 1.

The location of the genes coding for hexon and fiber protein in adenovirus DNA. *5*, 93.

Location of the sequences coding for capsid proteins VP1 and VP2 on polyoma virus DNA. *9*, 481.

Looking at the membrane. *4*, 405.

Loss of Fv-1 restriction in BALB/3T3 cells following infection with a single N-tropic murine leukemia virus particle. *10*, 479.

Low molecular weight viral RNAs transcribed by RNA polymerase III during adenovirus 2 infection. *7*, 557.

Lymphocyte:erythrocyte (L.E.) rosettes as indicators of the heterogeneity of lymphocytes in a variety of mammalian species. *4*, 103.

mRNA complexity and egg white protein mRNA content in mature and hormone-withdrawn oviduct. *11*, 923.

Macrophage plasminogen activator: induction by concanavalin A and phorbol myristate acetate. *11*, 695.

Macrophage plasminogen activator: modulation of enzyme production by anti-inflammatory steroids, mitotic inhibitors and cyclic nucleotides. *8*, 271.

Major regulatory genes for mammalian sexual development. *7*, 315.

Mammalian cells with defective mitochondrial functions: a Chinese hamster mutant cell line lacking succinate dehydrogenase activity. *10*, 697.

A map of cytoplasmic RNA transcripts from lytic adenovirus type 2, determined by electron microscopy of RNA:DNA hybrids. *11*, 819.

Mapping DNAase 1-susceptible sites in nucleosomes labeled at the 5′ ends. *9*, 347.

Mapping of mitochondrial DNA of individual sheep and goats: rapid evolution in the D loop region. *11*, 571.

Mapping of poly(A) sequences in the electron microscope reveals unusual structure of type C oncornavirus RNA molecules. *7*, 595.

A measurement of the sequence complexity of polysomal messenger RNA in sea urchin embryos. *2*, 9.

The mechanism of action of interferon. *6*, 429.

The mechanism of action of ppGpp in rRNA synthesis in vitro. *8*, 123.

Mechanism of formation of pseudotypes between vesicular stomatitis virus and murine leukemia virus. *11*, 505.

Mechanism of the decrease in the major cell surface protein of chick embryo fibroblasts after transformation. *11*, 957.

Mechanisms of steroid resistance. *2*, 221.

Membrane receptors for murine leukemia viruses: characterization using the purified viral envelope glycoprotein, gp71. *8*, 365.

Message and nonmessage sequences adjacent to poly(A) in steady state heterogeneous nuclear RNA of HeLa cells. *7*, 429.

The messenger-like poly(A)-containing RNA species from the mitochondria of mammals and insects. *1*, 31.

The messenger-like properties of the poly(A)$^+$ RNA in mammalian mitochondria. *3*, 335.

Messenger RNA for myosin polypeptides: isolation from single myogenic cell cultures. *10*, 265.

The messenger RNA sequences in growing and resting mouse fibroblasts. *6*, 197.

Messenger RNA species synthesized in vitro by the virion-associated RNA polymerase of vesicular stomatitis virus. *4*, 37.

Messenger ribonucleoprotein complexes isolated with oligo(dT)-cellulose chromatography from kidney polysomes. *4*, 157.

Metabolic cooperation between *Tfm* and wild-type cells in mosaic mice after induction of DNA synthesis. *6*, 475.

The metabolism of a poly(A) minus mRNA fraction in HeLa cells. *3*, 1.

Metabolism of cyclic adenosine 3′:5′–monophosphate in somatic cell hybrids. *3*, 135.

Metabolism of 5S RNA in the absence of ribosome production. *3*, 275.

The metabolism of poly(A)$^+$ and poly(A)$^-$ hnRNA in cultured Drosophila cells studied with a rapid uridine pulse-chase. *11*, 105.

Metabolism of the polyadenylate sequence of nuclear RNA and messenger RNA in mammalian cells. *5*, 271.

Methyl labeling of HeLa cell hnRNA: a comparison with mRNA. *7*, 227.

Methylated and blocked 5′ termini in vesicular stomatitis virus in vivo mRNAs. *5*, 59.

Methylated blocked 5′ terminal sequences of sea urchin embryo messenger RNA classes containing and lacking poly(A). *9*, 589.

Methylated constituents of heterogeneous nuclear RNA: presence in blocked 5′ terminal structures. *6*, 13.

The methylated constituents of L cell messenger RNA: evidence for an unusual cluster at the 5′ terminus. *4*, 387.

Methylated constituents of poly(A)$^-$ and poly(A)$^+$ polyribosomal RNA of sea urchin embryos. *9*, 597.

Methylated nucleotides block 5′ terminus of HeLa cell messenger RNA. *4*, 379.

Microfilament bundles and cell shape are related to adhesiveness to substratum and are dissociable from growth control in cultured fibroblasts. *10*, 375.

Microinjection of thymidine kinase and bovine serum albumin into mammalian cells by fusion with red blood cells. *5*, 371.

Microinjection studies of duck globin messenger RNA translation in human and avian cells. *9*, 725.

Mistranslation in Escherichia coli. *10*, 131.

The mitochondrial DNA of Drosophila melanogaster exists in two distinct and stable superhelical forms. *12*, 471.

Mitochondrial DNA synthesis in cell cycle mutants of Saccharomyces cerevisiae. *5*, 423.

Mixed splenocyte cultures and graft versus host reactions selectively induce an "S-tropic" murine type C virus. *1*, 55.

A model for chromatin based upon two symmetrically paired half nucleosomes. *9*, 409.

A model of cell cycle control: effects of thymidine on synchronous cell cultures. *5*, 37.

Modifications of mammalian cell surfaces induced by sugars: scanning electron microscopy. *7*, 97.

Molecular analysis of the histone gene cluster of Psammechinus miliaris: I. Fractionation and identification of five individual histone mRNAs. *8*, 455.

Molecular analysis of the histone gene cluster of Psammechinus miliaris: II. The arrangement of the five histone-coding and spacer sequences. *8*, 471.

Molecular analysis of the histone gene cluster of Psammechinus miliaris: III. Polarity and asymmetry of the histone-coding sequences. *8*, 479.

The molecular basis of emetine resistance in Chinese hamster ovary cells: alteration in the 40S ribosomal subunit. *10*, 61.

Molecular biology of animal viruses. *8*, 151.

Molecular information in developmental genetics. *5*, 213.

Monospecific immunoprecipitation of murine leukemia virus polyribosomes: identification of p30 protein-specific messenger RNA. *9*, 579.

Morphological changes in cultured mammalian cells: prevention by the calcium ionophore A23187. *5*, 1.

The morphology and growth of a pluripotent teratocarcinoma cell line and its derivatives in tissue culture. *3*, 163.

Mouse globin gene expression in erythroid and nonerythroid tissues. *7*, 267.

Mouse L cell mitochondrial DNA molecules are selected randomly for replication throughout the cell cycle. *11*, 719.

Mouse mammary tumor virus DNA in infected rat cells: characterization of unintegrated forms. *10*, 19.

Multiple differentiation of clonal teratocarcinoma stem cells following embryoid body formation in vitro. *6*, 467.

Multiple modes of ribosomal RNA transcription in vitro. *8*, 605.

Murine leukemia virus mutants with temperature-sensitive defects in precursor polypeptide cleavage. *6*, 543.

Mutant Chinese hamster cells with a thermosensitive hypoxanthine-guanine phosphoribosyltransferase. *5*, 115.

Mutant of Dictyostelium discoideum defective in cell contact regulation of enzyme expression. *4*, 347.

Mutants of cultured Chinese hamster cells deficient in adenine phosphoribosyltransferase. *2*, 43.

Mutations affecting adenine phosphoribosyltransferase activity in Chinese hamster cells. *2*, 37.

Mutations causing charge alterations in regulatory subunits of the cAMP-dependent protein kinase of cultured S49 lymphoma cells. *10*, 381.

Myosin and paramyosin of Caenorhabditis elegans: biochemical and structural properties of wild-type and mutant proteins. *10*, 709.

Naturally occurring cross-links in yeast chromosomal DNA. *8*, 425.

A new class of small nuclear RNA molecules synthesized by a type I RNA polymerase in HeLa cells. *12*, 939.

A new genetic locus, *Bevi*, on human chromosome 6 which controls the replication of baboon type C virus in human cells. *12*, 251.

A new mechanism for steroid unresponsiveness: loss of nuclear binding activity of a steroid hormone receptor. *3*, 301.

A new species of virus-coded low molecular weight RNA from cells infected with adenovirus type 2. *7*, 585.

Noncoordinate control of RNA synthesis in eucaryotic cells. *3*, 179.

A novel arrangement of the 18S and 28S sequences in a repeating unit of Drosophila melanogaster rDNA. *10*, 167.

A novel method to map transcripts: evidence for homology between an adenovirus mRNA and discrete multiple regions of the viral genome. *12*, 23.

A novel nucleotide implicated in the response of E. coli to energy source downshift. *7*, 75.

A novel temperature-sensitive mammalian cell line exhibiting defective prophase progression. *8*, 257.

Nuclear transcripts larger than the cytoplasmic mRNAs are specified by segments of the adenovirus genome coding for early functions. *8*, 205.

Nucleic acid hybridization using DNA covalently coupled to cellulose. *5*, 301.

Nucleosome structure in Aspergillus nidulans. *8*, 357.

Nucleosomes and subnucleosomes: heterogeneity and composition. *11*, 619.

The nucleotide sequence at the origin for assembly on tobacco mosaic virus RNA. *11*, 463.

Nucleotide sequence of human placenta cytoplasmic initiator tRNA. *6*, 407.

Nucleotide sequence of part of the gene for human chorionic somatomammotropin: purification of DNA complementary to predominant mRNA species. *12*, 157.

The nucleotide sequence of repetitive monkey DNA found in defective simian virus 40. *11*, 845.

Nucleotide sequence of salmon testes and salmon liver cytoplasmic initiator tRNA. *6*, 395.

Nucleotide sequence of the 3′ terminal third of rabbit α–globin messenger RNA: comparison with human α–globin messenger RNA. *11*, 807.

The nucleotide sequence of two silk gland alanine tRNAs: implications for fibroin synthesis and for initiator tRNA structure. *11*, 561.

Nucleotide sequences at the 5′ termini of rabbit α– and β–globin mRNA. *9*, 747.

Nucleotide sequences of HS–α satellite DNA from kangaroo rat Dipodomys ordii and characterization of similar sequences in other rodents. *12*, 1069.

Number and distribution of polyadenylated RNA sequences in yeast. *10*, 453.

The number of superhelical turns in native virion SV40 DNA and minicol DNA determined by the band counting method. *8*, 215.

Occurrence of reiterated sequences in an untranslated region of simian virus 40 DNA determined by nucleotide sequence analysis. *10*, 497.

On the existence of polyadenylated histone mRNA in Xenopus laevis oocytes. *9*, 311.

On the nature of 5′ termini in nuclear pre-mRNA of Ehrlich carcinoma cells. *9*, 323.

On the nature of hereditable variation in cultured somatic cells. *7*, 1.

On the occurrence of nucleosome phasing in chromatin. *12*, 829.

One predominant 5′ undecanucleotide in adenovirus 2 late messenger RNAs. *11*, 533.

The organization and replication of genetic material in yeast. *6*, 259.

Organization of bacterial genes for ribosomal components: studies using novel approaches. *9*, 633.

The organization of histones and DNA in chromatin: evidence for an arginine-rich histone kernel. *8*, 333.

The organization of sea urchin histone genes. *6*, 359.

Organization of shared and unshared sequences in the genomes of chicken endogenous and sarcoma viruses. *11*, 321.

Organization of the ribosomal RNA genes of Dictyostelium discoideum: mapping of the nontranscribed spacer regions. *9*, 605.

Organization of the rosy locus in Drosophila melanogaster. *11*, 1.

Ouabain-resistant mutants of mouse and hamster cells in culture. *1*, 9.

Ovarian plasminogen activator: relationship to ovulation and hormonal regulation. *6*, 387.

Overlapping of the VP2-VP3 gene and the VP1 gene in the SV40 genome. *12*, 529.

Oxidation-induced lymphocyte transformation. *7*, 13.

Oxipurinol and orotic aciduria: effect on the orotidine–5′–monophosphate decarboxylase activity of cultured human fibroblasts. *3*, 55.

Pancreatic DNAase cleavage sites in nuclei. *10*, 537.

Partial purification and characterization of the SV40 T antigen. *3*, 65.

Partial purification of the ovalbumin gene. *7*, 331.

Past and future of RNA phages. *6*, 571.

Patterns of development. *2*, 305.

Patterns of development. *6*, 111.

Patterns of protein synthesis in imaginal discs of Drosophila melanogaster. *12*, 915.

The phagokinetic tracks of 3T3 cells. *11*, 395.

Phagokinetic tracks of 3T3 cells: parallels between the orientation of track segments and of cellular structures which contain actin or tubulin. *12*, 333.

Phenotypic mixing between N- and B-tropic murine leukemia viruses: infectious particles with dual sensitivity to Fv-1 restriction. *7*, 373.

Phosphorylation of initiation factor eIF-2 and the control of reticulocyte protein synthesis. *11*, 187.

Phosphorylation of murine type C viral p12 proteins regulates their extent of binding to the homologous viral RNA. *10*, 489.

A physical map of the DNA regions flanking the rabbit β–globin gene. *12*, 429.

Plasminogen activator in early embryogenesis: enzyme production by trophoblast and parietal endoderm. *9*, 231.

Pluripotent teratocarcinoma-thymus somatic cell hybrids. *9*, 45.

Polar appearance and nonligand-induced spreading of measles virus hemagglutinin at the surface of chronically infected cells. *5*, 351.

Poly(A) in mRNA does not contribute to secondary structure necessary for protein synthesis. *2*, 247.

Polyadenylic acid synthesis in vitro in isolated HeLa cell nuclei and whole cell homogenates. *2*, 197.

A polymerase activity forming 5S and pre-4S RNA in isolated HeLa cell nuclei. *1*, 139.

Polypyrimidine segments in Drosophila melanogaster DNA: I. Detection of a cryptic satellite containing polypyrimidine/polypurine DNA. *5*, 173.

Polypyrimidine segments in Drosophila melanogaster DNA: II. Chromosome location and nucleotide sequence. *5*, 183.

Polytene chromosome puffing and in situ hybridization measure different aspects of RNA metabolism. *12*, 227.

The possible biological significance of Fc receptors on mammalian lymphocytes and tumor cells. *3*, 105.

A possible involvement of *cya* gene in the synthesis of cyclic guanosine 3′:5′–monophosphate in E. coli. *12*, 521.

Post-transcriptional regulation of ribosome accumulation during myoblast differentiation. *10*, 587.

Pre-4S RNA made in isolated HeLa cell nuclei terminates with U. *3*, 185.

A precursor to hemoglobin mRNA in nuclei of immature duck red blood cells. *1*, 117.

Preferential association of newly synthesized histones with replicating SV40 DNA. *12*, 947.

Preferential expression of the maternally derived X chromosome in the mouse yolk sac. *12*, 873.

Preferential synthesis of viral late RNA by nuclei isolated from SV40 lytically infected cells. *7*, 567.

Preliminary characterization of the temperature-sensitive defect in DNA replication in a mutant mouse L cell. *7*, 49.

The presence of actin in nuclei: a critical appraisal. *12*, 601.

Presence of histone mRNA sequences in high molecular weight RNA of HeLa cells. *11*, 651.

The primary structure of rabbit β–globin mRNA as determined from cloned DNA. *10*, 571.

Procollagen and collagen produced by a teratocarcinoma-derived cell line, TSD4: evidence for a new molecular form of collagen. *10*, 287.

Procollagen peptidase: its mode of action on the native substrate. *4*, 45.

The program of protein synthesis during heterocyst differentiation in nitrogen-fixing blue-green algae. *3*, 159.

The program of protein synthesis during sporulation in Bacillus subtilis. *8*, 103.

The programmed switch in lysine-rich histone synthesis at gastrulation. *9*, 171.

Proliferation of buffalo rat liver cells in serum-free medium does not depend upon multiplication-stimulating activity (MSA). *11*, 441.

Propagation of a segment of bacteriophage λ DNA in monkey cells after covalent linkage to a defective simian virus 40 genome. *7*, 349.

Properties of a P70 proteolytic factor of murine leukemia viruses. *12*, 709.

Properties of enucleated cells: II. Characteristic overlapping of transformed cells is reestablished by enucleates. *3*, 51.

Properties of mammalian cells transformed by temperature-sensitive mutants of avian sarcoma virus. *11*, 513.

Properties of membrane-associated folded chromosomes of E. coli related to initiation and termination of DNA replication. *4*, 337.

Properties of sea urchin embryo messenger RNA containing and lacking poly(A). *6*, 171.

Properties of T antigens induced by wild-type SV40 and ts*A* mutants in lytic infection. *6*, 529.

Proposal for a common oligosaccharide intermediate in the synthesis of membrane glycoproteins. *12*, 893.

Protein expression in E. coli minicells by recombinant plasmids. *10*, 521.

Protein synthesis in oocytes of Xenopus laevis is not regulated by the supply of messenger RNA. *11*, 345.

A pseudogene structure in 5S DNA of Xenopus laevis. *12*, 109.

Quantitation of elongating form A and form B RNA polymerases in chick oviduct nuclei and effects of estradiol. *7*, 455.

Quantitation of globin mRNA levels during erythroid development in the rabbit and discovery of a new β-related species in immature erythroblasts. *11*, 353.

Quantitation of parameters that determine the rate of ovalbumin synthesis. *4*, 189.

Quantitation of the viral DNA present in somatic cell hybrids between mouse and SV40-transformed human cells. *6*, 535.

Quantitation of turnover and export to the cytoplasm of hnRNA transcribed in the Balbiani rings. *7*, 507.

Quantitation of vitellogenin messenger RNA in the liver of male Xenopus toads during primary and secondary stimulation by estrogen. *11*, 213.

A quantitative study of ultramicroinjection of macromolecules into animal cells. *7*, 551.

Questioning of reported evidence for guanosine tetraphosphate synthesis in a ribosome system from mouse embryos. *12*, 1127.

R loop mapping of the 18S and 28S sequences in the long and short repeating units of Drosophila melanogaster rDNA. *10*, 177.

RD-114, baboon and woolly monkey viral RNAs compared in size and structure. *7*, 609.

RNA metabolism of murine leukemia virus: size analysis of nuclear pulse-labeled virus-specific RNA. *11*, 297.

RNA polymerase-promoter interactions: some general principles. *3*, 97.

The RNA polymerase II of an α-amanitin-resistant Chinese hamster ovary cell line. *8*, 65.

RNA sequences specifically associated with mouse intracisternal A particles. *11*, 83.

RNA synthesis in puff 2-48BC after experimental induction in Drosophila hydei. *8*, 299.

The rabbit β-globin gene contains a large insert in the coding sequence. *12*, 1097.

A radiological analysis of the transcription units for heterogeneous nuclear RNA in cultured murine cells. *9*, 775.

A rapid rise in cell variants during the senescence of populations of human fibroblasts. *6*, 67.

Reception at neurones. *6*, 117.

Recognition and receptor-mediated uptake of a lysosomal enzyme α-L-iduronidase, by cultured human fibroblasts. *12*, 619.

Recognition sequences of repressor and polymerase in the operators of bacteriophage lambda. *5*, 109.

Recombinant DNA formation in a cell-free system from Xenopus laevis eggs. *12*, 191.

Recombination between bacterial plasmids leading to the formation of plasmid multimers. *9*, 707.

The regeneration and division of mouse L cell karyoplasts. *7*, 115.

Regression of mouse mammary gland anlagen in recombinants of *Tfm* and wild-type tissues: testosterone acts via the mesenchyme. *10*, 401.

Regular arrangement of restriction sites in Drosophila DNA. *5*, 413.

Regulation in rDNA-deficient Drosophila melanogaster. *4*, 275.

Regulation of a set of abundant mRNA sequences. *10*, 463.

Regulation of flagellin synthesis in the cell cycle of Caulobacter: dependence on DNA replication. *12*, 393.

Regulation of intracellular protein breakdown in stringent and relaxed strains of E. coli. *2*, 31.

Regulation of pretransfer RNA synthesis during transition from resting to growing state. *3*, 171.

Regulation of RNA polymerase II activity in α-amanitin-resistant CHO hybrid cells. *10*, 53.

Regulation of stable RNA synthesis and ppGpp levels in growing cells of Escherichia coli. *5*, 69.

Regulation of sugar transport in chick embryo fibroblasts infected with a temperature-sensitive mutant of RSV. *6*, 513.

Regulation of the activity of the low density lipoprotein receptor in human fibroblasts. *6*, 307.

Regulation of the proliferation rate of cultured, androgen-responsive cells does not involve changes in cyclic AMP levels. *3*, 361.

A reinvestigation of 5′ → 3′ polarity in 40S ribosomal RNA precursor of Xenopus laevis. *8*, 443.

The relationship between group C adenovirus tumor antigen and the adenovirus single-strand DNA-binding protein. *7*, 575.

Relationship between nuclear and polysomal RNA populations of Achyla: a simple eucaryotic system. *10*, 623.

Relationship of chain transcription to poly(A) addition and processing of hnRNA in HeLa cells. *3*, 255.

Relative activities of α-ecdysone and β-ecdysone for the differentiation in vitro of Drosophila melanogaster imaginal discs. *3*, 141.

The relative positions of sea urchin histone genes on chimeric plasmids pSp2 and pSp17 as studied by electron microscopy. *9*, 163.

Release of low density lipoprotein from its cell surface receptor by sulfated glycosaminoglycans. *7*, 85.

Reovirus mRNA: transcription and translation. *7*, 305.

Repeating units of Xenopus laevis oocyte-type 5S DNA are heterogeneous in length. *7*, 467.

Repetitious and unique sequences in the heterogeneous nuclear and cytoplasmic messenger RNA of mammalian and insect cells. *3*, 23.

Replicating circular DNA molecules in yeast. *4*, 249.

Resolution of simian virus 40 proteins in whole cell extracts by two-dimensional electrophoresis: heterogeneity of the major capsid protein. *9*, 289.

Restoration of normal morphology: adhesion and cytoskeleton in transformed cells by addition of a transformation-sensitive surface protein. *11*, 115.

Restriction analysis of the nontranscribed spacers of Xenopus laevis ribosomal DNA. *11*, 599.

Restriction endonuclease cleavage of satellite DNA in intact bovine nuclei. *9*, 355.

Ribonucleic acids in review. *2*, 121.

Ribosome binding to reovirus mRNA in protein synthesis requires 5′ terminal 7-methylguanosine. *6*, 185.

Role of nonhistone proteins in metaphase chromosome structure. *12*, 805.

The role of protein factors in the biosynthesis of proteins. *2*, 137.

Role of S-adenosylhomocysteine in adenosine-mediated toxicity in cultured mouse T lymphoma cells. *12*, 931.

Role of surface alterations in cell transformation: the importance of proteases and surface proteins. *1*, 147.

Role of the coated endocytic vesicle in the uptake of receptor-bound low density lipoprotein in human fibroblasts. *10*, 351.

The SV40 DNA template for transcription of late mRNA in viral nucleoprotein complexes. *11*, 495.

SV40-transformed cells with temperature-dependent serum requirements. *4*, 255.

Scanning biological organization. *5*, 340.

Selection and characterization of cells resistant to diphtheria toxin and Pseudomonas exotoxin A: presumptive translational mutants. *11*, 447.

Selection and characterization of eight phenotypically distinct lines of lectin-resistant Chinese hamster ovary cells. *6*, 121.

Selection of temperature-sensitive CHL asparagyl–tRNA synthetase mutants using the toxic lysine analog, S–2–aminoethyl–L–cysteine. *9*, 655.

The selection of virus-resistant Chinese hamster ovary cells. *8*, 529.

Selective degradation of integrated murine leukemia proviral DNA by deoxyribonucleases. *11*, 933.

Selective release of chromosomal proteins during limited DNAase 1 digestion of avian erythrocyte chromatin. *12*, 409.

The sequence arrangement of Drosophila melanogaster 5S DNA cloned in recombinant plasmids. *11*, 585.

Sequence arrangement of tRNA genes on a fragment of Drosophila melanogaster DNA cloned in E. coli. *11*, 763.

Sequence arrangement of the rDNA of Drosophila melanogaster. *10*, 213.

Sequence complexity of heterogeneous nuclear RNA in sea urchin embryos. *5*, 291.

Sequence from the assembly nucleation region of TMV RNA. *11*, 483.

Sequence organization of eucaryotic DNA: defining the unit of gene expression. *1*, 107.

Sequence organization of the human genome. *6*, 345.

Sequences associated with intracisternal A particles are reiterated in the mouse genome. *12*, 963.

Sequences containing methylated nucleotides at the 5′ termini of messenger RNAs: possible implications for processing. *3*, 197.

Sequences of 5S ribosomal RNA from Xenopus mulleri and the evolution of 5S gene-coding sequences. *8*, 485.

Sequential biochemical and morphological events during assembly of the fertilization membrane of the sea urchin. *10*, 321.

Serial cultivation of strains of human epidermal keratinocytes: the formation of keratinizing colonies from single cells. *6*, 331.

Shaking 3T3 cells: further studies on diffusion boundary effects. *3*, 207.

Short-lived, small RNAs in the cytoplasm of HeLa cells. *3*, 11.

Short polyadenylic acid sequences in insect chorion messenger RNA. *3*, 265.

A significant lag in the induction of ovalbumin messenger RNA by steroid hormones: a receptor translocation hypothesis. *8*, 557.

Similarity of hnRNA sequences in blastula and pluteus stage sea urchin embryos. *12*, 143.

A single integrated gene for ribosomal RNA in a eucaryote, Tetrahymena pyriformis. *12*, 121.

The size and genetic composition of virus-specific RNAs in the cytoplasm of cells producing avian sarcoma-leukosis viruses. *12*, 983.

The size of fibroin messenger RNA and its polyadenylic acid content. *4*, 199.

The size of pulse-labeled fibroin messenger RNA. *7*, 239.

Sizing and mapping of early adenovirus mRNAs by gel electrophoresis of S1 endonuclease-digested hybrids. *12*, 721.

Small angle neutron scattering studies of chromatin subunits in solution. *10*, 139.

Small circular DNA in Drosophila melanogaster. *9*, 333.

Small RNA species of the HeLa cell: metabolism and subcellular localization. *8*, 19.

Somatic cell hybridization of mouse myeloma cells. *8*, 405.

Spacer transfer RNAs in ribosomal RNA transcripts of E. coli: processing of 30S ribosomal RNA in vitro. *11*, 247.

Specific binding of the type C viral core protein p12 with purified viral RNA. *7*, 21.

Specific folding and contraction of DNA by histones H3 and H4. *11*, 609.

Specific inhibition of ribosomal RNA synthesis in Escherichia coli by tetracycline. *3*, 145.

Spontaneous heritable changes leading to increased adipose conversion in 3T3 cells. *7*, 105.

*spo*T, a new genetic locus involved in the stringent response in E. coli. *1*, 27.

Stable incorporation of plasmid DNA into higher plant cells: the molecular basis of crown gall tumorigenesis. *11*, 263.

Stable mutants of mammalian cells that overproduce the first three enzymes of pyrimidine nucleotide biosynthesis. *9*, 541.

Status of cancer research. *6*, 575.

Stimulating the lymphocyte. *6*, 416.

Stringent control of protein synthesis in E. coli. *3*, 47.

Structural gene sets active in embryos and adult tissues of the sea urchin. *7*, 487.

Structural genes adjacent to interspersed repetitive DNA sequences. *4*, 217.

The structural organization of ribosomal DNA in Drosophila melanogaster. *10*, 193.

Structural organization of the genome of the cellular slime mold Dictyostelium discoideum: interspersion of repetitive and single-copy DNA sequences. *5*, 401.

The structure of histone-depleted metaphase chromosomes. *12*, 817.

The structure of replicating adenovirus 2 DNA molecules. *12*, 1007.

The structures and fidelity of replication of mouse mitochondrial DNA—pSC101 Eco RI recombinant plasmids grown in E. coli K12. *7*, 517.

Studies of mouse mitochondrial DNA in Escherichia coli: structure and function of the eucaryotic-procaryotic chimeric plasmids. *6*, 231.

Studies on amino acid control of cellular function. *1*, 91.

Studies on nascent DNA in mouse myeloma. *2*, 23.

Studies on the activity of the X chromosomes in female teratocarcinoma cells in culture. *9*, 57.

Studies on the function of polyadenylic acid on poliovirus RNA. *6*, 41.

Studies on the levels of cyclic AMP in cells transformed by wild-type and temperature-sensitive Kirsten sarcoma virus. *1*, 59.

Studies on the mode of segregation of histone Nu bodies during replication in HeLa cells. *9*, 423.

Study of foldback DNA. *8*, 33.

Subcellular compartmentation of albumin and globin made in oocytes under the direction of injected messenger RNA. *11*, 683.

Sublines of mouse 3T3 cells that accumulate lipid. *1*, 113.

"Superinduction" of tyrosine aminotransferase by actinomycin D: a reevaluation. *5*, 29.

Suppression of replication of SV40 and polyoma virus in mouse-human hybrids. *11*, 25.

Surface changes in differentiating Friend erythroleukemic cells in culture. *10*, 689.

Synthesis and assembly of the membrane proteins in E. coli. *11*, 551.

Synthesis and turnover of polysomal mRNAs in sea urchin embryos. *10*, 415.

Synthesis of all the gene products of the reovirus genome in vivo and in vitro. *4*, 173.

Synthesis of erythrocyte-specific proteins in cultured Friend leukemia cells. *5*, 331.

The synthesis of eucaryotic ribosomal proteins in vitro. *11*, 201.

Synthesis of heterogeneous nuclear RNA in full-grown oocytes of Xenopus laevis (Daudin). *11*, 663.

Synthesis of histone mRNA sequences in isolated nuclei of cleavage stage sea urchin embryos. *3*, 283.

Synthesis of histone messenger RNA of HeLa cells during the cell cycle. *12*, 167.

Synthesis of hybrid bacterial plasmids containing highly repeated satellite DNA. *10*, 509.

Synthesis of ppGpp by mouse embryonic ribosomes. *3*, 249.

Synthesis of ribosomal RNA in E. coli: analysis using deletion mutants of a λ transducing phage carrying ribosomal RNA genes. *7*, 179.

Synthesis of viral mRNA and polyadenylate by a ribonucleoprotein complex from extracts of VSV-infected cells. *3*, 77.

Synthesis, surface deposition and secretion of immunoglobulins by Abelson virus-transformed lymphosarcoma cell lines. *6*, 149.

The synthesis, turnover and artificial restoration of a major cell surface glycoprotein. *5*, 75.

A system for mapping DNA sequences in the chromosomes of Drosophila melanogaster. *3*, 315.

The T locus of the mouse. *6*, 441.

Tfm mutation and masculinization versus feminization of the mouse central nervous system. *3*, 235.

Temperature-sensitive cell cycle mutants: a Chinese hamster cell line with a reversible block in cytokinesis. *5*, 123.

Temperature-sensitive lethal mutants in the structural gene for DNA ligase in the yeast Schizosaccharomyces pombe. *12*, 1109.

Temperature-sensitive mutants of BALB/3T3 cells: description of a mutant affected in cellular and polyoma virus DNA synthesis. *7*, 289.

A temperature-sensitive suppressor enabling the manipulation of the level of individual proteins in intact cells. *7*, 205.

Temporal order in yeast chromosome replication. *5*, 263.

Temporal regulation of herpes virus type 1 transcription: location of transcripts on the viral genome. *12*, 275.

The temporal structure of S phase. *5*, 195.

Teratocarcinoma differentiation: plasminogen activator activity associated with embryoid body formation. *10*, 297.

Teratocarcinomas as a model system for the study of embryogenesis and neoplasia. *5*, 229.

Terminal differentiation in cultured Friend erythroleukemia cells. *12*, 901.

Terminal differentiation of cultured human epidermal cells. *11*, 405.

Testis-determining H-Y antigen in XO males of the mole-vole (Ellobius lutescens). *10*, 729.

The 30S Moloney sarcoma virus RNA contains leukemia virus nucleotide sequences. *9*, 299.

The 3′ terminal sequences of human α– and β–globin messenger RNAs: comparison with rabbit globin messenger RNA. *9*, 733.

Thy 1 (theta) antigen on the surface of morphologically distinct brain cell types. *4*, 95.

Thy 1 variants of mouse lymphomas: biochemical characterization of the genetic defect. *6*, 279.

Tissue-specific forms of actin in the developing chick. *8*, 521.

The topography and transcription of the adenovirus genome. *10*, 153.

Topography of polyoma virus messenger RNA molecules. *7*, 361.

Transcription at two heat shock loci in Drosophila. *12*, 441.

Transcription during productive infection with polyoma virus and simian virus 40. *8*, 1.

Transcription in polytene chromosomes. *4*, 1.

Transcription of specific genes in isolated nuclei by exogenous RNA polymerases. *10*, 405.

Transfer of anchorage independence by isolated metaphase chromosomes in hamster cells. *12*, 675.

Transfer of murine intracisternal A particle phenotype in chloramphenicol-resistant cytoplasts. *9*, 383.

Transfer of purified herpes virus thymidine kinase gene to cultured mouse cells. *11*, 223.

Transfer RNA genes between 16S and 23S rRNA genes in rRNA transcription units of E. coli. *7*, 165.

Transformation-defective virus mutants in a class of morphologic revertants of sarcoma virus-transformed nonproducer cells. *2*, 279.

Transformation of chicken embryo retinal melanoblasts by a temperature-sensitive mutant of Rous sarcoma virus. *11*, 881.

Transformation of chondroblasts by Rous sarcoma virus and synthesis of the sulfated proteoglycan matrix. *11*, 891.

Transformation of cultured human vascular endothelium by SV40 DNA. *9*, 685.

Translation of Xenopus liver messenger RNA in Xenopus oocytes: vitellogenin synthesis and conversion to yolk platelet proteins. *8*, 283.

Translational capacity of deadenylated messenger RNA. *1*, 101.

The translational capacity of deadenylated ovalbumin messenger RNA. *8*, 51.

Translational control of protein synthesis during the early stages of differentiation of the slime mold Dictyostelium discoideum. *12*, 301.

Translocatable elements in procaryotes. *11*, 11.

Tumor viruses at Cold Spring Harbor. *2*, 295.

Turnover of tubulin and the N site GTP in Chinese hamster ovary cells. *12*, 587.

Two active forms of RD-114 virus DNA polymerase in infected cells. *6*, 45.

Two adenovirus mRNAs have a common 5′ terminal leader sequence encoded at least 10 kb upstream from their main coding regions. *12*, 9.

Two complementary strand-specific termination sites for adenovirus DNA replication. *9*, 259.

Two homogeneous myosins in body-wall muscle of Caenorhabditis elegans. *10*, 721.

Two very different components of messenger RNA in an insect cell line. *4*, 131.

Type C viruses of baboons: isolation from normal cell cultures. *2*, 55.

Ultrastructural patterns of RNA synthesis during early embryogenesis of Drosophila melanogaster. *8*, 305.

Ultraviolet mapping of the adenovirus 2 early promoters. *12*, 45.

A unified theory of the control of actin and myosin in nonmuscle movements. *3*, 123.

A unique pattern of integrated viral genes in hamster cells transformed by highly oncogenic human adenovirus 12. *7*, 419.

A unique RNA species involved in initiation of vesicular stomatitis virus RNA transcription in vitro. *8*, 197.

Units of transcription and translation: sequence components of heterogeneous nuclear RNA and messenger RNA. *4*, 77.

Units of transcription and translation: the relationship between heterogeneous nuclear RNA and messenger RNA. *4*, 11.

A uridine kinase-deficient mutant of 3T3 and a selective method for cells containing the enzyme. *1*, 23.

Variation in chromatin structure in two cell types from the same tissue: a short DNA repeat length in cerebral cortex neurons. *10*, 633.

Vertebrate DNA polymerases. *5*, 101.

A very large repeating unit of mouse DNA containing the 18S, 28S and 5.8S rRNA genes. *11*, 795.

Vesicular stomatitis virus envelope glycoprotein alterations induced by host cell transformation. *2*, 63.

Viral DNA sequences from incomplete particles of human adenovirus type 7. *12*, 243.

Viral hepatitis, the B antigen and liver cancer. *1*, 65.

Virogenic nontransformed cells isolated following infection of normal rat kidney cells with B77 strain Rous sarcoma virus. *3*, 71.

Virus infection of murine teratocarcinoma stem cell lines. *12*, 973.

The virus-specified subunits of a modified B. subtilis RNA polymerase are determinants of DNA binding and RNA chain initiation. *8*, 595.

Visualization and mapping of the late nuclear adenovirus RNA. *10*, 225.

X-linked control of hemoglobin production in somatic hybrids of mouse erythroleukemic cells and mouse lymphoma or bone marrow cells. *12*, 263.

Yeast super-suppressors are altered tRNAs capable of translating a nonsense codon in vitro. *6*, 269.

Yeast suppressors of UAA and UAG nonsense codons work efficiently in vitro via tRNA. *7*, 381.

Zea mays chloroplast ribosomal RNA genes are part of a 22,000 base pair inverted repeat. *11*, 739.

Cell Cumulative Index, Vol. 1–12, Copyright © 1979 by MIT

Author Index

Aaronson, S. A., *2*, 87; *2*, 279; *3*, 347; *6*, 543; *9*, 489; *10*, 641
Abelson, H. T., *1*, 95; *1*, 161; *4*, 69
Abraham, G., *5*, 51; *5*, 59
Acheson, N. H., *8*, 1
Adair, G. M., *11*, 157
Adams, J. M., *11*, 795
Adamson, E. D., *9*, 57
Adhya, S., *3*, 39; *12*, 847
Adler, R., *2*, 113; *5*, 59
Adolph, K. W., *12*, 805
Affara, N. A., *12*, 509
Ajiro, K., *4*, 59
Alberts, B., *4*, 301; *9*, 409
Albrecht-Buehler, G., *11*, 395; *12*, 333
Alexander, V., *8*, 529
Ali, I. U., *11*, 115
Allen, J. R., *6*, 161
Allende, J. E., *2*, 189
Allfrey, V. G., *9*, 725; *12*, 409
Allison, D. C., *6*, 521
Allred, L. E., *3*, 382
Altman, S., *3*, 21; *9*, 101
Alton, T. H., *12*, 301
Alwine, J. C., *6*, 529; *11*, 523
Amos, H., *3*, 179; *7*, 97
Amos, L. A., *7*, 191
Amsterdam, A., *7*, 543
Anandaraj, M. P. J. S., *6*, 407
Anderson, C. W., *7*, 141; *12*, 37
Anderson, D. M., *11*, 663
Anderson, G. R., *2*, 87; *2*, 279
Anderson, J. N., *7*, 331
Anderson, R., *12*, 553
Anderson, R. G. W., *10*, 351
Anderson, S., *7*, 575
Anderson, W., *12*, 609
Anderson, W. F., *12*, 205
Andersson, J., *10*, 27
Angerer, L., *9*, 81
Angerer, R. C., *6*, 29
Anisowicz, A., *4*, 321
Arad, G., *8*, 95
Arceci, R. J., *9*, 171
Arcement, L. J., *4*, 31
Arlinghaus, R. B., *4*, 31; *10*, 79
Arndt-Jovin, D., *10*, 689
Arnheim, N., *11*, 363
Arnold, E., *11*, 651; *12*, 167
Arnstein, H. R. V., *11*, 353
Artavanis-Tsakonas, S., *12*, 1057
Arthur, E., *3*, 153
Astrin, K. H., *12*, 383
Atherly, A. G., *3*, 145
Atkins, J. F., *7*, 141; *12*, 37
Attardi, B., *2*, 205
Attardi, G., *9*, 81
Austoker, J. L., *3*, 227
Ausubel, F. M., *9*, 707
Aviv, H., *7*, 567; *8*, 495; *11*, 641
Axel, R., *7*, 247; *9*, 355; *11*, 223
Ayed, S. R., *3*, 135

Bacheler, L., *12*, 1021
Backman, K., *5*, 109
Bader, J. P., *3*, 307
Baglioni, C., *4*, 59; *10*, 113
Bailey, J. M., *7*, 609
Bainton, D. F., *4*, 353
Bajszar, G., *9*, 323
Baker, R. M., *1*, *9*; *3*, 221
Baldwin, J. P., *10*, 139
Balkow, K., *11*, 187
Baltimore, D., *6*, 41; *7*, 33; *11*, 51; *11*, 505
Bakayev, V. V., *11*, 619
Bakayeva, T. G., *11*, 619
Banerjee, A. K., *3*, 327; *4*, 37; *5*, 51; *5*, 59; *8*, 197
Bank, A., *12*, 463
Bantle, J. A., *8*, 139
Baralle, F. E., *10*, 549; *12*, 1085
Baran, N., *11*, 65
Barbacid, M., *10*, 641
Bard, E., *1*, 101
Bard, J., *2*, 120; *4*, 407; *6*, 113
Barell, E. F., *7*, 323
Barnett, W. E., *9*, 717
Baseman, J. B., *3*, 179
Basilico, C., *4*, 255
Bassin, R. H., *7*, 373; *10*, 479
Bastos, R. N., *8*, 495; *11*, 641
Basu, S. K., *7*, 85
Baum, P. R., *7*, 141
Baxter, J. D., *12*, 157
Beatty, B. G., *10*, 53
Beckendorf, S. K., *9*, 365
Bedbrook, J. R., *9*, 707; *11*, 739
Beebee, T. J. C., *3*, 227
Beemon, K., *9*, 299
Beers, W. H., *6*, 379; *6*, 387
Bellett, A. J. D. , *11*, 283
Benbow, R. M., *12*, 191
Bender, W., *7*, 595; *7*, 609
Benecke, B.-J., *12*, 939
Benedict, W. F., *5*, 323; *6*, 245
Benjamin, T. L., *7*, 213
Bennett, D., *6*, 441
Benoff, S., *12*, 263
Benveniste, R. E., *2*, 55
Benyajati, C., *9*, 393; *12*, 83
Benz, E. J., Jr., *7*, 323
Benz, E. W., Jr., *7*, 255
Berendes, H. D., *8*, 299
Berg, P., *9*, 695
Berger, H., Jr., *2*, 23
Berget, S. M., *9*, 559
Berk, A. J., *12*, 45; *12*, 721
Bernstein, A., *9*, 375; *12*, 287
Berridge, M. V., *8*, 283
Betlach, M., *10*, 521
Beyer, A. L., *11*, 127
Biehl, J., *11*, 881
Bigley, R., *5*, 331
Billeter, M. A., *12*, 57
Bina-Stein, M., *11*, 609
Birkenmeier, E. H., *11*, 495
Birnboim, H. C., *5*, 173; *5*, 183
Birnie, G. D., *4*, 121
Birnstiel, M., *8*, 455; *8*, 471; *8*, 479
Bishop, J. M., *6*, 299; *11*, 307; *12*, 983; *12*, 993
Bishop, J. O., *1*, 117; *2*, 81; *3*, 23; *3*, 341; *8*, 33; *9*, 761; *12*, 751
Bisseling, T., *8*, 299
Biswas, D. K., *11*, 431
Bittner, R., *7*, 75
Blecher, S. R., *1*, 3
Blumberg, P. M., *6*, 137
Blumenthal, A. B., *12*, 183
Boettiger, D., *3*, 71; *11*, 881; *11*, 891
Boffa, L. C., *12*, 409
Bogenhagen, D., *11*, 719
Bogorad, L., *11*, 739
Bonner, J. J., *8*, 43; *12*, 219; *12*, 227
Bonner, J. T., *6*, 111
Borun, T. W., *4*, 59
Botchan, M., *9*, 269
Botchan, P., *11*, 599
Both, G. W., *4*, 173; *6*, 185; *7*, 305
Bothwell, A. L. M., *9*, 101
Botstein, D., *7*, 381
Bourgeois, S., *11*, 423
Bowman, L. H., *10*, 587
Boyer, H. W., *7*, 517; *10*, 521
Boynton, J. E., *6*, 75
Boyse, E. A., *5*, 367
Brackenbury, R., *4*, 347
Bradbury, E. M., *10*, 139
Braganza, C. M., *4*, 103; *5*, 447
Brawerman, G., *5*, 271
Brendler, T. G., *7*, 557
Brinkley, B. R., *12*, 319
Britten, R. J., *1*, 127; *2*, 9; *4*, 217; *5*, 291; *6*, 29; *7*, 487; *10*, 415
Broker, T. R., *11*, 819; *12*, 1
Brooks, R. F., *12*, 311
Brot, N., *2*, 137
Brown, D. D., *4*, 199; *4*, 207; *7*, 467; *7*, 477; *12*, 1045
Brown, J. E., *6*, 481
Brown, M. S., *6*, 307; *7*, 85; *9*, 195; *9*, 663; *10*, 351; *12*, 629
Brown, N. R., *3*, 307
Brown, R. D., *8*, 485; *12*, 1045
Brown, W. M., *7*, 517
Brownlee, G. G., *12*, 109
Bruist, M., *9*, 541
Brum, C. K., *9*, 717
Brumbaugh, J., *11*, 881
Brunette, D. M., *1*, 9
Brunschede, G. Y., *7*, 85
Brutlag, D., *10*, 509; *11*, 371; *12*, 471
Bryan, J., *12*, 573
Buchanan, J. M., *7*, 407
Buchwald, M., *3*, 221
Burke, W., *5*, 263
Burridge, K., *6*, 289
Bustin, M., *7*, 297
Butler, P. J. G., *11*, 455
Butterworth, P. H. W., *3*, 227
Buttin, G., *5*, 123
Bye, J. M., *3*, 113

Caillibot, V., *6*, 121
Cairns, J., *6*, 415; *6*, 575
Camerini-Otero, R. D., *8*, 333; *9*, 179
Cameron, J. R., *8*, 227
Campo, M. S., *3*, 23
Cancedda, R., *6*, 215
Capecchi, M. R., *6*, 269; *12*, 371
Capecchi, N. E., *12*, 371
Carbon, J., *9*, 91; *11*, 585
Carchman, R. A., *1*, 59
Cardiff, R. D., *10*, 11
Carey, N. H., *8*, 51
Carlson, M., *11*, 371
Carlsson, L., *7*, 531
Carroll, D., *7*, 467; *7*, 477; *12*, 1045
Carter, B. L. A., *6*, 259
Caskey, C. T., *5*, 115; *7*, 323; *8*, 71; *9*, 655; *12*, 383
Cech, T., *11*, 631
Cech, T. R., *5*, 429
Cedar, H., *11*, 933
Chalkley, R., *12*, 417
Chambers, D. A., *3*, 375
Chambon, P., *4*, 281
Chang, A. C. Y., *6*, 231; *6*, 359
Chang, C., *3*, 51
Chang, S. E., *7*, 391
Chang, S. H., *9*, 717
Chapman, V. M., *9*, 533; *12*, 873
Charache, S., *9*, 71
Chardonnet, Y., *10*, 101
Chasin, L. A., *2*, 37
Chen, L. B., *7*, 407; *10*, 393; *10*, 669
Chen, Y. C., *11*, 513
Chen Kiang, S. Y., *3*, 55
Cheng, S. M., *12*, 805
Cheng, Y.-C., *11*, 223
Chesterton, C. J., *3*, 227; *11*, 353
Chestier, A., *12*, 947
Chilton, M.-D., *11*, 263
Chinnadurai, G., *7*, 419
Chovnick, A., *11*, 1
Chow, L. T., *11*, 819; *12*, 1
Christensen, M. E., *11*, 127
Chu, L., *7*, 97
Chung, K.-C., *8*, 397
Chung, S. H., *3*, 201
Church, R. L., *10*, 287
Clark, E. J., *12*, 183
Clark, T. G., *12*, 883
Clarke, B., *9*, 221

Clarke, L., *9*, 91
Clarkson, S. G., *8*, 183
Clayton, D. A., *6*, 231; *11*, 719; *12*, 471
Clegg, J. B., *8*, 13; *9*, 71
Clements, G., *11*, 139
Clements, J. B., *12*, 275
Clissold, P. M., *11*, 353
Cockburn, A. F., *9*, 605
Coen, D. M., *8*, 521
Coffin, J. M., *11*, 51
Coffino, P., *10*, 381; *11*, 149
Cohen, A., *9*, 205
Cohen, E. P., *6*, 521
Cohen, M., Jr., *11*, 585; *11*, 763
Cohen, S. N., *6*, 231; *6*, 359
Cohn, R. H., *6*, 359; *9*, 147; *9*, 163; *9*, 495
Colby, D. S., *9*, 449
Collis, P. S., *9*, 15
Colonno, R. J., *8*, 197
Comi, P., *8*, 13; *9*, 71
Conlon, S., *3*, 51
Conrad, S. E., *11*, 585; *11*, 763
Contreras, R., *9*, 117; *12*, 529
Coon, H. G., *11*, 441
Cory, S., *11*, 795
Coulter, M., *12*, 553
Coutinho, A., *10*, 27
Couturier, M., *7*, 155
Cox, R. F., *7*, 455
Craig, E. A., *8*, 205
Craig, N., *4*, 329
Crawford, L. V., *11*, 35
Creagan, R., *12*, 205
Cremisi, C., *12*, 947
Crerar, M. M., *10*, 53
Crichley, V., *9*, 375
Critchley, D. R., *3*, 121
Croce, C. M., *6*, 535; *11*, 25
Curtis, D., *2*, 229

Dahlberg, J. E., *7*, 165; *11*, 247
Dales, S., *12*, 553
Daneholt, B., *4*, 1
Darnell, E. J., Jr., *9*, 465; *9*, 473
Darnell, J. E., Jr., *1*, 43; *2*, 247; *3*, 255; *7*, 227; *10*, 611; *10*, 617; *12*, 733
Das, S., *11*, 321
Davidson, E. A., *4*, 353
Davidson, E. H., *1*, 127; *2*, 9; *4*, 217; *5*, 291; *6*, 29; *7*, 487; *10*, 415
Davidson, N., *4*, 141; *5*, 159; *5*, 227; *7*, 595; *7*, 609; *9*, 81; *9*, 163; *10*, 213; *10*, 469; *11*, 585; *11*, 763
Davidson, R. L., *12*, 923
Davies, A. J. S., *3*, 105; *4*, 103; *5*, 447
Davis, M. M., *7*, 487
Davis, R. W., *8*, 227
Davoli, D., *7*, 349
Dawid, I. B., *8*, 443; *9*, 615; *10*, 193; *11*, 571; *11*, 599
Deaven, L. L., *5*, 195
deCrombrugghe, B., *12*, 847
Deininger, P. L., *6*, 345
Deisseroth, A., *12*, 205
DeLarco, J., *8*, 365
Dennis, P. P., *7*, 165
Derman, E., *3*, 255; *9*, 465
DeRobertis, E. M., *12*, 175
Desmond, W. J., Jr., *8*, 79
Dettori, G., *8*, 505
Dev, V. G., *1*, 167
Devreotes, P. N., *10*, 365
Dexter, T. M., *12*, 355
Diez, J., *5*, 271
DiLauro, R., *12*, 847
Dina, D., *9*, 299
Ditta, G. S., *10*, 697
Dixon, G. H., *10*, 433; *10*, 443
Doel, M. T., *8*, 51
Doenecke, D., *8*, 59
Doenges, K. H., *12*, 573
Doerfler, W., *10*, 101
Dolecki, G. J., *11*, 339
Donelson, J. E., *3*, 315
Dottin, R. P., *8*, 233
Doyle, T., *12*, 341
Drews, U., *1*, 3; *6*, 475; *10*, 401
Drummond, M. H., *11*, 263
Drury, K. C., *4*, 269
Dubroff, L. M., *6*, 171
Duchastel, A., *9*, 597
Duesberg, P., *9*, 299
Duffy, J. J., *8*, 595
Duksin, D., *5*, 83
Duncan, R. F., *11*, 339
Dunn, A. R., *12*, 23
Duran-Troise, G., *7*, 373; *10*, 479
Durham, A. C. H., *2*, 123

Eddy, E. M., *10*, 321
Edelmann, P., *10*, 131
Edelson, P. J., *11*, 707
Efron, D., *1*, 101
Efstratiadis, A., *4*, 367; *7*, 279; *8*, 163; *10*, 571
Egyhazi, E., *7*, 507
Ehrnst, A., *5*, 351
Eickbush, T. H., *9*, 785
Eisen, H., *10*, 689
Elder, P. K., *7*, 255; *11*, 909
Elgin, S. C. R., *11*, 971
Eliceiri, G. L., *3*, 11
Elliot, E. V., *4*, 103; *5*, 447
Emerson, C. P., Jr., *10*, 587
Emtage, S., *8*, 557
Eneroth, P., *7*, 413
Engel, W., *2*, 75
Epstein, H. F., *10*, 709; *10*, 721
Erbe, J., *2*, 71
Erlanger, B. F., *9*, 503
Evans, J., *3*, 153
Evans, L. H., *5*, 331
Evans, M. J., *2*, 163; *6*, 455; *6*, 467
Evans, R. M., *12*, 733

Fagraeus, A., *6*, 507
Fambrough, D. M., *10*, 365
Fan, H., *9*, 579; *11*, 297
Fangman, W. L., *5*, 263; *5*, 423; *8*, 425
Fareed, G. C., *7*, 349; *9*, 685
Farrell, P. J., *11*, 187
Faust, J. R., *9*, 195
Faust, M., *9*, 597
Fedoroff, N., *10*, 597
Feigelson, P., *7*, 247
Felsenfeld, G., *8*, 333; *9*, 179; *10*, 537
Felton, J., *9*, 533
Fenwick, R. G., Jr., *5*, 115; *12*, 383
Ferguson, C., *7*, 41
Ferguson, J., *6*, 529
Fibach, E., *12*, 463
Fields, B. N., *2*, 271
Fiers, W., *9*, 117; *12*, 529
Fink, G., *7*, 381
Finnegan, D. J., *3*, 315; *5*, 149
Firtel, R. A., *2*, 189; *5*, 401; *9*, 605
Fischinger, P. J., *10*, 79
Fishman, P. H., *5*, 1
Fitch, W. M., *3*, 384; *6*, 417
Flashman, S., *5*, 109
Flavell, R. A., *12*, 429; *12*, 1097
Fleissner, E., *9*, 573
Fleming, H., *3*, 159
Flint, J., *8*, 151; *9*, 559; *10*, 153; *12*, 783
Flintoff, W., *12*, 553
Foe, V. E., *9*, 131
Foerder, C., *10*, 321
Ford, P. J., *8*, 485
Forget, B. G., *7*, 323
Forster, G., *10*, 121
Forte, M. A., *8*, 425
Foss, K., *5*, 389
Foster, S. J., *3*, 135
Francke, B., *5*, 205; *12*, 1021
Francke, U., *11*, 949
Francoeur, A. M., *11*, 273
Fraser, N., *12*, 733
Frederici, K. H., *4*, 387; *6*, 13
Freedman, V. H., *3*, 355
Freeman, K. B., *1*, 117
Freese, E., *5*, 1
Freikopf, A., *8*, 95
Frels, W. I., *12*, 873
Freundlich, M., *12*, 1121
Fried, M., *11*, 331
Friedman, E. A., *12*, 901
Friedman, R. M., *10*, 245
Friedrich, U., *10*, 381
Fromson, D., *9*, 597
Frowein, J., *2*, 75
Fry, K., *10*, 509; *12*, 1069
Fuchs, S., *5*, 83
Fulder, S. J., *6*, 67
Fuortes, M. G. F., *6*, 117
Furano, A. V., *8*, 115
Furuichi, Y., *6*, 21; *6*, 185; *7*, 227
Fuseler, J. W., *12*, 319

Gabrielli, F., *4*, 59
Gaffney, B. J., *4*, 405
Gage, L. P., *7*, 339
Galau, G. A., *2*, 9; *7*, 487; *10*, 415
Galfre, G., *12*, 663
Gall, J. G., *12*, 121
Gallant, J., *1*, 27; *7*, 75; *10*, 131; *11*, 181
Gallant, J. A., *3*, 47
Gallimore, P. H., *10*, 669
Gallo, M., *12*, 609
Gallo, R. C., *2*, 295
Ganem, D., *7*, 349
Gardner, J. M., *10*, 365
Garner, M., *9*, 247
Garrels, J. I., *9*, 793; *12*, 767
Gazdar, A. F., *11*, 949
Gearhart, J. D., *6*, 61
Gedamu, L., *10*, 443
Gehring, U., *3*, 59; *3*, 301
Gehring, W. J., *12*, 643; *12*, 1057
Geiduschek, E. P., *8*, 595
Gelbart, W., *11*, 1
Gelinas, R. E., *3*, 265; *11*, 533; *12*, 1
Geller, L. N., *1*, 175; *3*, 235
Geller, R., *9*, 221
Geltosky, J. E., *8*, 391
Georgiev, G. P., *9*, 323
Georgopoulos, C. P., *10*, 689
Gershowitz, A., *4*, 379; *10*, 113
Gerwin, B. I., *6*, 45; *7*, 373; *10*, 479
Gesteland, R. F., *7*, 141; *7*, 381
Getz, M. J., *4*, 121; *7*, 255; *11*, 909
Gibson, W., *9*, 793
Giglioni, B., *8*, 13; *9*, 71
Gilbert, S. F., *5*, 11
Gilboa, E., *7*, 567
Gillam, S., *11*, 807
Gillham, N. W., *6*, 75
Gillum, A. M., *6*, 395; *6*, 407
Gimbrone, M. A., Jr., *9*, 685
Giorno, R., *9*, 775
Glaser, D. A., *10*, 305
Glover, D. M., *5*, 149; *10*, 167
Goff, S. P., *9*, 695
Goldberg, A. R., *2*, 95
Goldberg, B., *1*, 185; *4*, 45; *11*, 169
Goldberg, R. B., *10*, 623
Goldberg, R. J., *8*, 87
Goldberg, S., *9*, 465; *10*, 617
Goldblatt, D., *7*, 297
Goldman, E., *7*, 213
Goldman, R. D., *3*, 51
Goldstein, G., *5*, 361; *5*, 367
Goldstein, J. L., *6*, 307; *7*, 85; *9*, 195; *9*, 663; *10*, 351; *12*, 629
Goldstein, L., *2*, 259; *12*, 601
Gollogly, R., *7*, 41
Goodman, H. M., *7*, 517; *9*, 289; *12*, 157; *12*, 1133
Gordon, M. P., *11*, 263
Gorenstein, C., *11*, 201

Gottesfeld, J. M., *12*, 953
Gottesman, M. E., *1*, 69; *3*, 39
Gottlieb, P. D., *6*, 416
Gough, S., *6*, 75
Goulian, M., *12*, 483
Graham, D. E., *1*, 127
Graham, J. M., *4*, 353
Graham, M., *6*, 171
Grainger, R., *12*, 837
Green, A. A., *6*, 129
Green, C. D., *2*, 241; *7*, 131
Green, H., *1*, 23; *1*, 95; *1*, 113; *1*, 161; *1*, 167; *2*, 109; *2*, 287; *3*, 127; *3*, 171; *3*, 367; *4*, 69; *5*, 19; *6*, 317; *6*, 331; *7*, 105; *9*, 511; *11*, 405; *11*, 417
Green, M., *7*, 419
Green, M. R., *7*, 419
Greenberger, J. S., *2*, 279
Grisafi, P., *7*, 381
Grodzicker, T., *4*, 113; *5*, 93
Groneberg, J., *10*, 101
Groner, B., *11*, 923
Gros, F., *12*, 509
Gross, J. D., *6*, 573
Gross, K., *8*, 455; *8*, 471; *8*, 479
Gross, P. R., *9*, 171
Gross-Bellard, M., *4*, 281
Groudine, M., *3*, 243
Grove, W. E., *9*, 37
Gruber, M., *8*, 123
Grummt, F., *7*, 439; *7*, 447
Grummt, I., *7*, 439; *7*, 447
Grunstein, M., *4*, 239
Guialis, A., *10*, 53
Guilley, H., *11*, 483
Gupta, R. S., *9*, 213; *10*, 61
Gurdon, J. B., *11*, 345
Gusella, J. F., *8*, 263; *9*, 221
Gussin, G., *5*, 213; *6*, 571
Gustafsson, J.-A., *7*, 413
Guthrie, C., *9*, 449

Haapala, D. K., *10*, 79
Haas, M., *1*, 79
Haberman, A. B., *3*, 15
Hagenbuchle, O., *11*, 561
Hagopian, H. K., *12*, 855
Hahn, W. E., *8*, 139
Hale, A. H., *5*, 245; *10*, 45
Hamer, D. H., *5*, 413
Hamilton, J., *8*, 271; *11*, 695
Hamkalo, B. A., *6*, 115
Hardison, R. C., *12*, 417
Harford, A. G., *11*, 383; *11*, 389
Harris, H. E., *10*, 709; *10*, 721
Hartman, J. R., *12*, 73
Haselkorn, R., *3*, 159
Hashmi, S., *1*, 167
Hassell, J. A., *12*, 23
Hastie, N. D., *9*, 761
Hatzfeld, J., *5*, 123
Haudenschild, C., *8*, 373
Hayman, M. J., *11*, 95; *11*, 513
Hearst, J. E., *5*, 429
Heasley, S., *11*, 307
Hecker, L. I., *9*, 717
Heidemann, S. R., *10*, 337
Helinski, D. M., *9*, 333
Henderson, E. E., *5*, 381
Henderson, I. C., *3*, 65
Henikoff, S., *12*, 441
Henneberry, R. C., *5*, 1
Hereford, L. M., *10*, 453; *10*, 463
Herman, M. M., *9*, 37
Herman, R. C., *7*, 429
Hershey, N. D., *11*, 585
Hershko, A., *1*, 91; *2*, 31
Heumann, J., *7*, 67
Hewick, R. M., *11*, 331
Hewlett, M. J., *11*, 51
Higashinakagawa, T., *8*, 449
Hill, C. W., *6*, 419
Hillman, D. G., *7*, 323
Hirsch, M., *1*, 31; *3*, 335
Hirsch, J., *11*, 545
Hirth, L., *11*, 483
Hitchcock, S. E., *7*, 531
Hjelm, R. P., *10*, 139
Hoffman, R., *11*, 901
Hogan, B., *2*, 229
Hogness, D. S., *3*, 315; *5*, 149; *6*, 207; *10*, 167; *10*, 177
Holborow, E. J., *4*, 103; *5*, 447
Holden, J. J., *12*, 643
Holliday, R., *6*, 67; *8*, 573
Holmes, D. S., *9*, 163
Holtzer, H., *3*, 243; *11*, 881; *11*, 891
Honjo, T., *5*, 139
Hoover, R. L., *12*, 295
Hough, B. R., *4*, 217; *5*, 291
Housman, D., *7*, 323; *8*, 263; *9*, 221
Hovi, T., *2*, 235
Howk, R. S., *3*, 15; *4*, 321
Hsie, A. W., *2*, 145
Hu, S., *7*, 609; *10*, 469
Huang, R. C. C., *2*, 23
Hubbard, S. C., *12*, 893
Hubbell, E. S., *8*, 87
Huberman, J. A., *6*, 551; *12*, 1029
Hudson, J., *8*, 535
Huebner, K., *11*, 25
Hughes, S. H., *6*, 269
Hui, H., *4*, 131
Huisman, T. H. J., *7*, 323
Humphreys, T., *11*, 339; *12*, 143
Humphries, S., *7*, 267
Hung, P., *10*, 509
Hunt, D. M., *9*, 375
Hunt, T., *11*, 187
Hunter, T., *12*, 767; *12*, 1021
Hutner, S. H., *2*, 119
Hyman, R., *6*, 279
Hynes, N. E., *11*, 923
Hynes, R. O., *1*, 147; *3*, 113; *4*, 353; *11*, 115

Iatrou, K., *10*, 433; *10*, 443
Ibel, K., *10*, 139
Ikemura, T., *11*, 779
Ilgen, C., *11*, 585; *11*, 763
Ingles, C. J., *8*, 65; *10*, 53
Ingram, V. M., *12*, 855
Irr, J. D., *3*, 249; *12*, 1127
Irwin, D., *4*, 157
Ish-Horowicz, D., *12*, 643
Ito, K., *11*, 551

Jackson, J. F., *5*, 45
Jackson, R. J., *11*, 187
Jacob, F., *12*, 509
Jacq, C., *12*, 109
Jacquet, M., *12*, 509
Jaehning, J. A., *4*, 51
Jaenisch, R., *12*, 691
Jakob, H., *12*, 509
James, E., *10*, 275
Jarvis, J. M., *6*, 5
Jaskunas, S. R., *7*, 165
Jeffrey, A., *4*, 367; *5*, 109
Jeffreys, A. J., *12*, 429; *12*, 1097
Jelinek, W., *1*, 43; *2*, 197; *7*, 227; *10*, 611
Jessel, D., *8*, 535
Jimenez, H., *11*, 95
John, H. A., *12*, 491; *12*, 501
Johnson, G. S., *1*, 59
Johnson, L. F., *1*, 95; *1*, 161; *4*, 69
Jolicoeur, P., *7*, 33
Jonard, G., *11*, 483
Jones, G. E., *2*, 43
Jones, K. W., *12*, 501
Jones, P. A., *5*, 323; *6*, 245
Jørgensen, P., *8*, 123
Juliani, M. H., *10*, 329

Kabat, D., *5*, 331
Kafatos, F. C., *3*, 265; *4*, 367; *7*, 279; *8*, 163; *9*, 365; *10*, 571
Kakunaga, T., *5*, 131
Kamen, R., *7*, 361; *9*, 481
Kan, J., *1*, 175
Kaplan, B. A., *5*, 139
Kaplan, D., *12*, 683
Karnovsky, M. J., *7*, 97; *7*, 213; *12*, 295
Kashmiri, S. V. S., *7*, 373
Kates, J. R., *7*, 115; *7*, 397
Katz, F., *10*, 253
Kaufman, E. R., *12*, 923
Kaufman, S. J., *4*, 263
Kaufman, Y., *10*, 67
Kaulenas, M. S., *3*, 249
Kaziro, Y., *5*, 69; *12*, 521
Kedes, L. H., *3*, 283; *4*, 239; *6*, 359; *8*, 321; *9*, 147; *9*, 495
Kee, S. G., *8*, 163
Kehinde, O., *1*, 113; *5*, 19; *7*, 105
Kelley, D., *2*, 145
Kelley, D. E., *1*, 37; *4*, 387; *6*, 13; *8*, 433
Kelly, T. J., Jr., *12*, 1007
Kempe, T. D., *9*, 541
Keniston, B. A., *5*, 195
Kerbel, R. S., *3*, 105; *4*, 103; *5*, 447
Keski-Oja, J., *2*, 235; *9*, 29
Kessin, R. H., *10*, 703
Khoury, G., *6*, 535
Kiefer, B. I., *4*, 275
Kindle, K., *5*, 401
King, R. J. B., *3*, 361
Kirschner, M. W., *10*, 337; *12*, 587
Klagsbrun, M., *8*, 373
Kleckner, N., *11*, 11
Kleene, K. C., *12*, 143
Kleid, D., *5*, 109
Klein, C., *10*, 329
Klein, G., *11*, 139
Klein, I., *11*, 73
Klein, W. H., *4*, 217; *7*, 487
Klessig, D. F., *12*, 9
Kletzien, R. F., *6*, 513
Klevecz, R. R., *5*, 195
Klootwijk, J., *11*, 73
Klotz, L. C., *6*, 161
Klug, A., *7*, 191
Klukas, C. K., *9*, 615
Kneale, G. G., *10*, 139
Ko, C., *2*, 259; *12*, 601
Koch, G., *6*, 21
Kolakofsky, D., *8*, 547; *12*, 539
Koler, R. D., *5*, 331
Koller, Th. *12*, 101
Kolodner, R., *11*, 739
Konrad, M. W., *10*, 305
Kopelovich, L., *10*, 313
Kort, L., *12*, 539
Koski, R. A., *9*, 101
Koths, K. E., *9*, 551
Kram, R., *1*, 91
Kramer, R. A., *8*, 227
Krauss, M. R., *12*, 191
Kredich, N. M., *12*, 931
Krooth, R. S., *3*, 55
Kruh, G. D., *12*, 383
Krystosek, A., *9*, 675
Kucherlapati, R. S., *7*, 123; *12*, 205
Kuehl, W. M., *5*, 139; *8*, 405; *12*, 453
Kuff, E. L., *11*, 83; *11*, 845; *12*, 963
Kulka, R. G., *7*, 551; *8*, 95
Kumar, A., *4*, 157
Kung, H.-J., *7*, 609
Kurer, V., *8*, 183

Laemmli, U. K., *7*, 191; *12*, 805; *12*, 817
Laffler, T., *1*, 27; *3*, 47
Lai, M. M. C., *11*, 95
Laird, C. D., *9*, 131
Lalley, P., *11*, 949
Lalor, T., *8*, 535
Lam, G. F. M., *3*, 55
Lam, T., *11*, 273
Landau, T., *8*, 535
Lane, C. D., *8*, 283; *11*, 683
Lansman, R. A., *6*, 231
Lanyon, W. G., *9*, 71
Lanza, R., *11*, 115
Larsson, A., *7*, 413

Laskey, R. A., *10*, 237; *11*, 345
Laug, W. E., *6*, 245
Lauth, M. R., *7*, 67
Lavi, S., *4*, 173
Lawrence, J., *12*, 205
Lazarides, E., *6*, 289
Lazarus, H., *7*, 41; *7*, 323
Lazzarini, R. A., *1*, 85; *3*, 77; *3*, 85
Lechner, R. L., *12*, 1007
Leder, A., *5*, 319
Leder, P., *5*, 139; *5*, 319
Lee, L.-S., *11*, 223
Leffack, I. M., *12*, 837
Lemaire, I., *11*, 149
Lemons, R. S., *12*, 251
Lengyel, J., *5*, 281
Lenk, R., *10*, 67
Leppert, M., *12*, 539
Lerner, R. A., *8*, 391
Lernhardt, W., *10*, 27
LeStourgeon, W. M., *11*, 127
Levenson, R. G., *9*, 311
Leventhal, M., *7*, 97
Levi, S., *4*, 239
Levine, A., *2*, 295
Levine, A. J., *7*, 575; *11*, 871
Levinson, A. D., *7*, 575; *11*, 871
Levinson, B. B., *5*, 29; *10*, 297
Levintow, L., *12*, 993
Levis, R., *11*, 105
Levy, S., *8*, 495
Lewin, B., *1*, 1; *1*, 107; 2, 1; 2, 305; *3*, 385; *4*, 11; *4*, 77; *5*, 213
Lewis, J. B., *7*, 141; *11*, 819; *12*, 37
Lidman, K., *6*, 507
Lieber, M. M., *1*, 55; *2*, 55
Lin, S.-Y., *4*, 107
Lindahl, L., *7*, 165; *7*, 179; *9*, 439
Lindberg, U., *7*, 531
Lingwood, C. A., *5*, 37
Linn, T., *8*, 103
Linney, E., *10*, 297
Lipchitz, L., *9*, 355
Lipson, E. D., *10*, 415
Little, C. D., *10*, 287
Littlefield, J. W., *7*, 391
Livingston, D. M., *3*, 65; *7*, 41; *8*, 535
Lizardi, P. M., *4*, 199; *4*, 207; *7*, 239
Lobban, P. E., *4*, 167; *8*, 65
Lockard, R. E., *9*, 747
Lodish, H. F., *6*, 215; *7*, 59; *8*, 233; *10*, 253; *12*, 301
Loeblich, A. R., III, *6*, 161
Lofgren, D. J., *11*, 157
Lohr, D., *12*, 829
Longley, J. I., *9*, 733; *11*, 807
Losasso, L., *10*, 45
Losick, R., *8*, 103; *11*, 751
Lovelace, E., *8*, 417
Lowenstein, L., *5*, 183
Lowry, J. C., *6*, 359; *9*, 147
Lowy, D. R., *12*, 973
Loyter, A., *7*, 551
Lubit, B. W., *9*, 503
Lubsen, N. H., *8*, 299
Lucas, A., *12*, 553
Lucas, J. J., *7*, 115; *7*, 397
Lueders, K. K., *11*, 83; *12*, 963
Luftig, R. B., *12*, 709
Lund, E., *7*, 165; *11*, 247
Lusis, A. J., *6*, 371
Lynch, D., *9*, 81
Lynch, R. D., *12*, 295
Lyons, J., *11*, 431

McAllister, R. M., *7*, 609
McAuslan, B. R., *2*, 113
McBurney, M. W., *2*, 173; *2*, 183; *9*, 57; *12*, 653
McCarron, M., *11*, 1
McClain, W. H., *5*, 389
McDougall, J. K., *10*, 669; *11*, 233
McKnight, S. L., *8*, 305; *12*, 795
McMillin-Halsel, C., *11*, 321
McPherson, A., *4*, 263
McReynolds, L., *1*, 139; *3*, 185
Macdonnell, D., *11*, 321
Mackey, J. K., *7*, 419
Macleod, R., *10*, 245
Macnaughton, M., *1*, 117
MacPhail, E., *4*, 121
Mahy, B. W. J., *1*, 77; *5*, 339
Mainwaring, W. I. P., *12*, 401
Maitland, N. J., *11*, 233
Maizel, J. V., Jr., *10*, 225
Maizels, N., *9*, 431
Majeune, M., *6*, 521
Mak, T. W., *7*, 223; *9*, 375; *12*, 287
Malech, H. L., *9*, 383
Malt, R. A., *4*, 157
Mangel, W. F., *9*, 481
Maniatis, T., *4*, 367; *5*, 109; *7*, 279; *8*, 163; *10*, 571
Mankovitz, R., *1*, 9; *3*, 221
Manning, J. E., *4*, 141; *5*, 159; *5*, 227; *10*, 213
Manning, R. F., *7*, 339
Manor, H., *5*, 311; *11*, 65
Manteuil, S., *5*, 413
Manzari, V., *8*, 505
Maoz, A., *5*, 83
Marcu, K. B., *9*, 311
Marcus, A., *1*, 101
Margulies, D. H., *8*, 405
Marks, P. A., *12*, 463
Maroudas, N. G., *3*, 217
Martial, J. A., *12*, 157
Martin, D. W., Jr., *2*, 241; *3*, 375; *9*, 205; *12*, 931
Martin, G. R., *2*, 163; *5*, 229; *5*, 342; *6*, 455; *6*, 467; *12*, 973
Martin, R. G., *11*, 859
Martini, O., *12*, 1127
Mathews, M. B., *6*, 223; *7*, 585; *12*, 741
Mauck, J. C., *3*, 171
Maurer, R., *5*, 109
Mautner, V., *5*, 93; *11*, 115
Maxam, A. M., *7*, 279; *9*, 495
Meagher, R. B., *10*, 521
Medrano, L., *1*, 23; *1*, 167
Meier, P., *6*, 521
Meisler, M., *9*, 533
Meissner, H. C., *10*, 225
Melchers, F., *10*, 27
Melli, M., *11*, 651; *12*, 167
Melnick, J. L., *2*, 55
Merlo, D. J., *11*, 263
Merriam, R. W., *12*, 883
Mertz, J. E., *12*, 175
Meselson, M., *12*, 441
Metz, D. H., *6*, 429
Meuth, M., *2*, 109; *3*, 127; *3*, 367
Meyer, J., *10*, 225
Micou-Eastwood, J., *10*, 265
Migeon, B. R., *5*, 11
Milcarek, C., *3*, 1
Miller, C. L., *12*, 319
Miller, D. A., *1*, 167
Miller, J. H., *1*, 73
Miller, J. R., *12*, 109
Miller, L., *3*, 275
Miller, L. K., *11*, 331
Miller, O. J., *1*, 167; *9*, 503
Miller, O. L., Jr., *8*, 305; *8*, 449; *12*, 795
Miller, R. A., *9*, 45; *10*, 287
Mills, A. D., 10, 237; *11*, 345
Millward, S., *9*, 597
Milner, M. J., *3*, 141
Milstein, C., *6*, 5; *12*, 663
Minna, J. D., *11*, 949
Mintz, B., *6*, 61
Mirsky, R., *4*, 95
Mitchell, G. J., *9*, 71
Mitchell, J., *8*, 13
Miyashita, K., *5*, 131
Moehring, J. M., *11*, 447
Moehring, T. J., *11*, 447
Molloy, G. R., *1*, 43
Montague, W., 2, 103
Montoya, A. L., *11*, 263
Moore, P. B., *8*, 557
Moore, P. D., *8*, 573
Morgan, M., *7*, 227
Morhenn, V., *1*, 91
Morris, N. R., *8*, 357; *9*, 627; *10*, 237
Moscovici, C., *11*, 95
Moscovici, M. G., *11*, 95
Moses, H. L., *7*, 255; *11*, 909
Mosher, D. F., *9*, 29
Moss, B., *4*, 379; *10*, 113
Moss, P. S., *10*, 265
Moss, W. W., *11*, 949
Moudrianakis, E. N., *9*, 785
Moyer, S. A., *2*, 63; *3*, 327; *4*, 37; *5*, 59
Mueller, K., *10*, 121
Mueller-Lantzsch, N., *9*, 579
Mulvihill, E. R., *8*, 557
Munoz, R. F., *2*, 247
Murphy, J. M., *12*, 417
Murphy, M. F., *3*, 77
Murphy, W., *9*, 81
Musso, R. E., *12*, 847
Musumeci, S., *9*, 71
Muthukrishnan, S., *6*, 185
Myers, M. W., *10*, 245

Nagai, Y., *10*, 729
Nagle, B. W., *12*, 573
Nakanishi, S., *3*, 39
Nasi, S., *10*, 689
Nasmyth, K. A., *12*, 1109
Naso, R. B., *4*, 31; *10*, 79
Nathenson, S. G., *10*, 679
Natter, W., *10*, 275
Nau, M., *5*, 139
Neer, A., *5*, 311; *11*, 65
Neiman, P. E., *4*, 311; *11*, 321
Nelson, T., *10*, 509
Nemer, M., *6*, 171; *6*, 559; *9*, 589
Nester, E. W., *11*, 263
Neufeld, B. R., *1*, 127
Neufeld, E. F., *12*, 619
Newby, R. F., *11*, 423
Newell, P. C., *6*, 129
Newkirk, M. J., *9*, 605
Newlon, C. S., *5*, 213; *5*, 423
Newton, A., *12*, 393
Nguyen-Huu, M. C., *11*, 923
Nicolson, M. O., *7*, 609
Nienhuis, A., *12*, 205
Nissley, S. P., *11*, 441
Noll, M., *8*, 349
Nomura, M., *7*, 165; *7*, 179; *8*, 129; *9*, 439; *9*, 633; *11*, 779
Norberg, R., *6*, 507
Nowinski, R. C., *12*, 341
Noyes, B. E., *5*, 301
Nudel, U., *12*, 463
Nuss, D. L., *6*, 21
Nussbaum, A. L., *7*, 349

O'Brien, R. L., *7*, 13
O'Brien, S. J., *12*, 251
Oebbecke, C., *10*, 121
Oeschger, M. P., *7*, 205
O'Farrell, P. H., *10*, 381; *12*, 1133
O'Farrell, P. Z., *9*, 289; *12*, 1133
Ohanian, S. H., *9*, 241
Ohno, S., *1*, 3; *1*, 175; *2*, 205; *3*, 235; *7*, 315; *10*, 729
Oie, H., *11*, 949
Okazaki, W., *4*, 311
Old, J., *8*, 13
Olden, K., *8*, 383
O'Neill, F. J., *8*, 87
Oppenheim, A., *11*, 859
Oppermann, H., *12*, 993
Osborn, M., *7*, 575; *12*, 561
Oskarsson, M. K., *10*, 79
Osley, M. A., *12*, 393
Ostertag, W., *10*, 689
Ottolenghi, S., *8*, 13; *9*, 71
Owen, D. A., *1*, 3
Oudet, P., *4*, 281
Ozer, H. L., *7*, 289

Pacifici, M., *11*, 891

Padgett, T. G., *10*, 649; *11*, 307
Paigen, K., *6*, 371; *9*, 533
Palese, P., *10*, 1
Palmenberg, A., *12*, 57
Palmer, L., *11*, 181
Palmer, R. E., *10*, 35
Palmiter, R. D., *4*, 189; *8*, 557
Palter, K., *6*, 85
Panet, A., *11*, 933
Pao, C. C., *11*, 181
Papaioannou, V. E., *12*, 873
Papamichail, M., *4*, 103; *5*, 447
Pardue, M. L., *4*, 395; *8*, 43; *11*, 631; *12*, 219; *12*, 227
Parker, J. W., *7*, 13
Parker, M. G., *12*, 401
Parkinson, J. S., *4*, 183
Parkman, R., *12*, 683
Parks, W. P., *3*, 15; *4*, 321; *8*, 87
Partington, G. A., *11*, 345; *12*, 953
Pastan, I., *1*, 59; *3*, 39; *8*, 383; *8*, 417; *9*, 241; *10*, 375; *12*, 609
Paterson, B. M., *10*, 265; *12*, 751
Patrinou-Georgoulas, M., *12*, 491; *12*, 501
Paul, J., *4*, 121
Paulson, J. R., *12*, 817
Peebles, P. T., *6*, 45
Pellegrini, M., *10*, 213
Pellicer, A., *11*, 223
Penman, S., *1*, 31; *1*, 95; *1*, 139; *1*, 161; *2*, 253; *3*, 1; *3*, 23; *3*, 185; *3*, 335; *4*, 69; *4*, 131; *4*, 395; *5*, 281; *6*, 197; *7*, 429; *8*, 19; *10*, 67; *11*, 105; *11*, 901; *12*, 939
Penningroth, S. M., *12*, 587
Percy, D., *12*, 553
Perdue, J. F., *6*, 513
Perlman, D., *12*, 1029
Perlman, S., *8*, 33
Perry, R. P., *1*, 37; *1*, 101; *3*, 197; *4*, 181; *4*, 387; *6*, 13; *8*, 433; *9*, 121
Peterkofsky, B., *3*, 291
Petes, T. D., *4*, 249
Pettersson, R. F., *11*, 51
Pettersson, U., *6*, 1; *7*, 585; *9*, 259; *12*, 741
Pfeffer, L. M., *10*, 313
Pham, T. D., *9*, 503
Philipson, L., *6*, 1; *7*, 585
Phillips, C., *8*, 33
Piggott, D., *3*, 207
Piko, L., *12*, 697
Pirrotta, V., *12*, 1057
Plagemann, P. G. W., *2*, 71
Podskalny, J. M., *11*, 441
Pollack, R., *3*, 51; *6*, 495
Pollock, K., *3*, 31
Ponder, B. A. J., *11*, 35
Portalier, R., *8*, 245
Porter, K. R., *2*, 145
Post, L., *9*, 439
Potter, M., *6*, 149
Pouyssegur, J., *10*, 375
Prather, W. B., *3*, 291
Pratt, D. M., *12*, 683
Premkumar, E., *5*, 87; *6*, 149
Premkumar-Reddy, E., *8*, 397
Prescott, D. M., *7*, 67
Price, P. J., *8*, 397
Price, R. P., *2*, 253; *3*, 1
Primakoff, P., *8*, 581
Prives, C., *12*, 73
Prives, J., *7*, 543
Probst, E., *8*, 455
Proper, J., *11*, 909
Proudfoot, N. J., *9*, 733; *10*, 559; *11*, 807
Przybyla, A., *10*, 265
Ptashne, M., *5*, 109
Puck, T. T., *2*, 145
Purchase, H. G., *4*, 311

Quinlan, T. J., *11*, 909

Rabbitts, T. H., *6*, 5
Radin, A., *4*, 45
Radonovich, M. F., *11*, 495
Rafaeli-Eshkol, D., *2*, 31
RajBhandary, U. L., *6*, 395; *6*, 407; *9*, 717; *9*, 747
Ransom, L., *2*, 253; *10*, 67
Raskas, H. J., *7*, 557; *8*, 205
Ray, D. A., *3*, 307
Rechler, M. M., *11*, 441
Rechsteiner, M. C., *5*, 371
Reddy, V. B., *10*, 497
Reed, S. I., *6*, 529; *11*, 523
Reeder, R. H., *8*, 449; *11*, 599
Reich, E., *5*, 323; *6*, 387; *8*, 271; *9*, 231; *11*, 695
Reiman, H. M., Jr., *11*, 909
Rein, A., *7*, 373; *10*, 479
Reiter, H., *12*, 365
Rekosh, D. M. K., *11*, 283
Revel, M., *12*, 73
Rheinwald, J. G., *2*, 287; *6*, 317; *6*, 331
Rhodes, D. P., *3*, 327; *5*, 51
Rice, R. H., *11*, 417
Rich, A., *8*, 521
Richards, K. E., *11*, 483
Richter, D., *12*, 1127
Rifkin, D., *6*, 495
Rifkind, R., *12*, 463
Riggs, A. D., *4*, 107
Riggs, M. G., *12*, 855
Ringold, G. M., *6*, 299; *10*, 11; *10*, 19
Robbins, P. W., *6*, 137; *12*, 893
Roberts, J., *8*, 581
Roberts, J. M., *11*, 819
Roberts, R. J., *11*, 533; *12*, 1
Roberts, T. M., *6*, 161; *9*, 551
Robey, W. G., *10*, 79
Robinson, A. J., *11*, 283
Robinson, J. H., *3*, 361
Roby, K., *11*, 881; *11*, 891
Rodgers, M. E., *12*, 915
Roe, B. A., *6*, 407
Roeder, R. G., *4*, 51; *7*, 557; *10*, 405
Rogiers, R., *9*, 117; *12*, 529
Rosbash, M., *10*, 453; *10*, 463
Rose, S. M., *12*, 453
Rosen, A., *11*, 139
Rosenberg, M., *9*, 247; *11*, 845
Rosenberg, N., *12*, 683
Rosenwirth, B., *7*, 575
Ross, J., *8*, 513
Roth, J., *8*, 417
Roth, J. R., *7*, 381
Rottman, F. M., *3*, 197; *4*, 181; *4*, 387; *6*, 13
Rubenstein, J. L. R., *12*, 471
Rubin, G. M., *6*, 207
Rubin, R., *12*, 601
Ruddle, F. H., *7*, 123; *9*, 45; *10*, 287; *12*, 205
Russell, W. C., *11*, 283
Russo, G., *9*, 71
Ruttledge, G., *7*, 223
Ryder, O. A., *4*, 337
Ryffel, G. U., *11*, 213

Sachs, L., *9*, 675
Salditt, M., *1*, 43
Salditt-Georgieff, M., *7*, 227
Salmon, J., *12*, 463
Salser, W., *12*, 1069
Salzman, N. P., *11*, 495
Samarina, O. P., *9*, 323
Sambrook, J., *4*, 113; *5*, 93; *9*, 269
Sampson, J., *11*, 173
Sander, G., *10*, 337
Sando, G. N., *12*, 619
Sang, J. H., *3*, 141; *3*, 387; *6*, 118
Sargent, P. A., *2*, 43
Sarma, P. S., *8*, 397
Sato, G., *8*, 79
Sato, T., *11*, 551
Sauerbier, W., *9*, 775
Sautner, D., *8*, 513
Sawyer, T. H., *12*, 383
Schachat, F. H., *10*, 721
Schaffner, W., *8*, 455; *8*, 471; *8*, 479
Scharff, M. D., *5*, 139; *8*, 405; *10*, 679
Schedl, P., *8*, 581; *9*, 449; *12*, 1057
Scheffler, I. E., *10*, 697
Scheid, M. P., *5*, 367
Scher, C. D., *8*, 373; *12*, 683
Scherrer, K., *3*, 243
Schibler, U., *9*, 121
Schildkraut, C. L., *12*, 901
Schiliro, G., *9*, 71
Schimke, R. T., *7*, 331
Schlegel, R. A., *5*, 371
Schleif, R., *11*, 545
Schlesinger, D. H., *5*, 361; *5*, 367
Schlesinger, M., *6*, 215
Schmid, C. W., *4*, 141; *5*, 159; *5*, 227; *6*, 345
Schmidt, F. J., *5*, 389
Schneider, E. L., *6*, 179
Schorderet-Slatkine, S., *4*, 269
Schroeder, W. A., *7*, 323
Schultz, G., *7*, 247
Schutz, G., *11*, 923
Schwaber, J., *12*, 683
Sciaky, D., *11*, 263
Scolnick, E. M., *1*, 59; *2*, 121; *3*, 15; *4*, 321; *8*, 87
Scott, D., *12*, 355
Seale, R. L., *9*, 423
Sederoff, R., *5*, 173; *5*, 183
Seeburg, P. H., *12*, 157
Sefton, B. M., *10*, 659
Segal, S., *9*, 247; *11*, 83; *11*, 845
Segall, J., *11*, 751
Sehgal, P. B., *9*, 473
Seidman, J. G., *5*, 389
Sen, A., *7*, 21; *10*, 91; *10*, 489
Senger, D. R., *9*, 171
Sens, D., *10*, 275
Shafritz, D. A., *12*, 133
Shander, M., *11*, 25
Shani, M., *11*, 495
Shank, P. R., *10*, 19
Shapiro, B. M., *10*, 321
Sharp, P. A., *4*, 113; *5*, 93; *9*, 559; *12*, 45; *12*, 721
Shatkin, A. J., *3*, 197; *4*, 173; *4*, 181; *6*, 21; *6*, 185; *7*, 227; *7*, 305; *9*, 645
Shearn, A., *12*, 915
Sheffery, M., *12*, 393
Sheinin, R., *7*, 49
Shell, L., *7*, 75
Shelton, E., *5*, 340
Sherman, M. I., *5*, 343; *9*, 231; *9*, 523
Shermoen, A. W., *4*, 275
Sherr, C. J., *1*, 55; *2*, 55; *7*, 21; *10*, 489; *12*, 251
Sherratt, D. J., *3*, 189
Sherton, C. C., *5*, 331
Shibuya, M., *12*, 521
Shields, R., *2*, 229; *3*, 31; *3*, 381
Shimizu, N., *7*, 123
Shimizu, Y., *7*, 123
Shin, S.-I., *3*, 355
Shine, J., *12*, 157
Shorr, S. S., *6*, 179
Short, P. A., *11*, 441
Shumard, D. S., *10*, 623
Shure, H., *7*, 361; *9*, 481
Shure, M., *8*, 215
Shutt, R. H., *3*, 283
Sibley, C. H., *2*, 213; *2*, 221
Siegal, G. P., *11*, 909
Silberklang, M., *9*, 717
Silman, I., *7*, 543
Silver, L. M., *11*, 971
Silverman, A. Y., *4*, 321
Silverstein, S., *11*, 223
Siminovitch, L., *1*, 9; *4*, 167; *6*, 121; *7*, 1; *8*, 65; *9*, 213; *10*, 61; *12*, 235; *12*, 675
Simon, G., *11*, 307

Simpson, R. T., *9*, 347; *11*, 609
Singer, M. F., *9*, 247; *11*, 845
Singer, P. A., *5*, 87; *6*, 149
Sippel, A. E., *11*, 923
Siu, C.-H., *8*, 391
Skett, P., *7*, 413
Sklar, M. D., *6*, 149
Sklar, V. E. F., *10*, 405
Skoultchi, A. I., *12*, 133; *12*, 263
Slater, M. L., *7*, 289
Small, B., *7*, 59; *10*, 253
Smith, A. E., *9*, 481
Smith, D. W., *4*, 337
Smith, G. P., *3*, 341; *12*, 453
Smith, J. A., *3*, 361
Smith, L. D., *11*, 663
Smith, M., *6*, 395; *11*, 807
Smith, M. J., *5*, 291
Smith, S. G., *6*, 45
Smith, V. A., *7*, 439
Sobhani, M. K., *9*, 195
Soderberg, K. L., *10*, 697
Söderlund, H., *7*, 585
Sodja, A., *11*, 585; *11*, 763
Soeiro, R., *2*, 271
Sohn, U., *10*, 35
Sokawa, J., *5*, 69
Sokawa, Y., *5*, 69
Solem, R., *7*, 141
Sollner-Webb, B., *8*, 333; *9*, 179; *10*, 537
Sonnenschein, C., *7*, 413
Southern, E. M., *11*, 363
Spandidos, D. A., *12*, 235; *12*, 675
Spear, B. B., *2*, 307; *7*, 67
Spector, D., *10*, 265
Spector, D. H., *6*, 41
Sperling, R., *7*, 297
Spiegelman, B. M., *12*, 587
Spinelli, G., *11*, 651; *12*, 167
Spohr, G., *8*, 505
Spradling, A., *1*, 31; *3*, 23; *4*, 131; *4*, 139; *4*, 395
Sprague, K. U., *11*, 561
Stacey, D. W., *9*, 725
Stamminger, G., *1*, 85; *3*, 85
Stanfield, S., *9*, 333
Stanley, E. R., *10*, 35
Stanley, P., *6*, 121
Stanners, C. P., *11*, 273
Stark, G. R., *5*, 301; *6*, 529; *9*, 541
Stathopoulos, G., *4*, 103; *5*, 447
Steel, M., *3*, 153
Steinberg, R. A., *5*, 29; *10*, 381
Stenberg, A., *7*, 413
Stephens, R. E., *7*, 255
Stephenson, J. R., *2*, 87; *3*, 347; *6*, 543; *9*, 489; *10*, 641; *12*, 287
Stern, P. L., *6*, 455
Steward, R., *12*, 1057
Stewart, C. C., *4*, 51
Stoker, M., *3*, 207; *6*, 253
Stoll, E., *12*, 57
Stone, N. J., *12*, 629
Storrie, B., *10*, 305; *11*, 707
Storti, R. V., *8*, 521
Strair, R. K., *12*, 133
Strauss, B., *5*, 381
Strickland, S., *5*, 323; *6*, 387; *9*, 231
Strohman, R. C., *10*, 265
Strominger, J., *12*, 683
Strycharz, W. A., *8*, 129
Stubblefield, E., *10*, 649
Suau, P., *10*, 139
Subramanian, K. N., *10*, 497
Summers, D. F., *2*, 63
Sun, T.-T., *9*, 511
Sundqvist, K.-G., *5*, 351
Sures, I., *9*, 495
Surrey, S., *9*, 589
Sussman, M., *4*, 347
Sussmann, H. H., *9*, 37
Sutherland, D. J. A., *7*, 223
Sveda, M. M., *2*, 271; *12*, 371
Swartz, L. A., *12*, 855
Swyrd, E. A., *9*, 541
Szekely, E., *7*, 115
Szpirer, C., *6*, 53; *6*, 577
Szpirer, J., *6*, 53; *6*, 577

Taber, R., *8*, 529
Tait, K. M., *7*, 517
Tait, R. D., *10*, 521
Takebe, Y., *12*, 521
Tamm, I., *9*, 473
Tantravahi, R., *1*, 167
Tashjian, A. H., Jr., *11*, 431
Tata, J. R., *7*, 131; *9*, 1
Tatchell, K., *12*, 829
Taubman, M. B., *4*, 45
Teich, N. M., *12*, 355; *12*, 973
Telford, J., *8*, 471; *8*, 479
Tenen, D., *8*, 535
Terada, M., *12*, 463
Therwath, A., *3*, 243
Thimmappaya, B., *11*, 837
Thoma, F., *12*, 101
Thomas, C. A., Jr., *5*, 413
Thomas, D. B., *5*, 37
Thomas, J. O., *10*, 633
Thomopoulos, P., *8*, 417
Thompson, E. J., *4*, 95
Thompson, L. H., *1*, 9; *10*, 305; *11*, 157
Thompson, R. J., *10*, 633
Tibbetts, C., *12*, 243
Till, J. E., *1*, 9
Timberlake, W. E., *10*, 623
Todaro, G. J., *1*, 55; *2*, 55; *7*, 21; *8*, 365; *10*, 91; *10*, 489
Tolstoshev, P., *8*, 13; *9*, 71
Tolun, A., *9*, 259
Tomkins, G. M., *1*, 91; *2*, 213; *2*, 221; *3*, 59; *3*, 301; *5*, 29; *6*, 299
Toniolo, D., *4*, 255
Topp, W., *9*, 269
Trachsel, H., *11*, 187
Travers, A., *3*, 97; *8*, 605
Tronick, S. R., *2*, 87; *3*, 347; *6*, 543; *9*, 489
Trowbridge, I. S., *6*, 279
Tschudi, C., *12*, 1057
Tseng, B. Y., *12*, 483
Tsistrakis, G. A., *9*, 71
Tung, J.-S., *9*, 573
Turco, S. J., *12*, 893
Turner, P., *12*, 205

Ukena, T. E., *7*, 213
Ullman, B., *9*, 205
Ullrich, A., *12*, 157
Unsworth, B. R., *3*, 249
Upholt, W. B., *11*, 571
Urquhart, N., *6*, 395
Usher, D. C., *12*, 365

Vaheri, A., *2*, 235; *9*, 29
VandenBerg, S. R., *9*, 37
Van de Voorde, A., *9*, 117; *12*, 529
Vande Woude, G. F., *10*, 79
Van Holde, K. E., *12*, 829
van Kammen, A., *11*, 73
Van Lente, F., *5*, 45; *6*, 85
van Ooyen, A. J. J., *8*, 123
Varmus, H. E., *6*, 299; *11*, 307; *12*, 983; *12*, 993
Varmus, H. W., *10*, 11; *10*, 19; *10*, 649
Varshavsky, A. J., *11*, 619
Vassalli, J.-D., *8*, 271; *11*, 695
Velez, R., *12*, 205
Vennstrom, B., *7*, 585
Verma, I. M., *10*, 469
Veron, M., *10*, 321
Vidali, G., *12*, 409
Villa-Komaroff, L., *6*, 41; *6*, 215
Vinograd, J., *7*, 517; *8*, 215
Vogt, M., *5*, 205
Vogt, P. K., *11*, 95; *11*, 513
Voloch, Z., *8*, 495
Vonder Haar, R. A., *12*, 371
Vournakis, J. N., *3*, 265; *4*, 367

Wada, H. G., *9*, 37
Wahl, G. M., *6*, 269
Wahli, W., *11*, 213
Walbot, V., *11*, 729
Wald, N., Jr., *8*, 529
Walker, B. W., *11*, 127
Wall, R., *10*, 597
Wang, R. J., *8*, 257
Wang, W.-y., *6*, 75
Waqar, M. A., *6*, 551
Warner, J. R., *11*, 201
Wasmuth, J. J., *8*, 71; *9*, 655
Wasserman, M., *7*, 551
Waterfield, M. D., *11*, 331
Watson, D. K., *9*, 785
Watson, R. J., *12*, 275
Watson, R. M., *7*, 517
Weatherall, D. J., *8*, 13; *9*, 71
Weber, J., *10*, 611; *10*, 617; *12*, 733
Weber, K., *7*, 575; *12*, 561
Weber, L. A., *10*, 113
Weber, M. J., *5*, 245; *5*, 253; *10*, 45
Weber, R., *11*, 213
Weeks, D. P., *9*, 15
Weeks, V., *9*, 221
Wei, C.-M., *4*, 379
Weinberg, R. A., *11*, 243
Weiner, A. M., *8*, 233
Weingartner, B., *9*, 259
Weinmann, R., *7*, 557
Weinstein, Y., *3*, 375
Weintraub, H. M., *5*, 45; *6*, 85; *9*, 409; *9*, 419; *12*, 783; *12*, 837
Weiss, M. C., *6*, 481
Weiss, R. A., *12*, 973
Weiss, S. R., *12*, 983
Weissbach, A., *5*, 101
Weissbach, H., *2*, 137
Weissman, S. M., *10*, 497; *11*, 837
Weissmann, C., *12*, 57
Weitzman, S., *10*, 679
Wellauer, P. K., *8*, 443; *10*, 193; *10*, 597
Wensink, P. C., *3*, 315
West, J. D., *12*, 873
Weston, J. A., *5*, 75
Westphal, H., *10*, 225
Wheeler, T., *9*, 481
White, R. L., *5*, 149; *10*, 177
Whitlock, J. P., Jr., *9*, 347
Whitmore, G. F., *1*, 9; *2*, 173; *2*, 183
Whitney, J. B., III, *12*, 863
Wigler, M., *11*, 223
Wilkie, N. M., *12*, 275
Wilkinson, L. E., *9*, 131
Williams, A. F., *12*, 663
Williams, D. R., *3*, 15
Williams, J., *4*, 113; *5*, 93
Williams, J. G., *4*, 69; *6*, 197; *7*, 429; *11*, 901
Williamson, A. R., *5*, 87
Williamson, D. H., *4*, 249
Williamson, R., *4*, 199; *7*, 267; *8*, 13; *9*, 71
Willingham, M., *8*, 383; *12*, 609
Willingham, M. C., *10*, 375
Willis, M. V., *3*, 179
Wilson, M., *12*, 733
Wilt, F. H., *11*, 673
Windass, J., *7*, 267
Winnacker, E.-L., *9*, 259
Winocour, E., *12*, 73
Wirth, D. F., *10*, 253; *12*, 893
Witte, O. N., *11*, 505
Wittel, F. P., *8*, 115
Wivel, N. A., *9*, 383
Wolbers, S. J., *8*, 79
Wold, B. J., *7*, 487
Wolfner, M., *7*, 381
Wong, P. K. Y., *10*, 245
Wood, P., *4*, 239
Wood, W. G., *9*, 71
Woodland, H. R., *7*, 153
Woods, S. L., *7*, 205
Worcel, A., *8*, 245; *9*, 393; *9*, 409; *12*, 83
Wu, M., *9*, 163; *11*, 763
Wudl, L. R., *9*, 523
Wyssling, H., *11*, 651

Yakobson, E., *12*, 73
Yamada, K. M., *5*, 75; *9*, 241; *10*, 375
Yamada, S. S., *10*, 375
Yamamoto, K. R., *4*, 301; *6*, 299; *10*, 11; *10*, 19
Yamamoto, M., *7*, 179; *8*, 129
Yang, N.-S., *7*, 339
Yaniv, M., *12*, 947
Yao, M.-C., *12*, 121
Yen, P. H., *11*, 585; *11*, 763
Yoshiki, T., *9*, 573
Yoshinaka, Y., *12*, 709
Young, B. D., *4*, 121
Young Lai, E. V., *3*, 235
Yuen, P. H., *10*, 245
Yura, T., *11*, 551

Zabel, P., *11*, 73
Zakai, N., *7*, 551
Zalin, R. J., *2*, 103
Zehavi-Willner, T., *11*, *683*
Zeitler, D. P., *12*, 417
Zetter, B. R., *7*, 407
Zeuthen, J., *11*, 139
Zieve, G., *8*, 19
Ziff, E., *12*, 733
Zimmern, D., *11*, 455; *11*, 463
Zuchowsky, C. I., *11*, 383; *11*, 389
Zuckerman, A. J., *1*, 65; *1*, 157
Zuniga, M. C., *11*, 561
Zweidler, A., *4*, 59

Cell Cell
Cell Cell
Cell Cell
Cell Cell
Cell Cell